# STATE OF SOUTH DAKOTA George S. Mickelson, Governor

DEPARTMENT OF WATER AND NATURAL RESOURCES
John J. Smith, Secretary

GEOLOGICAL SURVEY
Merlin J. Tipton, State Geologist

Information Pamphlet No. IP-37

SAND AND GRAVEL RESOURCES IN KINGSBURY COUNTY, SOUTH DAKOTA

bу

Dennis W. Tomhave

Prepared in cooperation with the United States Geological Survey, East Dakota Water Development District, South Dakota Department of Transportation, and Kingsbury County

Science Center University of South Dakota Vermillion, South Dakota

# CONTENTS

	Page
INTRODUCTION	1
GEOLOGIC OVERVIEW	1
Glacial till	1
Glacial outwash	2
Alluvium	2
Terrace deposits	2
EXPLANATION OF TABLES	2
EXPLANATION OF MAP	2
Sand and gravel	3
ECONOMIC CONSIDERATIONS	4
TABLES	
<ol> <li>List of test holes in Kingsbury County, South Dakota, which contain sand or gravel within 25 feet of the land surface</li> </ol>	5
2. List of sand and gravel pits in Kingsbury County, South Dakota, on file at the De- partment of Transportation, Division of Highways, in Pierre, South Dakota	57
ILLUSTRATION	
Map showing test holes, sand and gravel pits and sand and gravel deposits in Kings-	(2

#### INTRODUCTION

This pamphlet is one of a series of reports describing the geology and water resources of Kingsbury County. It is designed to be an uncomplicated, non-technical aid in the search for sand and gravel deposits.

Other reports in the series include:

- a. Major aquifers in Kingsbury and Brookings Counties, South Dakota: South Dakota Geological Survey Information Pamphlet, Hamilton, Louis, U.S. Geological Survey (in preparation).
- b. Water resources of Kingsbury and Brookings Counties, South Dakota: U.S. Geological Survey Water Resources Investigations Report, Hamilton, Louis, (in preparation).
- c. Geology of Kingsbury and Brookings Counties, South Dakota: South Dakota Geological Survey Bulletin, Lehr, J. D. and Johnson, Gary (in preparation).

Report (a.) describes the availability, quality, and location of major aquifers (water-bearing deposits) in a short, easy to read pamphlet. Report (b.) is a more technical and somewhat more exhaustive investigation of the water resources of the Counties. Report (c.) is a scientific investigation of the geology of Kingsbury and Brookings Counties.

#### GEOLOGIC OVERVIEW

Most of the sand and gravel deposits found in Kingsbury County were deposited by glacial ice or meltwater, which covered the region thousands of years ago. Some sand and gravel has been deposited by streams since the retreat of the glaciers. A short description of geologic terms used in this text follows.

## Glacial Till

The glaciers were large masses of ice that thousands of years ago, originated from snow accumulations to the north. These glaciers flowed southward to the area that is now Kingsbury County, picking up earth debris as they went. Some of this debris, a mixture of clay, silt, sand, gravel, and boulders was redeposited directly from the ice. Till, the term used to describe this mixture, is also often called "blue clay" or "boulder clay." In the Kingsbury County area the till is made up of primarily clay and is not considered a source of sand and gravel. However, small isolated sand and gravel hills or lenses may occur.

## Glacial Outwash

Glacial outwash is the term used to describe any deposit of glacial debris that has been washed and sorted by water flowing from melting glacier ice. The grain size of these deposits depends upon the velocity of the water during deposition and the type of material. Deposits left by slow flowing streams are made up of primarily silts and clays. Very fast flowing streams may have left streambeds composed entirely of boulders. Most glacial outwash, however, is made up of an assortment of sand and gravel, with minor amounts of finer and coarser materials. Deposits of glacial outwash are the major sources of sand and gravel in Kingsbury County.

#### Alluvium

Alluvium is the term used to describe the material deposited by streams since the retreat of the glaciers. Grain size of the alluvial deposits is determined by the same factors that determine grain size of glacial outwash. Alluvium is found in the valleys of present-day streams and can often be a good source of sand and gravel.

## Terrace Deposits

Terrace deposits are flat-topped alluvial or outwash deposits that are remnants of former flood plains. The streams that formed them have since cut their channels deeper and developed new flood plains at lower levels. Some of the sand and gravel found in Kingsbury County occurs in this type of deposit.

#### EXPLANATION OF TABLES

Table 1 is a list of only those test holes in which sand or gravel was encountered within 25 feet of the land surface. This table gives the location of the test hole, and the depth and description of the sand and gravel deposits. The complete logs of all the test holes drilled in Kingsbury County are on file at the South Dakota Geological Survey in Vermillion, South Dakota.

Table 2 is a list of sand and gravel pits on file with the South Dakota Department of Transportation, Division of Highways, in Pierre, South Dakota. Where possible, this table gives the landowner and location of the pit, the thickness of overburden, the thickness of sand and gravel being mined, and the type of aggregate deposit. The actual thickness of a deposit may be greater than that listed in the table as being mined.

# EXPLANATION OF MAP

The map shows the location of the test holes and sand and gravel pits. It also shows the towns, major highways, and major

lakes, rivers, and creeks.

Test-hole data are shown on the map using three types of map symbols. A dot (•) represents a test hole in which sand or gravel was found within 25 feet of the land surface, with 0 to 5 feet of overburden. A square ( • ) indicates that sand or gravel was found within 25 feet of the land surface but greater than 5 feet of overburden was encountered. These two types of symbols are numbered and the pertinent test-hole information is listed in table The third symbol is an open circle (°), which indicates that no sand or gravel was found within 25 feet of the land surface. Logs of these test holes are available at the South Dakota Geological Survey in Vermillion, South Dakota. Locations of the sand and gravel pits are indicated by a crossed pick and shovel (☆). The pits which are numbered are listed in table 2, and additional information is on file at the Department of Transportation, Division of Highways, in Pierre, South Dakota. No attempt was made to distinguish the inactive pits from the actively mined pits.

To aid in the delineation of the most promising areas of finding sand and gravel, the map has been divided into three area types, "good," "fair," and "poor." These three types of areas were differentiated using test hole data, sand and gravel pit locations, soil survey information, topographic map and aerial photograph interpretation, and field observations. Areas with "good" and "fair" probability of finding sand and gravel have been assigned a letter on the map and are discussed further in the following section.

Sand and gravel deposits found in the "good" areas are generally thick, have very little overburden, and cover a broad area. In these areas, much mining for sand and gravel has already occurred and is occurring at the present time. Sand and gravel deposits found in the "fair" areas are generally thinner, have more overburden, or are laterally discontinuous. There are sand and gravel deposits in the "poor" areas, but a very expensive and exhaustive exploration program would be needed to locate all of these deposits.

# Sand and Gravel

Area "A," designated as "good," is a very large continuous body of outwash sand and gravel, encompassing about 45 square miles within the drainage area of the East Fork Vermillion River. The thickness of the deposit exceeds 50 feet in many spots along the western edge of the area. Overall, Area "A" averages about 30 feet in thickness for all the test holes drilled. The amount of overburden is quite variable over the area, but averages about 3 feet in thickness for all the test holes drilled. A great deal of mining for sand and gravel has occurred and is occurring in this area.

Areas "B" and "D," designated as "fair," are northwest-south-east trending ridges of discontinuous sand and gravel. Isolated

knobs might contain as much as 30 feet of sand and gravel. A fair amount of mining for sand and gravel has occurred in these areas but there are many of the isolated knobs that remain untouched.

Area "C," designated as "fair," represents sand and gravel deposits within the Rock Creek valley. The outwash deposits here remain as thin terrace remnants along the valley walls. Several old exhausted gravel pits are located in this area.

Area "E," designated as "fair," contains sand and gravel deposits within the Redstone Creek valley. The outwash deposits here are very thin and discontinuous. Terrace remnants are found along the valley walls and a thin deposit of sand and gravel occupies the valley floor. The southern end of the area contains many gravel pits and is the most promising portion of the area.

Area "F," designated as "fair," represents outwash deposits within the South Fork Pearl Creek valley. The sand and gravel is found as isolated terrace remnants along the valley walls. Thin and discontinuous deposits are also found along the valley floor. Very little mining for sand and gravel has occurred in this area.

Area "G," designated as "fair," contains sand and gravel deposits within the valley of an intermittent unnamed creek, which connects Lake Albert and Lake Preston. The outwash deposits are thin and discontinuous in the southern portion of the area, but become thicker and more continuous to the north. Several test holes encountered in excess of 15 feet of sand and gravel, with little overburden.

Area "H," designated as "good," is a thick, continuous terrace deposit. Sand and gravel thicknesses of up to 26 feet were encountered in the test holes drilled. A great deal of mining for sand and gravel has occurred in this area.

Area "I," designated as "fair," is a small portion of an area which was mapped in the Clark County and Hamlin County sand and gravel pamphlets. Very isolated terrace remnants are all that occur in Kingsbury County.

#### ECONOMIC CONSIDERATIONS

It should be emphasized that this study is quite general and should be used only as a guide to further exploration and development of the sand and gravel resources. The development of a specific site will depend upon material specifications for the desired use, development costs, transportation costs, and future markets.

TABLE 1. LIST OF TEST HOLES IN KINGSBURY COUNTY, SOUTH DAKOTA, WHICH CONTAIN SAND OR GRAVEL WITHIN 25 FEET OF THE LAND SURFACE.

LITHOLOGIC DESCRIPTIONS, AS LISTED, HAVE BEEN CONDENSED FROM DATA CONTAINED IN LOGS ON FILE AT THE SOUTH DAKOTA GEOLOGICAL SURVEY OFFICE, VERMILLION, SOUTH DAKOTA, AND CONTAIN ONLY INFORMATION WHICH HAS BEEN DEEMED MOST USEFUL FOR THIS STUDY. NUMERICAL VALUES INDICATE DEPTH IN FEET BELOW LAND SURFACE.

TEST HOLE NUMBER: 1
LOCATION: 109N-54W-34AABA
LEGAL LOCATION: NE NW NE NE SEC. 34, T. 109 N., R. 54 W.
PRELIMINARY LOG -- SUBJECT TO CHANGE

1 - 8 SAND

\* \* \* \*

TEST HOLE NUMBER: 2 LOCATION: 109N-55W-07CDCD LEGAL LOCATION: SE SW SE SW SEC. 07, T. 109 N., R. 55 W.

- O 7 GRAVEL, BROWN, MEDIUM TO COARSE, SANDY; OXIDIZED, DRY
- 7 14 SAND, BROWN, FINE, SILTY; OXIDIZED, DRY
  14 31 SAND, BROWN, VERY FINE, SILTY; OXIDIZED,
  MOIST

\* \* \* \*

TEST HOLE NUMBER: 3 LOCATION: 109N-55W-08CCCC LEGAL LOCATION: SW SW SW SEC. 08, T. 109 N., R. 55 W.

- O 5 GRAVEL, LIGHT-BROWN, MEDIUM TO COARSE, SANDY; OXIDIZED, DRY
- 5 10 SAND, BROWN, MEDIUM, PEBBLY; OXIDIZED, MOIST, SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 4 LOCATION: 109N-55W-16AAAA LEGAL LOCATION: NE NE NE NE SEC. 16, T. 109 N., R. 55 W.

0 - 10 SAND, LIGHT-BROWN, MEDIUM, VERY CLAYEY, SILTY; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 5
LOCATION: 109N-55W-18DDAD

LEGAL LOCATION: SE NE SE SE SEC. 18, T. 109 N., R. 55 W.

- 2 5 GRAVEL, BROWN, MEDIUM TO COARSE, SANDY; OXIDIZED, DRY
- 5 10 GRAVEL, BRÓWN, FINE, SANDY; OXIDIZED, DRY, SOME COBBLES
- 10 26 SAND, BROWN, VERY FINE, SILTY; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 6 LOCATION: 109N-55W-20ABBA

LEGAL LOCATION: NE NW NW NE SEC. 20, T. 109 N.. R. 55 W.

- O 1 SAND, BROWN, FINE; DRY, OXIDIZED
- 1 5 SAND, ORANGISH-YELLOW, FINE;
- MOIST, OXIDIZED

  8 33 SAND, GRAY, CLAYEY, FINE, WELL-SORTED;
  SATURATED, UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 7 LOCATION: 109N-55W-21AAAA

LEGAL LOCATION: NE NE NE NE SEC. 21, T. 109 N., R. 55 W.

- O 1 SAND, BROWN, FINE TO MEDIUM, SILTY; DRY, OXIDIZED
- 4 7 SAND, REDDISH-BROWN, MEDIUM, SATURATED, OXIDIZED
- 8 12 SAND, GRAY, MEDIUM; SATURATED, UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 8
LOCATION: 109N-55W-21BABA

LEGAL LOCATION: NE NW NE NW SEC. 21, T. 109 N., R. 55 W.

- O 1 SAND, REDDISH-BROWN, FINE, WELL-SORTED; DRY, OXIDIZED
- 1 4 SAND, BRÓWN, FINE, CLAYEY, MODERATELY SORTED; MOIST, OXIDIZED
- 4 11 SAND, BROWN, MEDIUM, MODERATELY SORTED; MOIST, SATURATED AT 6 FEET, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 9 LOCATION: 109N-55W-21CCCC

LEGAL LOCATION: SW SW SW SEC. 21, T. 109 N., R. 55 W.

4 - 12 SAND, BROWN, MEDIUM, SILTY; OXIDIZED, MOIST. SATURATED AT 7 FEET

12 - 23 SAND, GRAY, FINE, CLAYEY, SILTY; UNOXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 10 LOCATION: 109N-55W-27CDCC

LEGAL LOCATION: SW SW SE SW SEC. 27, T. 109 N., R. 55 W.

3 - 5 SAND, REDDISH-BROWN, MEDIUM; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 11 LOCATION: 109N-55W-33BABA

LEGAL LOCATION: NE NW NE NW SEC. 33, T. 109 N., R. 55 W.

- 5 12 SAND, BROWN, MEDIUM, SILTY; OXIDIZED, SATURATED
- 12 20 SAND, GRAY, MEDIUM, CLAYEY, SILTY; UNOXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 12 LOCATION: 109N-55W-34BBBB

LEGAL LOCATION: NW NW NW NW SEC. 34, T. 109 N., R. 55 W.

- 2 11 SAND, DARK-BROWN, SILTY, GRAVELLY, POORLY SORTED; MOIST, SATURATED AT 11 FEET, OXIDIZED
- 11 12 SAND, BROWN, MEDIUM, MODERATELY SORTED; SATURATED, OXIDIZED
- 12 21 SAND, GRAY, MEDIUM, MODERATELY SORTED; SATURATED, UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 13

LOCATION: 109N-55W-36BBBB

LEGAL LOCATION: NW NW NW NW SEC. 36, T. 109 N., R. 55 W.

PRELIMINARY LOG -- SUBJECT TO CHANGÉ

14 - 18 SAND, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 14 LOCATION: 109N-56W-03CDCD

LEGAL LOCATION: SE SW SE SW SEC. 03, T. 109 N., R. 56 W.

16 - 19 SAND, BROWN, MEDIUM, WELL-SORTED; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 15 LOCATION: 109N-56W-10AAAB

LEGAL LOCATION: NW NE NE NE SEC. 10, T. 109 N., R. 56 W.

5 - 7 GRAVEL, REDDISH-BROWN, MEDIUM, CLAYEY, POORLY SORTED; DRY, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 16 LOCATION: 109N-56W-10DDCD

LEGAL LOCATION: SE SW SE SE SEC. 10, T. 109 N., R. 56 W.

14 - 43 GRAVEL, DARK-BROWN, VERY CLAYEY WITH PEBBLES, SANDY, POORLY SORTED; OXIDIZED, MOIST, SATURATED AT 22 FEET

\* \* \* \*

TEST HOLE NUMBER: 17 LOCATION: 109N-56W-11CCDD

LEGAL LOCATION: SE SE SW SW SEC. 11. T. 109 N.. R. 56 W.

O - 5 SAND, BROWN, MEDIUM, SILTY; OXIDIZED DRY

\* \* \* \*

TEST HOLE NUMBER: 18 LOCATION: 109N-56W-12AADA

LEGAL LOCATION: NE SE NE NE SEC. 12, T. 109 N., R. 56 W.

3 - 11 SAND, BROWN, MEDIUM; OXIDIZED, DRY, SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 19 LOCATION: 109N-56W-23BABB

LEGAL LOCATION: NW NW NE NW SEC. 23, T. 109 N., R. 56 W.

- 5 10 SAND, BROWN, MEDIUM, SILTY; OXIDIZED,
- 10 44 GRAVEL, BROWN, COARSE, SANDY; OXIDIZED, DRY, SATURATED AT 26 FEET

\* \* \* \*

TEST HOLE NUMBER: 20 LOCATION: 109N-56W-23DCDC

LEGAL LOCATION: SW SE SW SE SEC. 23, T. 109 N., R. 56 W.

- 4 8 SAND, BROWN, FINE, VERY CLAYEY, POORLY SORTED; MOIST, OXIDIZED
- 8 10 GRAVEL, BROWN, COARSE; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 21 LOCATION: 109N-56W-24CCCD

LEGAL LOCATION: SE SW SW SEC. 24, T. 109 N., R. 56 W.

- 2 3 SAND, LIGHT-BROWN, MEDIUM, CLAYEY, POORLY SORTED; DRY, OXIDIZED
- 3 6 SAND, REDDISH-BROWN, FINE, CLAYEY, POORLY SORTED; DRY, OXIDIZED
- 6 7 GRAVEL, DARK-BROWN, MEDIUM, VERY
  - CLAYEY, POORLY SORTED; MOIST, OXIDIZED
- 7 17 GRAVEL, BROWN, MEDIUM, CLAYEY, MODERATELY SORTED; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 22 LOCATION: 109N-56W-26DDCC LEGAL LOCATION: SW SW SE SE SEC. 26, T. 109 N., R. 56 W. PRELIMINARY LOG -- SUBJECT TO CHANGE

2 - 32 SAND, FINE TO MEDIUM; MINOR GRAVEL

\* \* \* \*

TEST HOLE NUMBER:

LOCATION: 109N-56W-28CCCC 1

LEGAL LOCATION: SW SW SW SEC. 28, T. 109 N., R. 56 W.

PRELIMINARY LOG -- SUBJECT TO CHANGE

18 -21 GRAVEL. FINE

TEST HOLE NUMBER: LOCATION: 109N-56W-35AAAA

LEGAL LOCATION: NE NE NE NE SEC. 35, T. 109 N., R. 56 W.

4 \_ GRAVEL, DARK-BROWN, COARSE, POORLY SORTED; DRY, OXIDIZED

9 GRAVEL, REDDISH-BROWN, MEDIUM, CLAYEY, 7 -POORLY SORTED; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 25 LOCATION: 109N-56W-35DDDD

LEGAL LOCATION: SE SE SE SE SEC. 35, T. 109 N., R. 56 W.

4 \_ 10 GRAVEL, LIGHT-BROWN, FINE, VERY

CLAYEY; SATURATED, OXIDÍZED GRAVEL, DARK-BROWN, COARSE, CLAYEY; 10 -13 SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 26 LOCATION: 109N-57W-08DDCC

LEGAL LOCATION: SW SW SE SE SEC. 08, T. 109 N., R. 57 W.

11 GRAVEL, MEDIUM-BROWN, COARSE, CLAYEY, POORLY SORTED; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 109N-57W-17DDCD

LEGAL LOCATION: SE SW SE SE SEC. 17, T. 109 N., R. 57 W.

SAND, CLAYEY, POORLY SORTED; WITH PEBBLES 5

SAND AND GRAVEL, COARSE SAND, RED-BROWN, 5 -10 MEDIUM GRAVEL; OXIDIZED, MOIST

TEST HOLE NUMBER: 28 LOCATION: 109N-57W-20DDCC

LEGAL LOCATION: SW SW SE SE SEC. 20, T. 109 N., R. 57 W.

10 - 14 SAND AND GRAVEL, BROWN, COARSE SAND, MEDIUM GRAVEL, CLAYEY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 29 LOCATION: 109N-57W-27DDDD

LEGAL LOCATION: SE SE SE SE SEC. 27, T. 109 N., R. 57 W.

1 - 4 SAND, BROWN, MEDIUM, CLAYEY

6 - 8 SAND, BROWN, MEDIUM-COARSE, VERY CLAYEY;
OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 30 LOCATION: 109N-57W-29ADDD LEGAL LOCATION: SE SE SE NE SEC. 29, T. 109 N., R. 57 W. PRELIMINARY LOG -- SUBJECT TO CHANGE

- 4 6 SAND, BROWN, MEDIUM, GRAVELLY FROM 5 TO 6 FEET; MOIST
- 9 11 SAND, DARK-BRÓWN, MEDIUM, CLAYEY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 31 LOCATION: 109N-57W-32AAAA LEGAL LOCATION: NE NE NE NE SEC. 32, T. 109 N., R. 57 W. PRELIMINARY LOG -- SUBJECT TO CHANGE

O - 4 GRAVEL, COARSE; AND COBBLES

\* \* \* \*

TEST HOLE NUMBER: 32
LOCATION: 109N-57W-33CBBB
LEGAL LOCATION: NW NW NW SW SEC. 33 T. 109 N.

LEGAL LOCATION: NW NW NW SW SEC. 33, T. 109 N., R. 57 W.

4 - 11 SAND AND GRAVEL, BROWN, COARSE SAND, MEDIUM GRAVEL, CLAYEY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 33 LOCATION: 109N-57W-33CDDC

LEGAL LOCATION: SW SE SE SW SEC. 33, T. 109 N., R. 57 W.

6 - 15 SAND, BROWN, COARSE, VERY SILTY; SATURATED, GETTING MORE GRAVELLY WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 34 LOCATION: 109N-58W-21DCDC

LEGAL LOCATION: SW SE SW SE SEC. 21, T. 109 N., R. 58 W.

O - 2 GRAVEL, COARSE, CLAYEY; OXIDIZED, MOIST (ROADFILL?)

\* \* \* \*

TEST HOLE NUMBER: 35 LOCATION: 110N-53W-01BACD

LEGAL LOCATION: SE SW NE NW SEC. 01, T. 110 N., R. 53 W.

6 - 8 SAND, BROWN, FINE, SILTY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 36 LOCATION: 110N-53W-19ABDC

LEGAL LOCATION: SW SE NW NE SEC. 19, T. 110 N., R. 53 W.

- O 1 SAND, BROWN, MEDIUM, SILTY; MOIST, OXIDIZED, SOME PEBBLES
- 3 15 SAND, DARK-BROWN, FINE, VERY SILTY, VERY CLAYEY, PEBBLY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 37 LOCATION: 110N-53W-28BCCB

LEGAL LOCATION: NW SW SW NW SEC. 28, T. 110 N., R. 53 W.

PRELIMINARY LOG -- SUBJECT TO CHANGE

17 - 19 SAND, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 38 LOCATION: 110N-54W-04CBBB

LEGAL LOCATION: NW NW NW SW SEC. 04, T. 110 N., R. 54 W.

O - 1 GRAVEL, BROWN, MEDIUM, SANDY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 39 LOCATION: 110N-55W-07BCCB

LEGAL LOCATION: NW SW SW NW SEC. 07, T. 110 N., R. 55 W.

- 8 11 SAND, YELLOWISH-BROWN, MEDIUM; FAIRLY CLEAN, SATURATED
- 11 14 SAND, GRAY, MEDIUM; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 40 LOCATION: 110N-55W-08CCCC

LEGAL LOCATION: SW SW SW SEC. 08, T. 110 N., R. 55 W.

1 - 5 SAND, RED-BROWN, FINE, CLAYEY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 41 LOCATION: 110N-55W-17DCCD

LEGAL LOCATION: SE SW SW SE SEC. 17, T. 110 N., R. 55 W.

- O 7 SAND, MEDIUM, VERY CLAYEY; DRY
- 7 9 SAND, BROWN, MEDIUM, CLAYEY; DRY
- 9 11 SAND, YELLOWISH-BROWN, MEDIUM, CLAYEY
  11 20 SAND, YELLOWISH-BROWN, FINE; MUCH CLAY,
  SATURATED

\* \* \* \*

TEST HOLE NUMBER: 42 LOCATION: 110N-55W-19DDBB

LEGAL LOCATION: NW NW SE SE SEC. 19, T. 110 N., R. 55 W.

O - 5 SAND, RED-BROWN, COARSE, CLAYEY, PEBBLY, MODERATELY SORTED; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 43 LOCATION: 110N-55W-20ABAA LEGAL LOCATION: NE NE NW NE SEC. 20, T. 110 N., R. 55 W.

O - 3 GRAVEL, LIGHT-GRAY, SANDY, PEBBLY; DRY (ROADFILL?)

\* \* \* \*

TEST HOLE NUMBER: 44 LOCATION: 110N-55W-20BCCD LEGAL LOCATION: SE SW SW NW SEC. 20, T. 110 N., R. 55 W.

- 5 13 SAND, YELLOWISH-BROWN, GRAVELLY, VERY
  CLAYEY; DRY
  13 23 SAND, BROWN, MEDIUM; SOME CLAY, SATURATED
- 23 30 SAND, GRAY, COARSE; MUCH CLAY, AMOUNT OF CLAY INCREASED WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 45 LOCATION: 110N-55W-20BDAC

LEGAL LOCATION: SW NE SE NW SEC. 20, T. 110 N., R. 55 W.

- O 16 SAND AND GRAVEL, RED-BROWN, FINE GRAVEL; OXIDIZED, MOIST, MOSTLY CLEAN
- 16 20 SAND AND GRAVEL, GRAYISH, COARSE SAND, FINE GRAVEL; SATURATED AT 20 FEET

\* \* \* \*

TEST HOLE NUMBER: 46 LOCATION: 110N-55W-20BDBB

LEGAL LOCATION: NW NW SE NW SEC. 20. T. 110 N.. R. 55 W.

- 1 7 SAND, BROWN, MEDIUM; DRY
- 7 17 SAND, BROWN, MEDIUM; SOME PEBBLES, SOME COBBLES, DRY
- 17 22 SAND, BROWN, MEDIUM; FAIRLY CLEAN, SATURATED
- 22 40 SAND, BROWN, MEDIUM TO COARSE; SOME CLAY, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 47 LOCATION: 110N-55W-30BBBB

LEGAL LOCATION: NW NW NW NW SEC. 30, T. 110 N., R. 55 W.

- 1 5 GRAVEL, LIGHT-BROWN, MEDIUM, VERY CLAYEY; DRY, OXIDIZED
- 5 7 GRAVEL, REDDISH-BROWN, FINE TO MEDIUM, SANDY, POORLY SORTED; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 48 LOCATION: 110N-56W-01DCDC

LEGAL LOCATION: SW SE SW SE SEC. 01, T. 110 N., R. 56 W.

12 - 24 SAND, YELLOWISH-BROWN, MEDIUM; SATURATED 24 - 34 SAND, GRAY, MEDIUM; MUCH CLAY, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 49 LOCATION: 110N-56W-02BAAA

LEGAL LOCATION: NE NE NE NW SEC. 02, T. 110 N., R. 56 W.

3 - 5 GRAVEL, BROWN, FINE, SANDY; DRY, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 50 LOCATION: 110N-56W-03AAAA

LEGAL LOCATION: NE NE NE NE SEC. 03, T. 110 N., R. 56 W.

- 2 13 SAND, BROWN, FINE, WELL-SORTED; MOIST, OXIDIZED (OUTWASH)
- 13 14 SAND, DARK-BROWN, FINE; VERY MOIST, SLIGHTLY OXIDIZED
- 14 21 SAND, DARK-BROWN, FINE, VERY SILTY; VERY MOIST, SATURATED AT 16 FEET, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 51 LOCATION: 110N-56W-03BBBB

LEGAL LOCATION: NW NW NW NW SEC. 03, T. 110 N., R. 56 W.

5 - 16 SAND, GRAY, MEDIUM TO COARSE, CLAYEY, MODERATELY SORTED; SATURATED, UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 52 LOCATION: 110N-56W-03CAAD LEGAL LOCATION: SE NE NE SW SEC. 03, T. 110 N., R. 56 W.

SAND AND GRAVEL, GRAY, FINE: SOME CLAY, 22 -57 SATURATED

\* \* \* \*

TEST HOLE NUMBER: 53 LOCATION: 110N-56W-03DAAA

LEGAL LOCATION: NE NE NE SE SEC. 03, T. 110 N., R. 56 W.

- 5 GRAVEL, YELLOWISH-BROWN, MEDIUM; DRY
- 5 -25 SAND AND GRAVEL, YELLOWISH-BROWN, FINE; DRY
- 48 25 -SAND, YELLOWISH-BROWN, VERY FINE: MUCH CLAY, VISCOUS, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 54 LOCATION: 110N-56W-04BABB

LEGAL LOCATION: NW NW NE NW SEC. 04, T. 110 N., R. 56 W.

GRAVEL, BROWN, MEDIUM, VERY SANDY; DRY 9 0 -OXIDIZED

TEST HOLE NUMBER: LOCATION: 110N-56W-09AAAA

LEGAL LOCATION: NE NE NE NE SEC. 09, T. 110 N., R. 56 W.

- SAND, BROWN, FINE, CLAYEY, POORLY SORTED; 3 1 -MOIST, OXIDIZED
- GRAVEL, BROWN, COARSE, CLAYEY, MODERATELY 3 -19 SORTED; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 56 LOCATION: 110N-56W-10AAAA

LEGAL LOCATION: NE NE NE NE SEC. 10, T. 110 N., R. 56 W.

- 5 -7 GRAVEL, YELLOWISH-BROWN, COBBLY; DRY
- SAND, YELLOWISH-BROWN, VERY FINE; MOIST SAND, YELLOWISH-BROWN, VERY FINE; SLIGHTLY MOIST, COMPACT 10 -11
- 15 **-**19
- 19 -35 SAND, YELLOWISH-BROWN, MEDIUM; SOME CLAY,

#### SATURATED

\* \* \* \*

TEST HOLE NUMBER: 57 LOCATION: 110N-56W-10ADDD

LEGAL LOCATION: SE SE SE NE SEC. 10, T. 110 N., R. 56 W.

15 - 20 SAND, GRAY, FINE; VISCOUS, SATURATED

20 - 55 SAND, GRAY, COARSE, GRAVELLY; SOME CLAY, SOME COAL, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 58 LOCATION: 110N-56W-10BBBB

LEGAL LOCATION: NW NW NW NW SEC. 10, T. 110 N., R. 56 W.

PRELIMINARY LOG -- SUBJECT TO CHANGE

1 - 8 SAND AND GRAVEL, RUSTY-BROWN SAND, MEDIUM TO COARSE (OUTWASH)

8 - 21 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 59 LOCATION: 110N-56W-11AAAD

LEGAL LOCATION: SE NE NE NE SEC. 11, T. 110 N., R. 56 W.

- 1 4 SAND, LIGHT-BROWN, MEDIUM, MODERATELY SORTED; MOIST, OXIDIZED
- 4 6 GRAVEL, BROWN, COARSE, CLAYEY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 60 LOCATION: 110N-56W-11BAAA

LEGAL LOCATION: NE NE NE NW SEC. 11, T. 110 N., R. 56 W.

- 9 16 SAND, YELLOWISH-BROWN, VERY FINE; MOIST
- 16 24 SAND, DARK-BROWN, FINE; MUCH CLAY, SOME COAL, SATURATED
- 24 46 SAND, GRAY, FINE; SOME CLAY, SOME COAL, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 61 LOCATION: 110N-56W-11BBCB LEGAL LOCATION: NW SW NW NW SEC. 11, T. 110 N., R. 56 W.

- O 1 SAND, BROWN, FINE, WELL-SORTED; MOIST, OXIDIZED.
- 3 11 SAND, REDDISH-BROWN, FINE, WELL-SORTED; MOIST, OXIDIZED
- 11 15 GRAVEL, BROWN, FINE TO MEDIUM, SANDY, POORLY SORTED: MOIST, OXIDIZED
- 15 20 SAND, BROWN, MEDIUM, MODERATELY SORTED; MOIST, OXIDIZED
- 20 33 GRAVEL, BROWN, MEDIUM, SANDY, POORLY SORTED: MOIST. OXIDIZED. ABANDONED HOLE

\* \* \* \*

TEST HOLE NUMBER: 62 LOCATION: 110N-56W-11CCCC

LEGAL LOCATION: SW SW SW SEC. 11, T. 110 N., R. 56 W.

O - 13 SAND AND GRAVEL, YELLOWISH-BROWN; DRY

\* \* \* \*

TEST HOLE NUMBER: 63 LOCATION: 110N-56W-11CDDD

LEGAL LOCATION: SE SE SE SW SEC. 11. T. 110 N.. R. 56 W.

- 1 5 SAND, REDDISH-BROWN, FINE, MODERATELY SORTED; DRY, OXIDIZED
- 7 17 SAND, BRÓWN, VERY FINE, SILTY WELL-SORTED; MOIST, OXIDIZED
- 17 18 GRAVEL, BROWN, MEDIUM; DRY, OXIDIZED
- 18 19 SAND, DARK-BROWN, FINÉ, WELL-SORTED; MOIST, OXIDIZED
- 19 28 SAND, DARK-BROWN, MEDIUM, MODERATELY SORTED: SATURATED. OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 64 LOCATION: 110N-56W-11DDDD

LEGAL LOCATION: SE SE SE SE SEC. 11, T. 110 N., R. 56 W.

4 - 10 SAND, YELLOWISH-BROWN; MUCH CLAY, DRY
10 - 14 SAND, YELLOWISH-BROWN, FINE; MUCH CLAY,
MOIST, SATURATED AT 12 FEET

\* \* \* \*

TEST HOLE NUMBER: 65 LOCATION: 110N-56W-12AAAB

LEGAL LOCATION: NW NE NE NE SEC. 12, T. 110 N., R. 56 W.

3 - 13 SAND, RED-BROWN, FINE, CLAYEY, MODERATELY TO POORLY SORTED; OXIDIZED, MOIST, WITH PEBBLES, VERY CLAYEY AT 10 FEET

\* \* \* \*

TEST HOLE NUMBER: 66 LOCATION: 110N-56W-12ABAB

LEGAL LOCATION: NW NE NW NE SEC. 12, T. 110 N., R. 56 W.

- 1 14 SAND, RED-BROWN, MEDIUM, CLAYEY, POORLY SORTED; OXIDIZED, MOIST, SATURATED AT 10 FEET
- 14 21 SAND, RED-BROWN, COARSE, POORLY SORTED;
  OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 67 LOCATION: 110N-56W-12CACD

LEGAL LOCATION: SE SW NE SW SEC. 12, T. 110 N., R. 56 W.

0 - 10 SAND, BROWN, FINE; MOIST, SATURATED AT 8 FEET

\* \* \* \*

TEST HOLE NUMBER: 68 LOCATION: 110N-56W-12DBBB

LEGAL LOCATION: NW NW NW SE SEC. 12, T. 110 N., R. 56 W.

- O 7 SAND AND GRAVEL, YELLOWISH-BROWN, FINE TO MEDIUM SAND, VERY CLAYEY; DRY
- 7 24 SAND, YELLOWISH-BROWN, MEDIUM, CLAYEY; SOME FINE GRAVEL, SATURATED
- 24 36 SAND, GRAY, MEDIUM, CLAYEY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 69 LOCATION: 110N-56W-12DCCD

LEGAL LOCATION: SE SW SW SE SEC. 12, T. 110 N., R. 56 W.

4 - 9 SAND AND GRAVEL, YELLOWISH-BROWN, VERY

CLAYEY: DRY

- 9 15 SAND, BROWN, FINE TO MEDIUM; MUCH CLAY, SATURATED
- 15 20 SAND, BROWN, MEDIUM, CLAYEY; FAIRLY CLEAN, SATURATED
- 20 29 SAND, GRAY, MEDIUM, CLAYEY; AMOUNT OF CLAY INCREASES WITH DEPTH, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 70 LOCATION: 110N-56W-13CCCC

LEGAL LOCATION: SW SW SW SEC. 13, T. 110 N., R. 56 W.

- 0 8 SAND AND GRAVEL, BROWN: DRY
- 8 16 SAND, YELLOW, FÍNE; CLÉAN, DRY
- 16 23 GRAVEL, BROWN, COARSE, SANDY
- 23 32 SAND, BROWN, MEDIUM; SOME CLAY, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 71 LOCATION: 110N-56W-14BBBB

LEGAL LOCATION: NW NW NW NW SEC. 14, T. 110 N., R. 56 W.

- 2 20 SAND AND GRAVEL, MEDIUM TO COARSE
- 20 25 SAND, FINE

\* \* \* \*

TEST HOLE NUMBER: 72 LOCATION: 110N-56W-14DDDD

LEGAL LOCATION: SE SE SE SE SEC. 14, T. 110 N., R. 56 W.

- 1 5 GRAVEL, BROWN, FINE TO MEDIUM, SANDY; OXIDIZED, DRY
- 5 27 SAND, BROWN, VERY FINE, SILTY; OXIDIZED,
  MOIST, SATURATED AT 21 FEET, CONTAINS
  CLAY LENSES

\* \* \* \*

TEST HOLE NUMBER: 73 LOCATION: 110N-56W-15ABAA

LEGAL LOCATION: NE NE NW NE SEC. 15, T. 110 N., R. 56 W.

- 15 18 SAND, BROWN, MEDIUM, PEBBLY; OXIDIZED, DRY
- 25 39 GRAVEL, BROWN, MEDIUM, SANDY; OXIDIZED,

\* \* \* \*

TEST HOLE NUMBER: 74 LOCATION: 110N-56W-15CDDC

LEGAL LOCATION: SW SE SE SW SEC. 15, T. 110 N., R. 56 W.

1 - 19 GRAVEL, BROWN, COARSE, CLAYEY, POORLY SORTED; DRY, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 75 LOCATION: 110N-56W-15DDDD

LEGAL LOCATION: SE SE SE SE SEC. 15, T. 110 N., R. 56 W.

- 4 7 SAND, YELLOW, MEDIUM, GRAVELLY, CLAYEY;
- 7 14 SAND, BROWN, COARSE, GRAVELLY, VERY CLAYEY; DRY
- 14 57 SAND, YELLOWISH-BROWN, VERY CLAYEY; TURNS GRAY AT 30 FEET, FAIRLY CLEAN FROM 40 TO 50 FEET, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 76 LOCATION: 110N-56W-22ADDD

LEGAL LOCATION: SE SE SE NE SEC. 22, T. 110 N., R. 56 W.

- 1 6 GRAVEL, BROWN, COARSE, CLAYEY, POORLY SORTED; DRY, OXIDIZED
- 6 11 SAND, REDDISH-BROWN, MEDIUM, MODERATELY SORTED; DRY, OXIDIZED
- 11 15 GRAVEL, BROWN, COARSE, MODERATELY SORTED;
  DRY, OXIDIZED
- 15 17 SAND, BROWN, MEDIUM, MODERATELY SORTED;
  DRY, OXIDIZED
- 19 20 SAND, LIGHT-BROWN, FINE, WELL-SORTED; VERY MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 77 LOCATION: 110N-56W-24BADA

LEGAL LOCATION: NE SE NE NW SEC. 24, T. 110 N., R. 56 W.

0 - 8 SAND, BROWN, MEDIUM; CLEAN, DRY

8 - 10 SAND, BROWN; SOME GRAVEL, DRY

10 - 32 SAND, YELLOWISH-BROWN, FINE; SOME GRAVEL, SOME CLAY, SATURATED, VISCOUS, BECOMES GRAY AND VERY CLAYEY AFTER 25 FEET

\* \* \* \*

TEST HOLE NUMBER: 78 LOCATION: 110N-56W-24CCCC

LEGAL LOCATION: SW SW SW SEC. 24, T. 110 N.. R. 56 W.

- O 5 SAND AND GRAVEL, YELLOWISH-BROWN: DRY
- 5 15 SAND, YELLOW, VÉRY FINE; CLEAN, DRY, SATURATED AFTER 12 FEET
- 15 52 SAND, BROWN, VERY FINE, CLAYEY; TURNS TO GRAY AT 20 FEET, FAIRLY CLEAN FROM 35 TO 45 FEET, VERY CLAYEY AFTER 45 FEET, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 79 LOCATION: 110N-56W-25BAAA

LEGAL LOCATION: NE NE NE NW SEC. 25, T. 110 N.. R. 56 W.

- 1 5 GRAVEL
- 5 17 SAND, COARSE
- 17 30 SAND, MEDIUM; SAMPLED AT 20 FEET

\* \* \* \*

TEST HOLE NUMBER: 80 LOCATION: 110N-56W-26ABAA

LEGAL LOCATION: NE NE NW NE SEC. 26, T. 110 N., R. 56 W.

2 - 11 SAND, BROWN, MEDIUM, PEBBLY; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 81 LOCATION: 110N-56W-26BBBB

LEGAL LOCATION: NW NW NW NW SEC. 26, T. 110 N., R. 56 W.

- 7 12 GRAVEL, BROWN, COARSE, SANDY; OXIDIZED, DRY
- 12 20 GRAVEL, BROWN, MEDIUM, SANDY; OXIDIZED,

#### DRY

\* \* \* \*

TEST HOLE NUMBER: 82 LOCATION: 110N-56W-26CDCD

LEGAL LOCATION: SE SW SE SW SEC. 26, T. 110 N., R. 56 W.

- 5 7 SAND, BROWN, MEDIUM, WELL-SORTED; MOIST, OXIDIZED
- 7 11 GRAVEL, BROWN, COARSE, MODERATELY SORTED;
  MOIST. OXIDIZED
- 11 15 SAND, BROWN, MEDIUM TO COARSE, MODERATELY SORTED; MOIST, OXIDIZED
- 25 29 GRAVEL, ŘEDDISH-BROWN, MEDIUM, VERY CLAYEY, SANDY, POORLY SORTED; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 83 LOCATION: 110N-56W-26DDDD

LEGAL LOCATION: SE SE SE SE SEC. 26, T. 110 N., R. 56 W.

- O 10 GRAVEL, MEDIUM TO COARSE, SANDY; OXIDIZED, DRY
- 10 45 SAND, LIGHT-BROWN, VERY FINE; OXIDIZED,
  DRY, MOIST AT 14 FEET, SOME CLAY LENSES
  AFTER 23 FEET

\* \* \* \*

TEST HOLE NUMBER: 84
LOCATION: 110N-56W-26DDDD 1
LEGAL LOCATION: SE SE SE SEC. 26, T. 110 N., R. 56 W.
PRELIMINARY LOG -- SUBJECT TO CHANGE

- O 15 SAND AND GRAVEL, FINE SAND TO COARSE GRAVEL
- 24 32 SAND, FINE

\* \* \* \*

TEST HOLE NUMBER: 85
LOCATION: 110N-56W-30BAAB
LEGAL LOCATION: NW NE NE NW SEC. 30, T. 110 N., R. 56 W.

1 - 6 SAND, COARSE, POORLY SORTED; OXIDIZED,

## MOIST, CLEAN

\* \* \* \*

TEST HOLE NUMBER: 86 LOCATION: 110N-56W-32CCCD

LEGAL LOCATION: SE SW SW SW SEC. 32. T. 110 N.. R. 56 W.

1 - 5 SAND, REDDISH-BROWN, COARSE, CLAYEY, POORLY SORTED; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 87 LOCATION: 110N-56W-35ADDA

LEGAL LOCATION: NE SE SE NE SEC. 35. T. 110 N. R. 56 W.

1 - 5 GRAVEL, COARSE

5 - 11 SAND, FINE TO COARSE, POORLY SORTED; SOME MEDIUM GRAVEL

24 - 31 SAND, VERY FINE, WELL-SORTED

\* \* \* \*

TEST HOLE NUMBER: 88 LOCATION: 110N-56W-35DDDD

LEGAL LOCATION: SE SE SE SE SEC. 35, T. 110 N., R. 56 W.

- O 3 SAND, BROWN, MEDIUM TO COARSE; MOIST, SOME FINE GRAVEL
- 3 7 SAND, LIGHT-BROWN, MEDIUM; MOIST, SOME PEBBLES
- 7 10 SAND AND GRAVEL, BROWN, MEDIUM SAND, COARSE GRAVEL, POORLY SORTED; MOIST

\* \* \* \*

TEST HOLE NUMBER: 89 LOCATION: 110N-57W-08CDDD

LEGAL LOCATION: SE SE SE SW SEC. 08, T. 110 N., R. 57 W.

- 0 1 GRAVEL, SANDY (ROADFILL)
- 5 8 SAND AND GRAVEL, RED-BROWN, COARSE, VERY CLAYEY: OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 90 LOCATION: 110N-57W-12ABBA LEGAL LOCATION: NE NW NW NE SEC. 12, T. 110 N., R. 57 W.

1 - 3 GRAVEL, BROWN, COARSE, SUBROUNDED, WELL-SORTED; DRY

\* \* \* \*

TEST HOLE NUMBER: 91 LOCATION: 110N-57W-13AAAA LEGAL LOCATION: NE NE NE NE SEC. 13, T. 110 N., R. 57 W.

2 - 3 GRAVEL, REDDISH, MEDIUM; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 92 LOCATION: 110N-57W-17CDDD LEGAL LOCATION: SE SE SE SW SEC. 17, T. 110 N., R. 57 W.

5 - 16 SAND, DARK-BROWN, COARSE, CLAYEY, POORLY SORTED; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 93 LOCATION: 110N-57W-20DDCD LEGAL LOCATION: SE SW SE SE SEC. 20, T. 110 N., R. 57 W.

4 - 8 SAND, BROWN, FINE, VERY CLAYEY; SATURATED AT 5 FEET

\* \* \* \*

TEST HOLE NUMBER: 94 LOCATION: 110N-57W-29BAAA LEGAL LOCATION: NE NE NE NW SEC. 29, T. 110 N., R. 57 W.

6 - 8 GRAVEL, LIGHT-BROWN, COARSE, CLAYEY, POORLY SORTED; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 95 LOCATION: 110N-57W-29DCCC LEGAL LOCATION: SW SW SE SEC. 29, T. 110 N., R. 57 W.

6 - 22 SAND, BROWN, COARSE, VERY CLAYEY, POORLY

## SORTED; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 96
LOCATION: 110N-57W-32AAAA

LEGAL LOCATION: NE NE NE NE SEC. 32, T. 110 N., R. 57 W.

PRELIMINARY LOG -- SUBJECT TO CHANGÉ

O - 3 SAND AND GRAVEL; COVERED BY SOIL

\* \* \* \*

TEST HOLE NUMBER: 97 LOCATION: 110N-58W-06BAAB

LEGAL LOCATION: NW NE NE NW SEC. 06, T. 110 N., R. 58 W.

7 - 9 GRAVEL, RED-BROWN, SILTY, SANDY

\* \* \* \*

TEST HOLE NUMBER: 98 LOCATION: 110N-58W-26CCDD

LEGAL LOCATION: SE SE SW SW SEC. 26. T. 110 N., R. 58 W.

O - 1 GRAVEL, COARSE, CLAYEY: MOIST (ROADFILL?)

\* \* \* \*

TEST HOLE NUMBER: 99 LOCATION: 110N-59W-12DDDD

LEGAL LOCATION: SE SE SE SE SEC. 12, T. 110 N., R. 59 W.

11 - 20 GRAVEL, FINE TO MEDIUM, ANGULAR; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 100 LOCATION: 111N-53W-09AADD

LEGAL LOCATION: SE SE NE NE SEC. 09, T. 111 N., R. 53 W.

- 2 4 SAND, BROWN, COARSE, GRAVELLY; DRY, OXIDIZED
- 4 7 SAND, BROWN, FINE, WELL-SORTED; MOIST, OXIDIZED
- 7 10 SAND, DARK-BROWN, MEDIUM TO COARSE, CLAYEY; SATURATED, OXIDIZED, LENSES OF CLAY

16 - 26 GRAVEL, GRAY, FINE, SANDY: SATURATED. UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 101 LOCATION: 111N-53W-10BABA

LEGAL LOCATION: NE NW NE NW SEC. 10, T. 111 N.. R. 53 W.

1 -5 SAND, BROWN, COARSE, GRAVELLY, POORLY SORTED: DRY, OXIDIZED

SAND, BRÓWN, MEDIUM, WELL-SORTED: MOIST. 14 -17 OXÍDIZED

19 -22 SAND, REDDISH-BROWN, COARSE, GRAVELLY, MODERATELY SORTED; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 102 LOCATION: 111N-53W-19ADAD

LEGAL LOCATION: SE NE SE NE SEC. 19, T. 111 N., R. 53 W.

10 - 16 SAND, GRAY-BROWN, FINE, CLAYEY: SATURATED

TEST HOLE NUMBER: 103 LOCATION: 111N-55W-12CCCC

LEGAL LOCATION: SW SW SW SEC. 12, T. 111 N., R. 55 W. PRELIMINARY LOG -- SUBJECT TO CHANGÉ

21 SAND, FINE TO MEDIUM 11 -

\* \* \* \*

TEST HOLE NUMBER: 104 LOCATION: 111N-56W-04BBBB

LEGAL LOCATION: NW NW NW NW SEC. 04, T. 111 N.. R. 56 W.

- 2 -6 SAND, LIGHT-BROWN, MEDIUM
- 6 -10 SAND, BROWN, SILTY
- 10 -SAND, BROWN, COARSE, SILTY 18
- GRAVEL, GRAY, FINE TO MEDIUM, SILTY 18 -34

\* \* \* \*

TEST HOLE NUMBER: 105 LOCATION: 111N-56W-04BCCC

LEGAL LOCATION: SW SW SW NW SEC. 04, T. 111 N., R. 56 W.

6 - 11 SAND, LIGHT-BROWN, MEDIUM, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 106 LOCATION: 111N-56W-04DCCC

LEGAL LOCATION: SW SW SW SE SEC. 04, T. 111 N., R. 56 W.

- 1 4 GRAVEL, BROWN, FINE, CLAYEY, POORLY SORTED; DRY, OXIDIZED
- 4 5 SAND, DARK-BRÓWN, MEDIUM, CLAYEY, POORLY SORTED; MOIST, OXIDIZED
- 5 16 GRAVEL, BROWN, MEDIUM, CLAYEY, POORLY SORTED; MOIST, SATURATED AT 6 FEET, OXIDIZED
- 16 26 SAND, BROWN, COARSE, WELL SORTED; SATURATED. OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 107 LOCATION: 111N-56W-05ABAA

LEGAL LOCATION: NE NE NW NE SEC. 05, T. 111 N., R. 56 W.

- 4 7 GRAVEL, REDDISH-BROWN, MEDIUM, SANDY, POORLY SORTED; MOIST, OXIDIZED
- 7 11 GRAVEL, REDDISH-BROWN, MEDIUM, CLAYEY, SANDY, POORLY SORTED; VERY MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 108 LOCATION: 111N-56W-05ACCC

LEGAL LOCATION: SW SW SW NE SEC. 05, T. 111 N., R. 56 W.

22 - 31 SAND AND GRAVEL, BROWN

\* \* \* \*

TEST HOLE NUMBER: 109 LOCATION: 111N-56W-05BAAA

LEGAL LOCATION: NE NE NE NW SEC. 05, T. 111 N., R. 56 W.

- 1 7 SAND, LIGHT-BROWN, FINE, SILTY
- 7 9 SAND, BROWN, FINE, SILTY
- 14 23 SAND, BROWN, MEDIÚM TO COARSE, SILTY, PEBBLY

\* \* \* \*

TEST HOLE NUMBER: 110 LOCATION: 111N-56W-05BCAB

LEGAL LOCATION: NW NE SW NW SEC. 05, T. 111 N., R. 56 W.

2 - 5 SAND, BROWN, FINE, SILTY

5 - 13 GRAVEL, BROWN, SANDY, SILTY

13 - 28 SAND, BROWN, MEDIUM TO COARSE, SILTY

\* \* \* \*

TEST HOLE NUMBER: 111 LOCATION: 111N-56W-05BCCC

LEGAL LOCATION: SW SW SW NW SEC. 05, T. 111 N.. R. 56 W.

5 - 10 SAND, BROWN, COARSE, SILTY, PEBBLY

10 - 16 SAND, BROWN, VERY SILTY

16 - 24 SAND, BROWN, MEDIUM, VERY SILTY

24 - 27 SAND, GRAY, COARSE; SOME FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 112 LOCATION: 111N-56W-05CCBB

LEGAL LOCATION: NW NW SW SW SEC. 05, T. 111 N., R. 56 W.

- 1 12 SAND, BROWN, MEDIUM TO COARSE; SOME GRAVEL
- 12 17 SAND, BROWN, COARSE; SOME GRAVEL
- 17 21 SAND, BROWN, COARSE, SILTY; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 113 LOCATION: 111N-56W-06BAAA

LEGAL LOCATION: NE NE NE NW SEC. 06, T. 111 N., R. 56 W.

2 - 7 SAND, FINE, SILTY

7 - 10 SAND, LIGHT-BROWN, MEDIUM, GRAVELLY

10 - 13 GRAVEL, COARSE; SOME MEDIÚM SAND, HIT ROCK, ABANDONED HOLE

\* \* \* \*

TEST HOLE NUMBER: 114

LOCATION: 111N-56W-06BAAA 2

LEGAL LOCATION: NE NE NE NW SEC. 06, T. 111 N.. R. 56 W.

5 - 25 GRAVEL AND SAND, BROWN

\* \* \* \*

TEST HOLE NUMBER: 115 LOCATION: 111N-56W-06BBBB

LEGAL LOCATION: NW NW NW NW SEC. 06, T. 111 N., R. 56 W.

11 - 29 SAND, BROWN, MEDIUM, VERY SILTY

\* \* \* \*

TEST HOLE NUMBER: 116 LOCATION: 111N-56W-06DBBB

LEGAL LOCATION: NW NW NW SE SEC. 06, T. 111 N., R. 56 W.

21 - 25 SAND, MEDIUM TO COARSE, CLAYEY

25 - 88 GRAVEL AND SAND

\* \* \* \*

TEST HOLE NUMBER: 117 LOCATION: 111N-56W-06DBDD

LEGAL LOCATION: SE SE NW SE SEC. 06, T. 111 N., R. 56 W.

1 - 4 SAND, LIGHT-BROWN, FINE

4 - 20 GRAVEL, BROWN, MEDIUM TO COARSE, SILTY; SOME FINE SAND

20 - 42 GRAVEL, BROWN, FINE TO MEDIUM, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 118 LOCATION: 111N-56W-06DCCC

LEGAL LOCATION: SW SW SW SE SEC. 06, T. 111 N., R. 56 W.

12 - 13 GRAVEL, BROWN, MEDIUM TO COARSE, CLAYEY, SANDY, POORLY SORTED; MOIST

25 - 28 GRAVEL, GRAY, COARSE; ROCK, ABANDONED HOLE

\* \* \* \*

TEST HOLE NUMBER: 119 LOCATION: 111N-56W-06DDDD

LEGAL LOCATION: SE SE SE SE SEC. 06, T. 111 N., R. 56 W.

3 - 9 SAND, RED-BROWN, MEDIUM; OXIDIZED, WITH SOME PEBBLES

9 - 27 SAND AND GRAVEL, RED-BROWN, COARSE SAND, CLAYEY; SATURATED AT 20 FEET

\* \* \* \*

TEST HOLE NUMBER: 120 LOCATION: 111N-56W-07ADDD

LEGAL LOCATION: SE SE SE NE SEC. 07, T. 111 N., R. 56 W.

1 - 4 SAND, LIGHT-BROWN, FINE

4 - 7 SAND, BROWN, MEDIUM, SILTY, PEBBLY

7 - 10 SAND, BROWN, MEDIUM; CLEAN

17 - 23 SAND, BROWN, MEDIUM, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 121 LOCATION: 111N-56W-08ADAA

LEGAL LOCATION: NE NE SE NE SEC. 08, T. 111 N., R. 56 W.

0 - 19 SAND, BROWN, FINE, SILTY; OXIDIZED, DRY, BECOMING LESS SILTY AT 4 FEET

19 - 24 SAND AND GRAVEL, PEA-SIZE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 122 LOCATION: 111N-56W-08BABA

LEGAL LOCATION: NE NW NE NW SEC. 08, T. 111 N., R. 56 W.

4 - 9 SAND, GRAY, MEDIUM TO COARSE, SILTY

9 - 36 SAND, GRAY, COARSE; SOME FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 123 LOCATION: 111N-56W-08BBBA

LEGAL LOCATION: NE NW NW NW SEC. 08, T. 111 N., R. 56 W.

5 - 49 SAND, MEDIUM TO COARSE, PEBBLY; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 124 LOCATION: 111N-56W-08BBB

LEGAL LOCATION: NW NW NW NW SEC. 08, T. 111 N., R. 56 W.

3 - 12 SAND, LIGHT-BROWN, FINE, SILTY, PEBBLY 17 - 28 SAND, BROWN, SILTY, PEBBLY

\* \* \* \*

TEST HOLE NUMBER: 125 LOCATION: 111N-56W-08BCAD

LEGAL LOCATION: SE NE SW NW SEC. 08, T. 111 N., R. 56 W.

2 - 8 SAND, LIGHT-BROWN, FINE, GRAVELLY

8 - 14 SAND, BROWN, MEDIUM, SILTY, GRAVELLY

14 - 21 SAND, BROWN, MEDIUM, SILTY, VERY GRAVELLY

21 - 37 SAND, DARK-BROWN, MÉDIUM TÓ COARSE, SILTY, GRAVELLY

\* \* \* \*

TEST HOLE NUMBER: 126 LOCATION: 111N-56W-08BDCC

LEGAL LOCATION: SW SW SE NW SEC. 08, T. 111 N., R. 56 W.

2 - 18 SAND, BROWN, FINE TO MEDIUM

18 - 35 GRAVEL, BROWN, MEDIUM TO COARSE, SANDY

\* \* \* \*

TEST HOLE NUMBER: 127 LOCATION: 111N-56W-08CDCD

LEGAL LOCATION: SE SW SE SW SEC. 08, T. 111 N., R. 56 W.

23 - 28 SAND, LIGHT-BROWN, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 128 LOCATION: 111N-56W-08DDCC

LEGAL LOCATION: SW SW SE SE SEC. 08, T. 111 N., R. 56 W.

6 - 12 SAND, GRAY, FINE TO MEDIUM, SILTY

12 - 23 SAND, GRAY, MEDIUM TO COARSE, SILTY

23 - 36 SAND, MEDIÚM, SLIGHTLY SILTY; SOME FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 129 LOCATION: 111N-56W-08DDDD

LEGAL LOCATION: SE SE SE SE SEC. 08, T. 111 N., R. 56 W.

1 - 30 SAND, REDDISH-BROWN, FINE, BECOMES COARSE WITH DEPTH, WELL-SORTED; OXIDIZED, MOIST, SATURATED AT 15 FEET

\* \* \* \*

TEST HOLE NUMBER: 130 LOCATION: 111N-56W-08DDDD 1

LEGAL LOCATION: SE SE SE SE SEC. 08, T. 111 N., R. 56 W.

PRELIMINARY LOG -- SUBJECT TO CHANGÉ

1 - 30 SAND, FINE TO MEDIUM; SOME COARSE SAND AND FINE GRAVEL, AND LENSE OF TILL AT ABOUT 22 FEET

\* \* \* \*

TEST HOLE NUMBER: 131 LOCATION: 111N-56W-09BBBB

LEGAL LOCATION: NW NW NW NW SEC. 09, T. 111 N., R. 56 W.

0 - 10 SAND, BROWN, SILTY

10 - 22 SAND, BROWN, COARSE, SILTY

22 - 29 SAND, GRAY, COARSE, SILTY

\* \* \* \*

TEST HOLE NUMBER: 132 LOCATION: 111N-56W-09CBBB

LEGAL LOCATION: NW NW NW SW SEC. 09, T. 111 N., R. 56 W.

- 3 11 SAND, BROWN, MEDIUM, GRAVELLY
- 11 16 SAND, BROWN, MEDIUM TO COARSE, GRAVELLY
- 16 21 SAND, BROWN, MEDIUM, SILTY
- 21 26 SAND, GRAY, MEDIUM, SILTY

\* \* \* \*

TEST HOLE NUMBER: 133 LOCATION: 111N-56W-09CCCC

LEGAL LOCATION: SW SW SW SEC. 09, T. 111 N., R. 56 W.

- 1 17 SAND, BROWN, SILTY
- 17 20 SAND, BROWN, COARSE, SILTY
- 20 28 SAND, GRAY, COARSE, SILTY, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 134 LOCATION: 111N-56W-10CCCC LEGAL LOCATION: SW SW SW SEC. 10, T. 111 N., R. 56 W.

- 1 6 SAND, BROWN, COARSE, SILTY
  6 11 SAND, BROWN, SILTY, PEBBLY
  11 12 GRAVEL, BROWN, SANDY, SILTY
  12 21 SAND, BROWN, COARSE, SILTY
  21 42 SAND, CLAYEY
  - \* \* \* \*

TEST HOLE NUMBER: 135 LOCATION: 111N-56W-15CBBB

LEGAL LOCATION: NW NW NW SW SEC. 15, T. 111 N., R. 56 W.

- 0 8 SAND, REDDISH-BROWN, MEDIUM, PEBBLY 8 - 14 SAND, REDDISH-BROWN, MEDIUM TO COARSE, CLAYEY
  - \* \* \* \*

TEST HOLE NUMBER: 136 LOCATION: 111N-56W-15DDDD

LEGAL LOCATION: SE SE SE SE SEC. 15, T. 111 N., R. 56 W.

1 - 24 SAND, BROWN, FINE TO COARSE, CLAYEY WITH DEPTH, WELL-SORTED; OXIDIZED, MOIST, SATURATED AT 15 FEET

\* \* \* \*

TEST HOLE NUMBER: 137 LOCATION: 111N-56W-16AAAA

LEGAL LOCATION: NE NE NE NE SEC. 16, T. 111 N., R. 56 W.

- 4 12 SAND, REDDISH-BROWN, MEDIUM, WELL-SORTED; MOIST, OXIDIZED
- 12 26 GRAVEL, REDDIŚH-BROWN, FINE, MODERATELY SORTED; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 138 LOCATION: 111N-56W-16BCCC

LEGAL LOCATION: SW SW SW NW SEC. 16, T. 111 N., R. 56 W.

- 3 5 SAND, BROWN, VERY FINE, SILTY
- 5 7 SAND, BROWN, MEDIUM, VERY SILTY
- 7 11 SAND, GRAY, COARSE, SILTY

- 11 15 SAND, SLIGHTLY SILTY; SOME FINE GRAVEL
- 15 30 SAND, MEDIUM TO COARSE; CLEAN

TEST HOLE NUMBER: 139 LOCATION: 111N-56W-17DDDD

LEGAL LOCATION: SE SE SE SE SEC. 17, T. 111 N., R. 56 W.

- O 11 GRAVEL, RED-BROWN, COARSE, SANDY, SILTY; OXIDIZED, MOIST, SOME COBBLES
- 14 20 GRAVEL, RED-BROWN, COARSE
- 23 60 SAND, COARSE, WELL-SORTED; UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 140 LOCATION: 111N-56W-20AAAA

LEGAL LOCATION: NE NE NE NE SEC. 20, T. 111 N., R. 56 W.

- O 6 GRAVEL, BROWN, COARSE, SANDY
- 6 9 SAND, BROWN, COARSE, GRAVELLY
- 9 36 SAND AND GRAVEL, BROWN

\* \* \* \*

TEST HOLE NUMBER: 141 LOCATION: 111N-56W-22BBBC

LEGAL LOCATION: SW NW NW NW SEC. 22, T. 111 N., R. 56 W.

O - 21 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 142

LOCATION: 111N-56W-22BBBC 1

LEGAL LOCATION: SW NW NW NW SEC. 22, T. 111 N., R. 56 W.

- 4 6 SAND, BROWN, SILTY
- 6 11 SAND, DARK-BROWN, SILTY
- 11 16 SAND, DARK-BROWN; SOME FINE GRAVEL
- 16 21 SAND, GRAY, FINE TO MEDIUM; CLEAN
- 21 36 SAND, GRAY, MEDIUM TO COARSE; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 143 LOCATION: 111N-56W-22CBCB

LEGAL LOCATION: NW SW NW SW SEC. 22, T. 111 N., R. 56 W.

SAND, BROWN, MEDIUM TO COARSE, SILTY

SAND, GRAY, MEDIUM TO VERY COARSE, SILTY 11

11 -SAND, GRAY, COARSE, SILTY; SOME GRAVEL 35

\* \* \* \*

TEST HOLE NUMBER: 144 LOCATION: 111N-56W-27AAAA

LEGAL LOCATION: NE NE NE NE SEC. 27, T. 111 N., R. 56 W.

27 SAND, GRAY, MEDIUM; SATURATED, WITH CLAY 9 = \* \* \* \*

TEST HOLE NUMBER: LOCATION: 111N-56W-27BBBA

LEGAL LOCATION: NE NW NW NW SEC. 27, T. 111 N., R. 56 W.

0 -SAND, BROWN, COARSE, CLAYEY, MODERATELY 9 SORTED; OXIDIZED, MOIST

SAND, REDDISH-BROWN, FINE, WELL-SORTED; 9 -17

OXIDIZED, MOIST, SATURATED AT 14 FEET SAND, LIGHT-GRAY, COARSE, WELL-SORTED; 17 -45 PARTIALLY OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 111N-56W-28BBBB

LEGAL LOCATION: NW NW NW NW SEC. 28, T. 111 N., R. 56 W.

GRAVEL, DARK-BROWN, COARSE, CLAYEY, 4 1 -POORLY SORTED; OXIDIZED, MOIST

18 **–** 55 GRAVEL, GRAY, COARSE, CLAYEY, POORLY SORTED: UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 147 LOCATION: 111N-56W-33BAAA

LEGAL LOCATION: NE NE NE NW SEC. 33. T. 111 N., R. 56 W.

20 GRAVEL, MEDIUM 17 -

20 -24 SAND, RED-BROWN, MEDIUM, WELL-SORTED;

OXIDIZED 24 -25 GRAVEL, COARSE, CLAYEY; ABANDONED HOLE

TEST HOLE NUMBER: 148 LOCATION: 111N-56W-34AABA

LEGAL LOCATION: NE NW NE NE SEC. 34, T. 111 N., R. 56 W.

1 - 3 SAND, LIGHT-BROWN, FINE, CLAYEY, WELL-SORTED; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 149 LOCATION: 111N-56W-34ACAD

LEGAL LOCATION: SE NE SW NE SEC. 34, T. 111 N., R. 56 W.

O - 5 SAND, BROWN, VERY FINE; DRY

\* \* \* \*

TEST HOLE NUMBER: 150 LOCATION: 111N-56W-34CBCC

LEGAL LOCATION: SW SW NW SW SEC. 34, T. 111 N., R. 56 W.

10 - 46 SAND, GRAY, FINE, MODERATELY SORTED; SATURATED, CLEAN, PROGRESSES TO COARSE SAND AT 26 FEET

\* \* \* \*

TEST HOLE NUMBER: 151 LOCATION: 111N-56W-34CDDD

LEGAL LOCATION: SE SE SE SW SEC. 34, T. 111 N., R. 56 W.

- 4 17 SAND AND GRAVEL, FINE; MUCH CLAY, DRY
- 17 20 SAND, YELLOWISH-BROWN, FINE; SOMÉ CLAY, VERY MOIST
- 20 64 SAND AND GRAVEL, YELLOWISH-BROWN, FINE; SOME CLAY, FAIRLY CLEAN, TURNS TO GRAY AT 50 FEET

\* \* \* \*

TEST HOLE NUMBER: 152 LOCATION: 111N-56W-34DBBD

LEGAL LOCATION: SE NW NW SE SEC. 34, T. 111 N., R. 56 W.

4 - 16 SAND, MEDIUM: SAMPLED AT 12 FEET

TEST HOLE NUMBER: 153 LOCATION: 111N-56W-34DBCC

LEGAL LOCATION: SW SW NW SE SEC. 34, T. 111 N., R. 56 W.

- O 5 SAND, LIGHT-BROWN, VERY FINE; DRY
- 5 8 SAND, BROWN, VERY FINE; SOME CLAY, SLIGHTLY MOIST
- 8 24 SAND, YELLOWISH-BROWN, FINE; SOME CLAY, FAIRLY CLEAN, SLIGHTLY MOIST

\* \* \* \*

TEST HOLE NUMBER: 154 LOCATION: 111N-56W-34DDDD

LEGAL LOCATION: SE SE SE SE SEC. 34, T. 111 N., R. 56 W.

- 9 20 SAND, BROWN, FINE, VERY CLAYEY; MOIST, SATURATED AT 16 FEET
- 20 25 SAND, GRAY, FINE, VERY CLAYEY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 155 LOCATION: 111N-56W-36CCCB

LEGAL LOCATION: NW SW SW SEC. 36, T. 111 N., R. 56 W.

1 - 6 SAND, REDDISH-BROWN, COARSE, MODERATELY SORTED; OXIDIZED, MOIST, LITTLE CLAY

\* \* \* \*

TEST HOLE NUMBER: 156 LOCATION: 111N-56W-36CCCC

LEGAL LOCATION: SW SW SW SEC. 36, T. 111 N., R. 56 W.

10 - 19 SAND, GRAY, FINE TO MEDIUM, UNSORTED, VERY CLAYEY; VISCOUS, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 157 LOCATION: 111N-57W-04DCCD

LEGAL LOCATION: SE SW SW SE SEC. 04, T. 111 N., R. 57 W.

- 4 5 GRAVEL, FINE, VERY CLAYEY, SANDY, POORLY SORTED: OXIDIZED
- 13 21 GRAVEL, BROWN, COARSE, CLAYEY, POORLY SORTED; SATURATED

23 - 28 SAND, GRAY, FINE TO MEDIUM, MODERATELY WELL-SORTED; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 158 LOCATION: 111N-57W-16AABB

LEGAL LOCATION: NW NW NE NE SEC. 16, T. 111 N.. R. 57 W.

- 3 5 GRAVEL, MEDIUM TO COARSE, VERY CLAYEY; SOME SAND
- 5 7 SAND, BROWN, MEDIUM, VERY CLAYEY; MOIST, SOME GRAVEL
- 7 24 GRAVEL, COARSE, VERY CLAYEY, SANDY; OXIDIZED, MOIST, SATURATED AT 14 FEET
- 24 34 SAND, GRAY, FINE TO MEDIUM; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 159 LOCATION: 111N-57W-16ABBA

LEGAL LOCATION: NE NW NW NE SEC. 16, T. 111 N., R. 57 W.

- 3 5 SAND, BROWN, FINE; MOIST
- 9 13 SAND, BROWN, MEDIUM, CLAYEY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 160 LOCATION: 111N-57W-16DDDA

LEGAL LOCATION: NE SE SE SE SEC. 16, T. 111 N., R. 57 W.

5 - 6 GRAVEL, MEDIUM TO COARSE, VERY CLAYEY, POORLY SORTED; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 161 LOCATION: 111N-57W-25DDAA

LEGAL LOCATION: NE NE SE SE SEC. 25, T. 111 N., R. 57 W.

2 - 4 GRAVEL, BROWN, MEDIUM; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 162 LOCATION: 111N-57W-25DDDD

LEGAL LOCATION: SE SE SE SE SEC. 25, T. 111 N., R. 57 W.

PRELIMINARY LOG -- SUBJECT TO CHANGE

1 -7 SAND AND GRAVEL, MEDIUM TO COARSE, CLAYEY

TEST HOLE NUMBER: LOCATION: 111N-57W-27DDDD LEGAL LOCATION: SE SE SE SE SEC. 27, T. 111 N., R. 57 W.

> SAND, BROWN, FINE, CLAYEY, MODERATELY 8 4 \_ SORTED; OXIDIZED, SATURATED

> > \* \* \* \*

TEST HOLE NUMBER: 164 LOCATION: 111N-57W-27DDDD 1

LEGAL LOCATION: SE SE SE SE SEC. 27, T. 111 N., R. 57 W.

PRELIMINARY LOG -- SUBJECT TO CHANGE

3 - 14 SAND AND GRAVEL. MEDIUM TO COARSE. CLAYEY

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 111N-57W-31AAAB

LEGAL LOCATION: NW NE NE NE SEC. 31, T. 111 N., R. 57 W.

- SAND, DARK-BROWN, MEDIUM, CLAYEY, SILTY; 5 -6 OXIDIZED, SATURATED
- 6 -9 SAND AND GRAVEL, DARK-BROWN, COARSE SAND, MEDIUM GRAVEL, VERY CLAYEY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 166 LOCATION: 111N-57W-32CBBB

LEGAL LOCATION: NW NW NW SW SEC. 32, T. 111 N., R. 57 W.

16 -20 SAND, GRAY, FINE, CLAYEY, POORLY SORTED; UNOXIDIZED. MOIST

\* \* \* \*

TEST HOLE NUMBER: 167 LOCATION: 111N-58W-06ABBB

LEGAL LOCATION: NW NW NW NE SEC. 06, T. 111 N., R. 58 W.

GRAVEL, BROWN, MEDIUM, CLAYEY, SANDY, POORLY SORTED; OXIDIZED, MOIST 19 -24

TEST HOLE NUMBER: 168 LOCATION: 111N-58W-06CDCD

LEGAL LOCATION: SE SW SE SW SEC. 06, T. 111 N., R. 58 W.

- 1 11 GRAVEL, LIGHT-BROWN, COARSE, CLAYEY,
  POORLY SORTED; OXIDIZED, DRY, REDDISHBROWN COLOR AFTER 3 FEET
- 11 22 SAND, REDDISH-BROWN, COARSE, CLAYEY, POORLY SORTED; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 169 LOCATION: 111N-58W-07ABBB

LEGAL LOCATION: NW NW NW NE SEC. 07, T. 111 N., R. 58 W.

- 8 13 SAND, BROWN, MEDIUM, SILTY, POORLY SORTED: OXIDIZED
- 13 21 GRAVEL, BROWN, MEDIUM; OXIDIZED, MOIST, WITH CLAY

\* \* \* \*

TEST HOLE NUMBER: 170 LOCATION: 111N-58W-07DCCD

LEGAL LOCATION: SE SW SW SE SEC. 07, T. 111 N., R. 58 W.

- 1 6 SAND, BROWN, COARSE, CLAYEY, POORLY SORTED; DRY, MOIST AT 5 FEET, WITH PEBBLES
- 8 17 GRAVEL, GRAY, MEDIUM, POORLY SORTED; UNOXIDIZED, SATURATED, CLEAN

\* \* \* \*

TEST HOLE NUMBER: 171 LOCATION: 111N-58W-23DCCD

LEGAL LOCATION: SE SW SW SE SEC. 23, T. 111 N., R. 58 W.

1 - 3 SAND AND GRAVEL, LIGHT-BROWN, FINE SAND, POORLY SORTED; OXIDIZED, DRY

\* \* \* \*

TEST HOLE NUMBER: 172 LOCATION: 111N-58W-26CDCD

LEGAL LOCATION: SE SW SE SW SEC. 26, T. 111 N., R. 58 W.

1 - 3 SAND AND GRAVEL, LIGHT-BROWN, FINE SAND, CLAYEY; POORLY SORTED, OXIDIZED, DRY

\* \* \* \*

TEST HOLE NUMBER: 173 LOCATION: 111N-58W-30BABA

LEGAL LOCATION: NE NW NE NW SEC. 30, T. 111 N., R. 58 W.

25 - 30 SAND, GRAY, MEDIUM, MODERATELY SORTED; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 174 LOCATION: 111N-58W-30CCDD

LEGAL LOCATION: SE SE SW SW SEC. 30, T. 111 N., R. 58 W.

15 - 16 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 175 LOCATION: 111N-58W-30CDDD

LEGAL LOCATION: SE SE SE SW SEC. 30, T. 111 N., R. 58 W.

- 1 5 SAND, RED-BROWN, COARSE, CLAYEY, POORLY SORTED; SOME FINE GRAVEL
- 5 11 SAND AND GRAVEL, RED-BROWN, COARSE SAND, MEDIUM GRAVEL, CLAYEY; OXIDIZED, SATURATED AT 7 FEET

\* \* \* \*

TEST HOLE NUMBER: 176 LOCATION: 111N-58W-31BDAA

LEGAL LOCATION: NE NE SE NW SEC. 31, T. 111 N., R. 58 W.

5 - 11 GRAVEL, MEDIUM GRADING TO SAND

\* \* \* \*

TEST HOLE NUMBER: 177 LOCATION: 111N-58W-31BDDD

LEGAL LOCATION: SE SE SE NW SEC. 31, T. 111 N., R. 58 W.

5 - 9 GRAVEL, MEDIUM GRADING TO FINE, SANDY

TEST HOLE NUMBER: 178 LOCATION: 112N-53W-02CAAD

LEGAL LOCATION: SE NE NE SW SEC. 02, T. 112 N., R. 53 W.

2 - 3 GRAVEL, BROWN, MEDIUM: OXIDIZED, DRY

\* \* \* \*

TEST HOLE NUMBER: 179 LOCATION: 112N-53W-12CCCC

LEGAL LOCATION: SW SW SW SEC. 12, T. 112 N., R. 53 W.

10 - 14 SAND, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 180 LOCATION: 112N-53W-12CCDD

LEGAL LOCATION: SE SE SW SW SEC. 12, T. 112 N., R. 53 W.

- 6 20 GRAVEL, REDDISH-BROWN, MEDIUM, CLAYEY, SANDY, POORLY SORTED; SATURATED, OXIDIZED
- 23 27 GRAVEL, COARSE, MODERATELY SORTED; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 181 LOCATION: 112N-53W-12CDDD

LEGAL LOCATION: SE SE SE SW SEC. 12, T. 112 N., R. 53 W.

2 - 19 SAND, REDDISH-BROWN, FINE, WELL SORTED; DRY, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 182 LOCATION: 112N-53W-25BAAA

LEGAL LOCATION: NE NE NE NW SEC. 25, T. 112 N., R. 53 W.

5 - 7 SAND, BROWN, FINE TO MEDIUM, CLAYEY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 183 LOCATION: 112N-53W-25CBAC LEGAL LOCATION: SW NE NW SW SEC. 25, T. 112 N., R. 53 W.

- 17 19 SAND, BROWN, MEDIUM, CLAYEY; SATURATED, OXIDIZED
- 19 23 GRAVEL, BROWN, COARSE, CLAYEY; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 184
LOCATION: 112N-53W-28DCDC
LEGAL LOCATION: SW SE SW SE SEC. 28, T. 112 N., R. 53 W.
PRELIMINARY LOG -- SUBJECT TO CHANGE

7 - 12 SAND, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 185 LOCATION: 112N-53W-34CCDC

LEGAL LOCATION: SW SE SW SW SEC. 34, T. 112 N., R. 53 W.

- 1 4 SAND, BROWN, FINE, GRAVELLY, POORLY SORTED; OXIDIZED
- 4 7 GRAVEL, REDDISH-BROWN, COARSE, CLAYEY, SANDY, POORLY SORTED; MOIST, OXIDIZED
- 7 11 SAND, BROWN, FINE, WELL-SORTED; MOIST, OXIDIZED
- 11 14 GRAVEL, BROWN, COARSE; MOIST, OXIDIZED, ABANDONED HOLE

\* \* \* \*

TEST HOLE NUMBER: 186 LOCATION: 112N-53W-35BCCC

LEGAL LOCATION: SW SW SW NW SEC. 35, T. 112 N., R. 53 W.

2 - 10 GRAVEL, BROWN, COARSE, CLAYEY; DRY, OXIDIZED. ABANDONED HOLE

\* \* \* \*

TEST HOLE NUMBER: 187 LOCATION: 112N-53W-35CDBA

LEGAL LOCATION: NE NW SE SW SEC. 35, T. 112 N., R. 53 W.

4 - 21 SAND, GRAYISH-BROWN, FINE, VERY SILTY; SATURATED, CLAY LAYER FROM 10 TO 11 FEET

TEST HOLE NUMBER: 188 LOCATION: 112N-54W-02BBCB

LEGAL LOCATION: NW SW NW NW SEC. 02, T. 112 N., R. 54 W.

9 - 11 SAND, BROWN, FINE, VERY CLAYEY; SATURATED

11 - 19 GRAVÉL, BROWN, MEDIUM, MODERATELY SORTED; SATURATED, OXIDIZED

19 - 35 GRAVEL, BROWN, COARSE, MODERATELY SORTED; CLEAN, SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 189 LOCATION: 112N-54W-02CBBC

LEGAL LOCATION: SW NW NW SW SEC. 02, T. 112 N., R. 54 W.

4 - 29 GRAVEL, BROWN, MEDIUM TO COARSE, CLAYEY, MODERATELY SORTED; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 190 LOCATION: 112N-54W-08DCCC

LEGAL LOCATION: SW SW SW SE SEC. 08, T. 112 N., R. 54 W.

25 - 26 SAND, BROWN, FINE, CLAYEY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 191 LOCATION: 112N-54W-09ADAD

LEGAL LOCATION: SE NE SE NE SEC. 09, T. 112 N., R. 54 W.

5 - 10 GRAVEL, BROWN, MEDIUM, SILTY, VERY SANDY; OXIDIZED, DRY

10 - 17 GRAVEL, BROWN, COARSE, SILTY, VERY SANDY;
OXIDIZED, DRY, ABANDONED HOLE

\* \* \* \*

TEST HOLE NUMBER: 192 LOCATION: 112N-54W-09CADD

LEGAL LOCATION: SE SE NE SW SEC. 09, T. 112 N., R. 54 W.

- 4 6 GRAVEL, BROWN, FINE TO MEDIUM, SANDY; DRY, OXIDIZED
- 6 8 GRAVEL, BROWN, COARSE; DRY, OXIDIZED,
  ABANDONED HOLE

TEST HOLE NUMBER: 193 LOCATION: 112N-54W-09DCCD

LEGAL LOCATION: SE SW SW SE SEC. 09, T. 112 N., R. 54 W.

6 - 7 SAND, DARK-BROWN, FINE, SILTY; OXIDIZED, DRY

\* \* \* \*

TEST HOLE NUMBER: 194 LOCATION: 112N-54W-10ABBB

LEGAL LOCATION: NW NW NW NE SEC. 10, T. 112 N., R. 54 W.

- O 9 GRAVEL, BROWN, FINE, SANDY; DRY, OXIDIZED
- 9 15 GRAVEL, BROWN, COARSE, SANDY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 195 LOCATION: 112N-56W-01ABBB

LEGAL LOCATION: NW NW NW NE SEC. 01, T. 112 N., R. 56 W.

3 - 15 GRAVEL, REDDISH-BROWN, COARSE, COBBLY, POORLY SORTED; WITH SAND AND CLAY

\* \* \* \*

TEST HOLE NUMBER: 196 LOCATION: 112N-56W-07CBCB

LEGAL LOCATION: NW SW NW SW SEC. 07, T. 112 N., R. 56 W.

4 - 16 SAND, BROWN; COARSE, CLAYEY, POORLY SORTED; OXIDIZED, SATURATED, COARSENS WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 197 LOCATION: 112N-56W-30AABD

LEGAL LOCATION: SE NW NE NE SEC. 30, T. 112 N., R. 56 W.

- 1 15 SAND, BROWN, COARSE, CLAYEY, MODERATELY SORTED; OXIDIZED, MOIST, SATURATED AT 10 FEET
- 15 65 SAND, BROWN, FINE, WELL-SORTED; PARTIALLY OXIDIZED, OXIDIZED AT 24 FEET, CLEAN, BECOMES COARSE WITH DEPTH

TEST HOLE NUMBER: 198 LOCATION: 112N-56W-30BADB

LEGAL LOCATION: NW SE NE NW SEC. 30, T. 112 N., R. 56 W.

- O 12 SAND AND GRAVEL, RED-BROWN, COARSE, POORLY SORTED SAND, COARSE GRAVEL; OXIDIZED, COBBLES AT SURFACE
- 12 26 SAND AND GRAVEL, BROWN, COARSE SAND, FINE GRAVEL, CLAYEY; SATURATED AT 11 FEET

\* \* \* \*

TEST HOLE NUMBER: 199 LOCATION: 112N-56W-31ABBB

LEGAL LOCATION: NW NW NW NE SEC. 31, T. 112 N.. R. 56 W.

- 0 11 SAND, MEDIUM TO COARSE
- 11 26 SAND, COARSE

\* \* \* \*

TEST HOLE NUMBER: 200 LOCATION: 112N-56W-31ACDB

LEGAL LOCATION: NW SE SW NE SEC. 31, T. 112 N., R. 56 W.

- 2 12 GRAVEL, MEDIUM TO COARSE, SANDY
- 12 21 GRAVEL, BROWN, FINE, SILTY, SANDY
- 21 23 GRAVEL, COARSE
- 23 26 GRAVEL, BROWN, MEDIUM, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 201 LOCATION: 112N-56W-31BBAB

LEGAL LOCATION: NW NE NW NW SEC. 31, T. 112 N., R. 56 W.

11 - 45 SAND, MEDIUM TO COARSE, GRAVELLY, SLIGHTLY CLAYEY

TEST HOLE NUMBER: 202 LOCATION: 112N-56W-31BBBB

LEGAL LOCATION: NW NW NW NW SEC. 31, T. 112 N., R. 56 W.

2 - 17 SAND AND GRAVEL, REDDISH-BROWN, COARSE

SAND TO FINE GRAVEL 17 - 51 GRAVEL, BROWN, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 203 LOCATION: 112N-56W-31BDCC

LEGAL LOCATION: SW SW SE NW SEC. 31, T. 112 N., R. 56 W.

- 6 11 GRAVEL AND SAND, MEDIUM TO COARSE GRAVEL,
- MEDIUM TO COARSE SAND 11 - 36 SAND AND GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 204 LOCATION: 112N-56W-31CBBC

LEGAL LOCATION: SW NW NW SW SEC. 31. T. 112 N.. R. 56 W.

- 5 9 SAND, BROWN, FINE TO MEDIUM
- 9 12 GRAVEL, BROWN, COARSE

\* \* \* \*

TEST HOLE NUMBER: 205 LOCATION: 112N-56W-31CDBB

LEGAL LOCATION: NW NW SE SW SEC. 31, T. 112 N., R. 56 W.

- 13 14 GRAVEL, COARSE
- 14 34 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 206 LOCATION: 112N-56W-31CDDC

LEGAL LOCATION: SW SE SE SW SEC. 31, T. 112 N., R. 56 W.

- O 1 SAND, LIGHT-BROWN, SILTY; OXIDIZED, DRY
- 1 25 SAND AND GRAVEL, RED-BROWN, COARSE SAND, MEDIUM GRAVEL; OXIDIZED

TEST HOLE NUMBER: 207 LOCATION: 112N-56W-31DBCC

LEGAL LOCATION: SW SW NW SE SEC. 31, T. 112 N., R. 56 W.

- 1 3 SAND, LIGHT-BROWN, GRAVELLY
- 3 5 SAND AND GRAVEL, BROWN, SILTY
- 5 18 SAND, BROWN, COARSE, GRAVELLY
- 18 23 SAND, DARK-BROWN, COARSE, GRAVELLY
- 23 27 SAND, BROWN, COARSE, SILTY

\* \* \* \*

TEST HOLE NUMBER: 208 LOCATION: 112N-56W-31DDDD

LEGAL LOCATION: SE SE SE SE SEC. 31, T. 112 N., R. 56 W.

- 1 15 GRAVEL, LIGHT-BROWN, COARSE, CLAYEY, SANDY, MODERATELY SORTED; OXIDIZED, DRY, WITH COBBLES
- 15 41 SAND, REDDISH-BROWN, COARSE, CLAYEY, MODERATELY SORTED; OXIDIZED, MOIST, SATURATED AT 21 FEET

\* \* \* \*

TEST HOLE NUMBER: 209 LOCATION: 112N-56W-31DDDD 1

LEGAL LOCATION: SE SE SE SE SEC. 31, T. 112 N., R. 56 W.

- 3 5 GRAVEL, GRAY, SILTY
- 5 24 SAND AND GRAVEL, BROWN
- 24 34 SAND, BROWN, COARSE, GRAVELLY, SILTY

\* \* \* \*

TEST HOLE NUMBER: 210 LOCATION: 112N-56W-32BBBB

LEGAL LOCATION: NW NW NW NW SEC. 32, T. 112 N.. R. 56 W.

6 - 18 SAND AND GRAVEL, RED-BROWN, COARSE SAND, MEDIUM GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 211

LOCATION: 112N-56W-32BBBB 1

LEGAL LOCATION: NW NW NW NW SEC. 32, T. 112 N., R. 56 W.

- SAND AND GRAVEL, BROWN, SILTY 7 -11
- 11 -18
- SAND, BROWN, SILTY, CLAYEY SAND, BROWN, SILTY; SOME FINE GRAVEL 18 -22
- SAND, GRAY, SILTY; SOME FINE GRAVEL 22 -25

TEST HOLE NUMBER: 212 LOCATION: 112N-56W-32BDBB

LEGAL LOCATION: NW NW SE NW SEC. 32, T. 112 N., R. 56 W.

- 4 SAND, BROWN, MEDIUM, PEBBLY
- 12 SAND, BROWN, MEDIUM TO COARSE, SILTY, PEBBLY
- 18 SAND, BROWN, MEDIUM TO COARSE, PEBBLY 12 -
- SAND, GRAY, VERY FINE, VERY SILTY 24 -32

\* \* \* \*

TEST HOLE NUMBER: 213 LOCATION: 112N-56W-32BDDA

LEGAL LOCATION: NE SE SE NW SEC. 32, T. 112 N., R. 56 W.

- SAND, BROWN, COARSE, SILTY 6 -9
- SAND, GRAY, COARSE, SILTY 9 -12
- 12 -GRAVEL, SANDY, SILTY 13

\* \* \* \*

TEST HOLE NUMBER: 214 LOCATION: 112N-56W-32CBBB

LEGAL LOCATION: NW NW NW SW SEC. 32, T. 112 N., R. 56 W.

SAND, COARSE: SOME FINE GRAVEL 20

\* \* \* \*

TEST HOLE NUMBER: 215 LOCATION: 112N-56W-32DDDD

LEGAL LOCATION: SE SE SE SE SEC. 32, T. 112 N., R. 56 W.

- 4 -7 GRAVEL
- 7 -SAND, MEDIUM 9
- 9 -12 GRAVEL
- SAND, FINE TO MEDIUM, SAMPLED AT 18 FEET 12 -45

\* \* \* \*

TEST HOLE NUMBER: 216 LOCATION: 112N-57W-01CDDD

LEGAL LOCATION: SE SE SE SW SEC. 01, T. 112 N., R. 57 W.

- 1 5 GRAVEL, LIGHT-BROWN, CLAYEY, SANDY, POORLY SORTED; OXIDIZED, DRY, WITH COBBLES
- 5 13 SAND, REDDISH-BROWN, COARSE, CLAYEY,
  MODERATELY SORTED; OXIDIZED, DRY, WITH
  SMALL PEBBLES
- 15 32 GRAVEL, BROWN, MEDIUM TO COARSE, CLAYEY, POORLY SORTED: SATURATED

\* \* \* \*

TEST HOLE NUMBER: 217 LOCATION: 112N-57W-02AABA

LEGAL LOCATION: NE NW NE NE SEC. 02, T. 112 N., R. 57 W. PRELIMINARY LOG -- SUBJECT TO CHANGE

- 1 5 SAND, MEDIUM TO COARSE, VERY PEBBLY
- 5 30 SAND, MEDIUM TO COARSE, SILTY, VERY PEBBLY: SATURATED

\* \* \* \*

TEST HOLE NUMBER: 218 LOCATION: 112N-57W-05BBBA

LEGAL LOCATION: NE NW NW NW SEC. 05. T. 112 N.. R. 57 W.

3 - 9 SAND, RED-BROWN, MEDIUM; WELL-SORTED; OXIDIZED. MOIST. SATURATED AT 7 FEET

\* \* \* \*

TEST HOLE NUMBER: 219 LOCATION: 112N-57W-08BAAA

LEGAL LOCATION: NE NE NE NW SEC. 08, T. 112 N., R. 57 W.

- 1 12 GRAVEL, LIGHT-BROWN, COARSE, CLAYEY, POORLY SORTED; OXIDIZED, DRY, WITH COBBLES
- 12 28 GRAVEL, BROWN, COARSE, CLAYEY, POORLY SORTED; PARTIALLY OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 220 LOCATION: 112N-57W-11DDDD

LEGAL LOCATION: SE SE SE SE SEC. 11, T. 112 N., R. 57 W.

16 - 18 SAND; WITH COBBLES

\* \* \* \*

TEST HOLE NUMBER: 221 LOCATION: 112N-57W-13BDCC 1

LEGAL LOCATION: SW SW SE NW SEC. 13, T. 112 N., R. 57 W.

O - 30 SAND AND GRAVEL, REDDISH-BROWN, COARSE SAND TO FINE GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 222 LOCATION: 112N-57W-13BDCC 2

LEGAL LOCATION: SW SW SE NW SEC. 13. T. 112 N.. R. 57 W.

O - 30 SAND AND GRAVEL, REDDISH-BROWN, COARSE SAND TO FINE GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 223 LOCATION: 112N-57W-17ABAB

LEGAL LOCATION: NW NE NW NE SEC. 17. T. 112 N.. R. 57 W.

13 - 26 GRAVEL, DARK-BROWN, COARSE, CLAYEY, POORLY SORTED; OXIDIZED. SATURATED

\* \* \* \*

TEST HOLE NUMBER: 224 LOCATION: 112N-57W-17DDCD

LEGAL LOCATION: SE SW SE SE SEC. 17, T. 112 N., R. 57 W.

- 1 8 SAND, FINE, WELL-SORTED; DRY
- 13 20 SAND, GRAY, FINE, VERY SILTY; UNOXIDIZED, SATURATED AT 13 FEET

\* \* \* \*

TEST HOLE NUMBER: 225 LOCATION: 112N-57W-25AADA

LEGAL LOCATION: NE SE NE NE SEC. 25, T. 112 N., R. 57 W.

- O 5 GRAVEL, COARSE, SANDY
- 5 10 SAND, LIGHT-BROWN, MEDIUM, PEBBLY
- 10 15 GRAVEL, SILTY

SAND, COARSE, SILTY; SOME FINE GRAVEL SAND, MEDIUM TO COARSE, SILTY 20 15 -

26 20 -

\* \* \* \*

TEST HOLE NUMBER: 226 LOCATION: 112N-57W-25DAAA

LEGAL LOCATION: NE NE NE SE SEC. 25, T. 112 N., R. 57 W.

8 SAND, MEDIUM, SILTY 5 -

SAND, BROWN, MEDIUM TO COARSE, SILTY 8 -16

16 -32 SAND, BROWN, COARSE, VERY SILTY

\* \* \* \*

TEST HOLE NUMBER: 227 LOCATION: 112N-57W-25DCCC

LEGAL LOCATION: SW SW SE SEC. 25, T. 112 N., R. 57 W.

4 \_ 11 SAND, MEDIUM TO COARSE; SOME COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 228 LOCATION: 112N-57W-28BBCB

LEGAL LOCATION: NW SW NW NW SEC. 28, T. 112 N., R. 57 W.

GRAVEL, BROWN, MODERATELY COARSE, SANDY, 0 -12 POORLY SORTED; DRY, MOIST AT 3 FEET, VERY COARSE 7 TO 12 FEET

\* \* \* \*

TEST HOLE NUMBER: 229 LOCATION: 112N-57W-29DAAA

LEGAL LOCATION: NE NE NE SE SEC. 29, T. 112 N., R. 57 W.

- 8 GRAVEL, BROWN, MEDIUM TO COARSE, VERY 1 -SANDY: MOIST
- SAND, BROWN, COARSE; MOIST, SOME GRAVEL 8 -11

\* \* \* \*

TEST HOLE NUMBER: 230 LOCATION: 112N-57W-33CDDD

LEGAL LOCATION: SE SE SE SW SEC. 33, T. 112 N., R. 57 W.

- 3 12 GRAVEL, BROWN, COARSE, SANDY, CLAYEY;
  MOIST, SATURATED AT 11 FEET
- 14 21 GRAVEL, BROWN, COARSE, SANDY, CLAYEY;
  SATURATED

TEST HOLE NUMBER: 231 LOCATION: 112N-57W-36AAAA

LEGAL LOCATION: NE NE NE NE SEC. 36, T. 112 N., R. 57 W.

3 - 18 SAND, BROWN, GRAVELLY

\* \* \* \*

TEST HOLE NUMBER: 232 LOCATION: 112N-57W-36AADD

LEGAL LOCATION: SE SE NE NE SEC. 36, T. 112 N., R. 57 W.

1 - 9 GRAVEL, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 233 LOCATION: 112N-58W-01CCCD LEGAL LOCATION: SE SW SW SEC. 01, T. 112 N., R. 58 W. PRELIMINARY LOG -- SUBJECT TO CHANGE

1 - 3 SAND, TAN, FINE, CLAYEY, POORLY SORTED; OXIDIZED, DRY

\* \* \* \*

TEST HOLE NUMBER: 234 LOCATION: 112N-58W-02AAAB

LEGAL LOCATION: NW NE NE NE SEC. 02, T. 112 N., R. 58 W.

- 5 7 SAND, BROWN, COARSE, SLIGHTLY CLAYEY, MODERATELY SORTED; SATURATED AT 5 FEET
- 7 11 SAND AND GRAVEL, BROWN, COARSE SAND, FINE GRAVEL, VERY CLAYEY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 235 LOCATION: 112N-58W-05CDCD

LEGAL LOCATION: SE SW SE SW SEC. 05, T. 112 N., R. 58 W.

1 - 7 SAND AND GRAVEL, LIGHT-BROWN, FINE SAND,

CLAYEY, POORLY SORTED; OXIDIZED, DRY

\* \* \* \*

TEST HOLE NUMBER: 236 LOCATION: 112N-58W-08CCDD

LEGAL LOCATION: SE SE SW SW SEC. 08, T. 112 N., R. 58 W.

1 - 6 SAND AND GRAVEL, LIGHT-BROWN, FINE SAND, COARSE GRAVEL, PEBBLY; OXIDIZED, DRY, COLOR CHANGES TO REDDISH-BROWN WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 237 LOCATION: 112N-58W-12DCDC

LEGAL LOCATION: SW SE SW SE SEC. 12, T. 112 N., R. 58 W.

6 - 7 SAND, COARSE, VERY CLAYEY, POORLY SORTED; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 238 LOCATION: 112N-58W-13DCCC

LEGAL LOCATION: SW SW SW SE SEC. 13, T. 112 N., R. 58 W.

1 - 5 SAND, BROWN, FINE, CLAYEY, MODERATELY SORTED; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 239 LOCATION: 112N-58W-17CDCC

LEGAL LOCATION: SW SW SE SW SEC. 17, T. 112 N., R. 58 W.

O - 3 GRAVEL, MEDIUM TO COARSE, SANDY, SUB-ANGULAR; DRY

\* \* \* \*

TEST HOLE NUMBER: 240 LOCATION: 112N-58W-18DDDD

LEGAL LOCATION: SE SE SE SE SEC. 18, T. 112 N., R. 58 W.

O - 4 GRAVEL, REDDISH-BROWN, MEDIUM TO COARSE, SILTY, SANDY, POORLY SORTED,

## SUBROUNDED; OXIDIZED, DRY

\* \* \* \*

TEST HOLE NUMBER: 241 LOCATION: 112N-58W-20BCCC

LEGAL LOCATION: SW SW SW NW SEC. 20, T. 112 N., R. 58 W.

7 - 9 GRAVEL, BROWN, FINE TO MEDIUM, POORLY SORTED; SATURATED, SOME COARSE SAND

13 - 21 GRAVEL, BROWN, FINE; SATURATED, SOME COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 242 LOCATION: 112N-58W-30ABBA

LEGAL LOCATION: NE NW NW NE SEC. 30, T. 112 N., R. 58 W.

15 - 21 GRAVEL, FINE TO MEDIUM, SILTY; SATURATED, SOME COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 243 LOCATION: 112N-58W-30DDDD LEGAL LOCATION: SE SE SE SEC. 30, T. 112 N., R. 58 W.

15 - 21 GRAVEL, BROWN, FINE, VERY CLAYEY, POORLY SORTED: SATURATED

\* \* \* \*

TEST HOLE NUMBER: 244
LOCATION: 112N-58W-36ADDD

LEGAL LOCATION: SE SE SE NE SEC. 36, T. 112 N., R. 58 W.

10 - 20 GRAVEL, TAN, COARSE, VERY CLAYEY, POORLY SORTED; OXIDIZED, SATURATED

TABLE 2. List of sand and gravel pits in Kingsbury County, Dakota, on file at Department of Transportation, Division of Highways, in Pierre, South Dakota.

#### **EXPLANATION:**

- a. Landowner and address
- b. Location given as half and quarter sections, section number, township, and range
- c. Aggregate type
- d. Average thickness of deposits in feet
- e. Average thickness of overburden in feet

#### Pit 1

- a. Landowner: Gene Gruenhagen DeSmet
  b. Location: NW 1/4 sec. 7, T. 109 N., R. 55 W.
  c. Aggregate type: Gravel
- d. Deposit thickness (ft): 6.08
- e. Overburden thickness (ft): 1.33

### Pit 2

- a. Landowner: Gene Gruenhagen DeSmet
- b. Location: W 1/2 NW 1/4 sec. 7, T. 109 N., R. 55 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): ----

## Pit 3

- a. Landowner: Roy Bitner DeSmet
- b. Location: E 1/2 NW 1/4 sec. 18, T. 109 N., R. 55 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 5.4
- e. Overburden thickness (ft): 2.6

# Pit 4

- a. Landowner: John O'Hara DeSmet
- b. Location: NE 1/4 sec. 12, T. 109 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 8.25
- e. Overburden thickness (ft): 1.68

## Pit 5

- a. Landowner: Green and Green, Attorneys DeSmet
- b. Location: NE 1/4 sec. 20, T. 109 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: James Driscoll Carthage
- b. Location: SW 1/4 NE 1/4 sec. 29, T. 109 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 5.6
- e. Overburden thickness (ft): 2.3

- a. Landowner: Unknown
- b. Location: SW 1/4 sec. 32, T. 109 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

### Pit 8

- a. Landowner: Mrs. C. E. Bartlett b. Location: SE 1/4 sec. 32, T. 109 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): ----

## Pit 9

- a. Landowner: E. J. Vanderanick Carthage
- b. Location: NW 1/4 sec. 33, T. 109 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

#### Pit 10

- a. Landowner: Dept. of Game, Fish & Parks Pierre
- b. Location: SW 1/4 sec. 33, T. 109 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): ----

## Pit 11

- a. Landowner: Miner County
  b. Location: SW 1/4 sec. 34, T. 109 N., R. 57 W.
  - c. Aggregate type: Gravel
  - d. Deposit thickness (ft):
  - e. Overburden thickness (ft): ----

## Pit 12

- a. Landowner: Ethol B. Warren DeSmet
- b. Location: SW 1/4 sec. 3, T. 110 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 9.64
- e. Overburden thickness (ft): 1.37

- a. Landowner: Joe M. Braun DeSmet
- b. Location: SE 1/4 sec. 3, T. 110 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 11.9
- e. Overburden thickness (ft): 1.8

- a. Landowner: Richard Halverson DeSmet
- b. Location: NE 1/4 sec. 10, T. 110 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 7.1
- e. Overburden thickness (ft): 1.4

## Pit 15

- a. Landowner: Roy Johnson DeSmet
- b. Location: SE 1/4 sec. 22, T. 110 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 11.2
- e. Overburden thickness (ft): 1.5

## Pit 16

- a. Landowner: Ralph Schriner DeSmet b. Location: SW 1/4 sec. 24, T. 110 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 10.4
- e. Overburden thickness (ft): 2.0

## Pit 17

- a. Landowner: Dale C. Johnson and Ralph Schriner DeSmet
- b. Location: SW 1/4 sec. 26, T. 110 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 8.2
- e. Overburden thickness (ft): 1.9

### Pit 18

- a. Landowner: Elmer Forsburg DeSmet
- b. Location: SE 1/4 sec. 26, T. 110 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 7.13
- e. Overburden thickness (ft): 1.13

### Pit 19

- a. Landowner: O. C. Johnson DeSmet
  b. Location: NE 1/4 sec. 35, T. 110 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: Unknown
- b. Location: NW 1/4 sec. 5, T. 110 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: LaVerve Converse Badger
  b. Location: NW 1/4 sec. 3, T. 111 N., R. 53 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 11.7
- e. Overburden thickness (ft): 4.3

### Pit 22

- a. Landowner: Selmer Stenson Badger
  b. Location: E 1/2 SW 1/4 sec. 9, T. 111 N., R. 53 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 6.29
- e. Overburden thickness (ft): 2.66

## Pit 23

- a. Landowner: Kingsbury County
  b. Location: NW 1/4 sec. 10, T. 111 N., R. 53 W.
- c. Aggregate type: Sand
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

### Pit 24

- a. Landowner: Unknown b. Location: NW 1/4 sec. 3, T. 111 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): ----

## Pit 25

- a. Landowner: Unknown b. Location: NE 1/4 SE 1/4 sec. 4, T. 111 N., R. 56 W.
- c. Aggregate type: Gravel and sand
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): ----

# Pit 26

- a. Landowner: Elmer Stubbe DeSmet b. Location: NW 1/4 sec. 5, T. 111 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 12.0
- e. Overburden thickness (ft): 1.11

- a. Landowner: Charles Cummings DeSmet b. Location: NE 1/4 sec. 21, T. 111 N., R. 56 W.
- c. Aggregate type: Sand
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: Robert Cummings DeSmet
- b. Location: NW 1/4 sec. 21, T. 111 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 12.6
- e. Overburden thickness (ft): 1.3

#### Pit 29

- a. Landowner: Kingsbury County
  b. Location: NE 1/4 sec. 28, T. 111 N., R. 56 W.
- c. Aggregate type: Sand and gravel
- d. Deposit thickness (ft): 8.1
- e. Overburden thickness (ft): 2.8

## Pit 30

- a. Landowner: Kingsbury County
  b. Location: NE 1/4 sec. 28, T. 111 N., R. 56 W.
- c. Aggregate type: Sand and gravel
- d. Deposit thickness (ft): 7.0
- e. Overburden thickness (ft): 2.0

## Pit 31

- a. Landowner: Andy Close DeSmet
  b. Location: NW 1/4 sec. 28, T. 111 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 8.8
- e. Overburden thickness (ft): 2.0

## Pit 32

- a. Landowner: Jarvis Wallum DeSmet b. Location: NW 1/4 sec. 28, T. 111 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): 2.0

#### Pit 33

- a. Landowner: Unknown b. Location: NE 1/4 SE 1/4 sec. 28, T. 111 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): ----

- a. Landowner: Cyril (Vaughan) Johnson DeSmet b. Location: NW 1/4 sec. 30, T. 111 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): ----

- a. Landowner: Lloyd Halverson DeSmet b. Location: SW 1/4 NW 1/4 sec. 35, T. 111 N., R. 56 W.
- c. Aggregate type: Clay
- d. Deposit thickness (ft): 5.0
- e. Overburden thickness (ft): 0.8

# Pit 36

- a. Landowner: LaVerve Converse Badger
- b. Location: SW 1/4 sec. 34, T. 112 N., R. 53 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 37

- a. Landowner: Donald Smith Badger
  b. Location: E 1/2 NE 1/4 sec. 9, T. 112 N., R. 54 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 5.9+
- e. Overburden thickness (ft): 3.2

## Pit 38

- a. Landowner: Donald Smith Badger
- b. Location: SW 1/4 NE 1/4 sec. 9, T. 112 N., R. 54 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): ----

## Pit 39

- a. Landowner: Mrs. Minnie Mohres Erwin b. Location: NW 1/4 NE 1/4 sec. 10, T. 112 N., R. 54 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 10.15
- e. Overburden thickness (ft): 2.3

## Pit 40

- a. Landowner: Mrs. Mary Stolpe Erwin
- b. Location: NW 1/4 sec. 10, T. 112 N., R. 54 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 10.0
- e. Overburden thickness (ft): 4.0

- a. Landowner: Cyril Vaughan Brookings
- b. Location: NW 1/4 sec. 30, T. 112 N., R. 56 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: Oliver Seefeldt DeSmet
- b. Location: SW 1/4 sec. 12, T. 112 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 7.9
- e. Overburden thickness (ft): 1.7

## Pit 43

- a. Landowner: Otto Poppen
- b. Location: NW 1/4 sec. 13, T. 112 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

### Pit 44

- a. Landowner: Harold Stemple Lake Benton, Minnesota
- b. Location: W 1/2 NE 1/4 sec. 17. T. 112 N., R. 57 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

### Pit 45

- a. Landowner: Shermon Williams DeSmet
- b. Location: W 1/2 NW 1/4 sec. 35, T. 112 N., R. 57 W. c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: A. M. Wibur Brookings
  b. Location: SE 1/4 SE 1/4 sec. 18, T. 112 N., R. 58 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

	Good	probability	of	finding	sand	or	gravel	deposits.
<b>*****</b>	Fair	probability	of	finding	sand	or	gravel	deposits.
	Poor	probability	of	finding	sand	or	gravel	

Letters A through I designate areas described in the text.

- Test hole containing sand or gravel within 25 feet of the land surface with 0-5 feet of overburden.
- Test hole containing sand or gravel within 25 feet of the land surface with greater than 5 feet of overburden.

\_Number refers to table I.

- Test hole containing no sand or gravel within 25 feet of the land surface.
- (7) Sand and gravel pits-those with a number are listed in Table 2.



6	5	4	3	2	12
7	8	9	10	11	
18 17		16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	
31	32	33	34	35	36

Sectionized township

Map showing test holes, sand and gravel pits, and sand and gravel deposits in Kingsbury County.

