
# AGGREGATE RESOURCES IN MINNEHAHA COUNTY, SOUTH DAKOTA

by
MARTIN J. JARRETT

DEPARTMENT OF WATER AND NATURAL RESOURCES DIVISION OF GEOLOGICAL SURVEY



Prepared in cooperation with the United States Geological Survey, East Dakota Water Development District, South Dakota Department of Transportation and Minnehaha County

Science Center, University of South Dakota 1990

# STATE OF SOUTH DAKOTA George S. Mickelson, Governor

# DEPARTMENT OF WATER AND NATURAL RESOURCES Floyd Matthew, Secretary

DIVISION OF GEOLOGICAL SURVEY Merlin J. Tipton, State Geologist

Information Pamphlet No. 42

AGGREGATE RESOURCES IN MINNEHAHA COUNTY, SOUTH DAKOTA

by

Martin J. Jarrett

Prepared in cooperation with the United States Geological Survey, East Dakota Water Development District, South Dakota Department of Transportation, and Minnehaha County

> Science Center University of South Dakota Vermillion, South Dakota

# CONTENTS

		rage
INT	RODUCTION	1
GEO	LOGIC OVERVIEW	1
	Till	2
	Outwash	2
	Alluvium	2
	Terrace deposits	2
	Eskers and kames	2
	Bedrock	3
EXP	LANATION OF TABLES	3
EXP	LANATION OF PLATE 1	4
	Sand and gravel	4
	Corson Diabase	7
	Sioux Quartzite	7
ECO	NOMIC CONSIDERATIONS	8
SEL	ECTED REFERENCES	8
TABLES		
	List of test holes in Minnehaha County, South Dakota, which contain sand or gravel within 25 feet of the land surface	9
	List of sand and gravel pits and quartzite quarries in Minnehaha County, on file at the Department of Transportation, Division of Highways, Pierre, South Dakota, and at the Department of Water and Natural Resources, Office of Surface Mining, Pierre, South Dakota	163
ILLUSTRATIONS		
Pla	te (Plate is in poc	ket)
1.	Map illustrating sand and gravel resources of Minnehaha County, South Dakota	
Figure		
1.	Map illustrating potential sources of bedrock aggregate in Minnehaha County Following	8

#### INTRODUCTION

This pamphlet is one of a series of reports describing the geology and water resources of Minnehaha County. It is designed to indicate the most promising areas in which to search for sources of coarse aggregate material. Quality of the deposits encountered was not analyzed, nor was the quantity of available reserves measured, as these would require prior knowledge of the material specifications for each intended use.

Other reports in the series include:

- a. <u>Major aquifers in Minnehaha County</u>, <u>South Dakota</u>: South Dakota Geological Survey Information Pamphlet, Lindgren, R. J., U.S. Geological Survey (in preparation).
- b. <u>Water resources of Minnehaha County</u>, <u>South Dakota</u>: U.S. Geological Survey Water Resources Investigations Report, Lindgren, R. J. (in preparation).
- c. <u>Geology of Minnehaha County</u>, <u>South Dakota</u>: South Dakota Geological Survey Bulletin, Tomhave, D. W. (in preparation).

The first report contains a generalized evaluation of the yield, quality and location of major aquifers (water-bearing deposits) in a condensed, easy-to-read pamphlet. The second and third reports are more technical and present a more comprehensive investigation of the water resources and geology within the county area. All basic data used to compile these reports are available from the South Dakota Geological Survey's open file.

It is recommended that the following publication, explaining how aggregate-bearing landforms may be recognized, be used as a companion reference to this pamphlet:

<u>Evaluation</u> of <u>exploration</u> <u>methods</u> for <u>coarse</u> <u>aggregate</u> <u>in eastern</u> <u>South Dakota</u>: South Dakota Geological Survey Report of Investigations 95, Bruce, R. L., and Lundberg, B. E., 1964.

## GEOLOGIC OVERVIEW

Minnehaha County lies on the gently sloping, southern flanks of the Coteau des Prairies in southeastern South Dakota. Much of the sand and gravel found in Minnehaha County is the result of the glaciers that covered this region thousands of years ago, late in the Pleistocene Epoch. The rest has been deposited by rivers and streams since the glaciers retreated. The following brief description of geologic terms should be used as an aid in further understanding the deposition of sand and gravel.

## Till

Till is the term used to define the unsorted and unstratified material either laid down by an active glacier at the base of the ice, or deposited by a glacier as the ice melted. This mixture of boulders, gravel, sand, silt, and clay is often called "boulder clay" or "blue clay." Till covers most of Minnehaha County. Although it is not considered a source of sand and gravel, a few small isolated lenses may occur within the till.

## Outwash

Outwash is a general term used to describe any deposits of clay, silt, sand, gravel or boulders that have been washed, sorted and subsequently deposited by flowing glacial meltwater. Outwash grain size depends upon material type and velocity of the water from which it was deposited. A lake or slowly flowing stream will usually deposit silts and clays, while rapidly flowing water may leave stream beds composed almost entirely of boulders. Most outwash, however, is a mixture of material between these two extremes, and is composed of an assortment of sand and gravel with minor amounts of finer and coarser materials.

# Alluvium

Alluvium is the term used to describe material deposited by streams since the retreat of the glaciers. Made up of clay, silt, sand and gravel, the grain size of any particular deposit is governed by the same factors that determine grain size in glacial outwash. Alluvium occurs in the valleys of present-day streams and rivers, and where deposits consist primarily of sand and gravel, mining for materials may take place.

## Terrace Deposits

Terrace deposits are flat topped fluvial deposits that may or may not be of glacial origin. Being remnants of former flood plains, the streams that formed them have since cut their channels deeper and developed new flood plains at lower elevations.

## Eskers and Kames

Eskers and kames are glacial landforms that were deposited directly from stagnating, melting ice. Kames usually appear as mound-like hills or short ridges. Generally, they are formed in or on the ice by the filling of crevasses or basin-like depressions. Kame terraces are short, irregular ridges of gravel, sand and silt formed by streams held high on a valley wall by glacial ice. Eskers appear as long, narrow, sinuous ridges and are formed

by streams in, on or under the ice. All these landforms can offer good possibilities for aggregate pit development.

## **Bedrock**

Bedrock is the older, consolidated rock beneath the glacial deposits. In Minnehaha County, the bedrock consists of Sioux Quartzite, Corson Diabase, Split Rock Creek Formation, and near-shore, time equivalents of the Niobrara and Pierre Formations. Of these bedrock units, the Sioux Quartzite, Corson Diabase, and Split Rock Creek Formation crop out in Minnehaha County. Although the Split Rock Creek Formation is unsuitable, the Sioux Quartzite and Corson Diabase are both potential sources of aggregate. The Corson Diabase is very limited in areal extent, the Sioux Quartzite being far more extensive and therefore of greater economic interest. The Sioux Quartzite and the Corson Diabase are discussed later in the text. Generally when bedrock is found at the ground surface, no sand or gravel exists below that point.

#### EXPLANATION OF TABLES

Table 1 is a compilation of test holes that encountered sand and/or gravel in the upper 25 feet. This table lists:

- a. location of the test hole,
- b. depth of sand and gravel deposits, and
- c. description of aggregate encountered.

The South Dakota Geological Survey (SDGS), U.S. Geological Survey, U.S. Bureau of Reclamation, U.S. Soil Conservation Service, South Dakota Department of Transportation, South Dakota Division of Water Rights, and private engineering and drilling companies contributed to the formation of this list. The complete set of drill-hole logs is on file at the South Dakota Geological Survey office in Vermillion.

Table 2 has been compiled from a list of gravel pits on file in Pierre with either the South Dakota Department of Transportation or the Office of Surface Mining, Department of Water and Natural Resources. The owner or operator, material type, and where possible, thickness of overburden and aggregate being mined, have been listed. The actual thickness of a deposit may be greater than that mined, because depth to the water table, changing material characteristics, or available mining equipment may limit excavation.

## EXPLANATION OF PLATE 1

plate 1 shows the location of test holes, gravel pits (proposed, active and inactive) and a few landmarks. Test holes are represented by three types of symbols. A dot (•) indicates the presence of sand or gravel within 25 feet of the land surface with 5 feet or less of overburden. A square (•) indicates that sand or gravel was encountered within 25 feet of the land surface, but that more than 5 feet of overburden exists. The above test holes are numbered and listed in table 1. An open circle (o) indicates that no sand or gravel was found in the upper 25 feet.

Gravel pits and quartzite quarries are labelled with a crossed pick and shovel ( $\mathscr{A}$ ), those numbered are listed in table 2. Additional information concerning the numbered gravel pits is on file with the Department of Transportation or the Office of Surface Mining, Department of Water and Natural Resources, Pierre, South Dakota.

To help illustrate the most promising areas, the map has been divided into three area types, each expressing the probability of discovering new sources of sand or gravel. Those areas designated as "good" indicate a comparatively thick deposit with thin overburden and underlying large tracts of land. Those considered "fair" lack one or more of these favorable attributes. Areas designated as "good" or "fair" have been assigned a color as well as a letter, and are discussed later in the text.

Areas designated as poor are composed mainly of till but may contain random deposits of sand and gravel. Although some of these deposits may be very productive, they are generally limited and difficult to locate.

The above three classifications evolved through an extensive test hole drilling program, the study of gravel pits, topographic map and aerial photograph interpretations, and field observations.

# Sand and Gravel

Area A (designated "fair") is composed of stratified valley floor deposits situated around and associated with the drainage of Buffalo Lake. Deposits generally have less than 5 feet of overburden, but their total thickness rarely exceeds 10 feet. Most of the deposits are below or partially below the water table.

Area B (designated "good") represents over 40 square miles of aggregate deposits associated with the Skunk Creek valley. The deposits are valley train and terrace deposits, generally with less than 5 feet of overburden. Thickness of sand and gravel in some cases exceeds 50 feet. Rothrock (1926) states, "The deposits of Skunk Creek valley are largely medium to coarse gravels. In

the northern part there is a broad, shallow channel through the fill, which leaves the gravel in terraces along the sides of the valley, but in the lower 3 miles the gravels occupy the entire valley floor." In the upper reaches of West Branch Skunk Creek and around the Buffalo Ridge area, deposits can also be found in the form of ridge-like kame terraces. The abundance of gravel combined with the area's proximity to Sioux Falls has promoted the areas development. This has resulted in the greatest density of pits to be found in Minnehaha County.

Although deposits in some parts of area "C" (designated "fair") attain 30 feet in depth, aggregate is generally fine, and thickness of overburden varies considerably. Since these deposits are found along the valley floor of Colton Creek, high water table conditions will also affect development of this area.

Area "D" (designated "fair") deposits are similar to those found in the upper reaches of West Branch Skunk Creek. The deposits to the northwest of Grass Lake are ridge-like, ice-contact kame terrace deposits. Located to the south of Grass Lake is Rocky Ridge, a prominent "ice-crack" or disintegration ridge. This is another example of an aggregate-bearing, ice-contact landform. Sand and gravel pockets found in both areas are likely to be stratified but poorly sorted.

Area "E" (designated "fair") represents small, discontinuous sand and fine gravel deposits found along the valley floor of Long Creek. Overburden is less than 5 feet, and deposits are generally less than 10 feet thick. High water table levels may inhibit pit development.

Area "F" (designated "fair") is a small kame field. Pits have been in evidence since the 1920's and much of the more desirable material may already have been removed. In any remaining deposits, there is likely to be little or no overburden, but the material is also likely to be poorly sorted; i.e., very clayey and contain much "oversize" material.

Area "G" (designated "good") encompasses those deposits found in the present-day Big Sioux valley. Generally these deposits are finer than the Skunk Creek gravels (Rothrock, 1926), though there are exceptions to this statement. Valley-train deposits are found in the wide, flat bottomed, western limb of the Big Sioux Valley. These deposits are up to 20 feet thick and are generally covered by 5 feet of silty, alluvial overburden. The finer nature of these deposits, the overburden, and the high degree of saturation has resulted in less mining of this resource, in comparison to the Skunk Creek spillway.

The southern loop of the Big Sioux River represents a dramatic change in course brought about by a combination of ice damming to the south, and the near-surface occurrence of the Sioux Quartzite. There was very little deposition of sand and gravel in this narrow channel, and what terrace deposits there were have been

removed. Enormous quantities of sand and gravel are found as terrace and valley-wall deposits immediately northeast of the City of Sioux Falls. Although deposit thickness is up to 100 feet or more, this area is already heavily developed. The remainder of the Big Sioux valley affords smaller volumes of sand and gravel, though there are terrace deposits up to 40 feet thick near the City of Brandon, and valley-floor deposits over 50 feet thick in the vicinity of East Sioux Falls.

Area "H" (designated "fair") represents sand and gravel deposits within the Slip-up Creek valley. The upper reaches of Slip-up Creek valley contain only a few, discontinuous, valley floor sand deposits. Thicker and coarser material can be found in the lower 3 miles of the creek valley, though many of the more productive terraces have already been opened.

Area "I" (designated "fair") contains terrace deposits within West Pipestone Creek valley, north of the City of Corson, and along the lower portion of Split Rock Creek. Most of the sand found in these discontinuous terrace deposits have an overburden of more than 5 feet. Much of this area has bedrock directly underlying these sands.

Area "J" (designated "fair") represents deposits found on the higher interfluvial ridges running northwest-southeast. Some of these deposits appear to be kame deposits, such as "Twin Mounds" found in the southern part of section 2, T. 104 N., R. 48 W., and others appear to be dune-sand deposits, consisting primarily of fine to medium sand.

In the northern part of area "K" (designated "fair") valley-floor deposits can be found along Pipestone Creek. Overburden averages around 5 feet, and the material found seems to be predominantly a sand unit in the upper few feet underlain occasionally by a lower gravel unit. Most of these deposits are at or under the local water table. The southern part of this area is comprised of terrace deposits found in the vicinity of the City of Sherman. These generally sandy deposits are covered by 5 feet or less of overburden, are up to 20 feet thick, and directly overlie bedrock.

Area "L" (designated "fair") is a large kame field, running northeast-southwest in eastern Minnehaha County. These intermittent ice contact deposits probably represent slumping of supraglacial fluvial deposits onto underlying till. These positive features are hill-top deposits, usually with no overburden. Generally these deposits are poorly sorted and tend to be more sand than gravel.

Area "M" (designated "fair") contains valley-floor deposits along a small unnamed tributary of Beaver Creek. A high water table and overburden averaging over 5 feet thick will make development of these deposits difficult.

Area "N" (designated "fair") represents buried outwash deposits found within Beaver Creek valley. These deposits must be considered marginal due to the 15 to 20 feet of overburden.

Area "O" (designated "fair") contains valley-floor and terrace deposits within Beaver Creek and Four Mile Creek valleys. Although overburdens are generally less than 5 feet thick, most deposits are fine, with only a few scattered terraces offering coarser material.

The remainder of Minnehaha County has been mapped as "poor," though some areas will contain sand and/or gravel deposits. Due to the randomly scattered nature of such deposits, exploration efforts should first be concentrated in those areas marked "good" and "fair."

## Corson Diabase

The Corson Diabase is found in several localized areas as remnants of small sill-like bodies intruded into the Sioux Quartzite (fig. 1). It is a very dark, medium- to coarse-grained igneous rock, and has been described as an olivine diabase (Sklar, 1982). Historically the Corson Diabase has been used as building stone, though at the present time no use is being made of this resource.

## Sioux Quartzite

The Precambrian Sioux Quartzite is a metamorphosed pink sandstone that underlies most of Minnehaha County, and crops out in stream valleys and areas where the glacial drift has been eroded (fig. 1). Consisting of 97 to 99 percent silica, the majority of the formation is characterized by a pink orthoquartzite. Minor amounts of the formation are conglomeratic and a few beds are made up of a claystone or mudstone. An example of these claystone beds can be seen in Palisades State Park, near Garretson, South Dakota. The conglomerate beds are generally confined to the lower two-thirds of the formation (Southwick and others, 1986).

The Sioux Quartzite is broken into blocks by well-developed vertical and horizontal jointing. Three distinct directional trends in the vertical jointing of the rock has been noticed (Baldwin, 1949). The spacing of the joints in conjunction with the thickness of bedding is of prime importance when considering quarrying for a specific size of stone.

Because of the hardness, uniformity and attractive appearance, the Sioux Quartzite has lent itself well to many uses. Major present-day uses for the stone include concrete aggregate, railroad ballast, road construction, rip-rap for dams and riverbank stabilization, and production of ferro-silicon for the steel

industry. Minor and historical uses include gannister, abrasives, building stone, grinding pebbles and tube mill liners, monument stone, paving blocks, filter beds for sewage lagoons, poultry grit, foundry sand, and filler in certain building and cosmetic products.

Similar deposits to the Sioux Quartzite resting on and derived from complex terrains of older metamorphic and igneous rocks have been found to contain very significant deposits of gold and uranium (Southwick and others, 1986). To date, however, there have been no documented occurrences of economic or subeconomic mineralization in conjunction with the Sioux Quartzite.

## **ECONOMIC CONSIDERATIONS**

It should be emphasized that this study is quite general and should be used only as a guide for further exploration and development. Some general geologic and economic factors to consider in selecting any quarry or gravel-pit site include site and quality of the outcrop, any jointing that may be present, overburden thickness, local water levels, development costs, transportation costs, future markets, and material specifications.

## SELECTED REFERENCES

- Baldwin, W. B., 1949, A preliminary report on the Sioux Quartzite: South Dakota Geological Survey Report of Investigations 63, 34 p.
- Rothrock, E. P., 1926, Sand and gravel deposits of Minnehaha County: South Dakota Geological Survey Circular 26, 167 p.
- Sklar, P. J., 1982, Petrologic, petrographic and paleotectonic investigation of Precambrian mafic intrusives in eastern South Dakota: Unpublished Master's thesis, University of Iowa, Iowa City, Iowa, 98 p.
- Southwick, D. L., Morey, G. B., and Mossler, J. H., 1986, Fluvial origin of the lower Proterozoic Sioux Quartzite, southwestern Minnesota: Geological Society of America Bulletin, v. 97, p. 1432-1441, 7 figs.

Figure 1. Map illustrating potential sources of bedrock aggregate in Minnehaha County.




TABLE 1. LIST OF TEST HOLES IN MINNEHAHA COUNTY, SOUTH DAKOTA, WHICH CONTAIN SAND OR GRAVEL WITHIN 25 FEET OF THE LAND SURFACE.

LITHOLOGIC DESCRIPTIONS, AS LISTED, HAVE BEEN CONDENSED FROM DATA CONTAINED IN LOGS ON FILE AT THE SOUTH DAKOTA GEOLOGICAL SURVEY OFFICE, VERMILLION, SOUTH DAKOTA, AND CONTAIN ONLY INFOR-MATION WHICH HAS BEEN DEEMED MOST USEFUL FOR THIS STUDY. NUMERI-CAL VALUES INDICATE DEPTH IN FEET BELOW LAND SURFACE.

TEST HOLE NUMBER: LOCATION: 101N-47W-04CBBB

LEGAL LOCATION: NW NW NW SW SEC. 04, T. 101 N., R. 47 W.

0 10.0 SAND, BROWN, FINE TO MEDIUM; OXIDIZED, DRY

GRAVEL, BROWN, COARSE; OXIDIZED, DRY 10.0 -12.0

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 101N-47W-05BCCB

LEGAL LOCATION: NW SW SW NW SEC. 05, T. 101 N., R. 47 W.

SAND, TAN-BROWN, COARSE, VERY CLAYEY; 15.0 -21.0 OXIDIZED, MOIST

SAND, GRAY, COARSE, VERY CLAYEY; OXIDIZED, MOIST 21.0 -23.0

23.0 -25.0 GRAVEL, SANDY; OXIDIZED, SATURATED, LITTLE RETURN, BUT DRILLED LIKE VERY COARSE GRAVEL OR COBBLES

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 101N-47W-05CDCD

LEGAL LOCATION: SE SW SE SW SEC. 05, T. 101 N., R. 47 W.

SAND, FINE TO MEDIUM 2.0 -15.0

15.0 -19.0 SAND AND GRAVEL, FINE SAND TO MEDIUM GRAVEI.

\* \* \* \*

TEST HOLE NUMBER:

LOCATION: 101N-47W-06CBBB

LEGAL LOCATION: NW NW NW SW SEC. 06, T. 101 N., R. 47 W.

SAND, COARSE; WITH MEDIUM TO COARSE 14.0 -33.0 GRAVEL

TEST HOLE NUMBER: 5

LOCATION: 101N-47W-07BBBB 1

LEGAL LOCATION: NW NW NW NW SEC. 07, T. 101 N., R. 47 W.

20.0 - 23.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 6
LOCATION: 101N-47W-08AAAA

LEGAL LOCATION: NE NE NE NE SEC. 08, T. 101 N., R. 47 W.

21.0 - 70.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED, SOME FINE GRAVEL, BECOMES COARSER WITH DEPTH TO A VERY COARSE GRAVEL AND COBBLES, SOME SMALL CLAY LENSES, WITH SOMETHING VERY HARD AT 51 FEET

\* \* \* \*

TEST HOLE NUMBER: 7

LOCATION: 101N-47W-08AAAA 2

LEGAL LOCATION: NE NE NE NE SEC. 08, T. 101 N., R. 47 W.

21.0 - 70.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, MEDIUM TO COARSE GRAVEL; COARSER WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 8
LOCATION: 101N-47W-08DDDD

LEGAL LOCATION: SE SE SE SE SEC. 08, T. 101 N., R. 47 W.

18.0 - 30.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 9
LOCATION: 101N-47W-15BCCC

LEGAL LOCATION: SW SW SW NW SEC. 15, T. 101 N., R. 47 W.

- O 6.0 SAND, REDDISH-BROWN, FINE TO COARSE, SLIGHTLY PEBBLY; OXIDIZED, DRY
- 6.0 9.0 SAND, BROWN, FINE TO COARSE; OXIDIZED,
  MOIST
- 9.0 12.0 SAND, BROWN, FINE TO COARSE; OXIDIZED, SATURATED
- 12.0 14.0 GRAVEL; NO RETURN, DRILLED LIKE COBBLES,
  HIT LARGE ROCK, BROKE BIT, ABANDONED
  HOLE

TEST HOLE NUMBER: 10 LOCATION: 101N-47W-15CBCC

LEGAL LOCATION: SW SW NW SW SEC. 15, T. 101 N., R. 47 W.

3.0 - 6.0 SAND, DARK-BROWN, GRAVELLY, SILTY; MOIST

TO DRY, OXIDIZED

6.0 - 22.0 SAND, LIGHT-BROWN, FINE TO COARSE, SLIGHTLY CLAYEY; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 11 LOCATION: 101N-47W-15DDAD

LEGAL LOCATION: SE NE SE SE SEC. 15, T. 101 N., R. 47 W.

8.0 - 25.0 SAND, LIGHT-BROWN, VERY FINE, CLAYEY, SILTY; SATURATED, OXIDIZED (TILL)

\* \* \* \*

TEST HOLE NUMBER: 12 LOCATION: 101N-47W-15DDDD

LEGAL LOCATION: SE SE SE SE SEC. 15, T. 101 N., R. 47 W.

2.0 - 5.0 SAND, BROWN, FINE TO MEDIUM, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 13 LOCATION: 101N-47W-16AAAA

LEGAL LOCATION: NE NE NE NE SEC. 16, T. 101 N., R. 47 W.

0 - 5.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 14 LOCATION: 101N-47W-17ADDA

LEGAL LOCATION: NE SE SE NE SEC. 17, T. 101 N., R. 47 W.

6.0 - 30.0 SAND, BROWN, FINE TO COARSE, SILTY; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 15 LOCATION: 101N-47W-17DAAD

LEGAL LOCATION: SE NE NE SE SEC. 17, T. 101 N., R. 47 W.

1.0 - 5.0 SAND, BROWN, FINE TO MEDIUM, CLAYEY

\* \* \* \*

LOCATION: 101N-47W-18ABBA

LEGAL LOCATION: NE NW NW NE SEC. 18, T. 101 N., R. 47 W.

0 - 4.0 SAND, BROWN, MEDIUM

12.0 - 17.0 SAND AND GRAVEL, COARSE, COBBLY

\* \* \* \*

TEST HOLE NUMBER: 17 LOCATION: 101N-47W-18DADD

LEGAL LOCATION: SE SE NE SE SEC. 18, T. 101 N., R. 47 W.

2.0 - 20.0 SAND, RUSTY-BROWN, FINE TO COARSE, SILTY; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 18 LOCATION: 101N-47W-18DDAA

LEGAL LOCATION: NE NE SE SE SEC. 18, T. 101 N., R. 47 W.

1.0 - 12.0 GRAVEL, BROWN, MEDIUM TO COARSE

12.0 - 22.0 SAND, GRAY, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 19 LOCATION: 101N-47W-34BBBB

LEGAL LOCATION: NW NW NW NW SEC. 34, T. 101 N., R. 47 W.

20.0 - 26.0 GRAVEL, COARSE; OXIDIZED, DRILLS FAST

\* \* \* \*

TEST HOLE NUMBER: 20 LOCATION: 101N-48W-01CCCD

LEGAL LOCATION: SE SW SW SEC. 01, T. 101 N., R. 48 W.

22.0 - 54.0 SAND, REDDISH-BROWN, COARSE; SOME FINE TO COARSE GRAVEL, WHITISH-BROWN CLAY FROM 48 TO 51 FEET, VERY GRAVELLY BELOW 51 FEET

\* \* \* \*

TEST HOLE NUMBER: 21 LOCATION: 101N-48W-01CCCD 2

LEGAL LOCATION: SE SW SW SEC. 01, T. 101 N., R. 48 W.

24.0 - 52.0 SAND AND GRAVEL; SOME CLAY

TEST HOLE NUMBER: 22 LOCATION: 101N-48W-02BCCB

LEGAL LOCATION: NW SW SW NW SEC. 02, T. 101 N., R. 48 W.

3.0 - 15.0 SAND, BROWN, MEDIUM; OXIDIZED

15.0 - 38.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED, SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 23 LOCATION: 101N-48W-02CCCC

LEGAL LOCATION: SW SW SW SEC. 02, T. 101 N., R. 48 W.

O - 16.0 GRAVEL, REDDISH-BROWN, MEDIUM, SANDY, WELL-SORTED; ROUNDED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 24

LOCATION: 101N-48W-02CCCC 1

LEGAL LOCATION: SW SW SW SEC. 02, T. 101 N., R. 48 W.

1.0 - 16.0 SAND, MEDIUM; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 25

LOCATION: 101N-48W-03AABA

LEGAL LOCATION: NE NW NE NE SEC. 03, T. 101 N., R. 48 W.

0 - 17.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

20.0 - 23.0 SAND, GRAY; SATURATED

25.0 - 30.0 SAND, GRAY

\* \* \* \*

TEST HOLE NUMBER: 26

LOCATION: 101N-48W-03AABA 2

LEGAL LOCATION: NE NW NE NE SEC. 03, T. 101 N., R. 48 W.

O - 15.0 SAND AND GRAVEL, BROWN, COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 27

LOCATION: 101N-48W-03AABA 3

LEGAL LOCATION: NE NW NE NE SEC. 03, T. 101 N., R. 48 W.

0 - 16.0 SAND AND GRAVEL, BROWN, FINE TO MEDIUM GRAVEL, COARSE SAND; OXIDIZED

TEST HOLE NUMBER: 28 LOCATION: 101N-48W-03CBBC

LEGAL LOCATION: SW NW NW SW SEC. 03, T. 101 N., R. 48 W.

8.0 - 43.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 29 LOCATION: 101N-48W-04AAAA

LEGAL LOCATION: NE NE NE NE SEC. 04, T. 101 N., R. 48 W.

O - 22.0 SAND AND GRAVEL, BROWN, COARSE SAND TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 30 LOCATION: 101N-48W-04CDDC

LEGAL LOCATION: SW SE SE SW SEC. 04, T. 101 N., R. 48 W.

10.0 - 22.0 GRAVEL, MEDIUM TO COARSE

22.0 - 26.0 SAND, MEDIUM TO COARSE; COMPOSED MAINLY OF QUARTZ AND SOME GREEN MINERAL

\* \* \* \*

TEST HOLE NUMBER: 31
LOCATION: 101N-48W-04DCCB

LEGAL LOCATION: NW SW SW SE SEC. 04, T. 101 N., R. 48 W.

3.0 - 14.0 SAND, MEDIUM TO COARSE; WITH GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 32 LOCATION: 101N-48W-04DDDD

LEGAL LOCATION: SE SE SE SE SEC. 04, T. 101 N., R. 48 W.

2.0 - 10.0 GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 33 LOCATION: 101N-48W-05CCCC

LEGAL LOCATION: SW SW SW SEC. 05, T. 101 N., R. 48 W.

16.0 - 24.0 SAND, MEDIUM TO COARSE

TEST HOLE NUMBER: 34 LOCATION: 101N-48W-09ABAB

LEGAL LOCATION: NW NE NW NE SEC. 09, T. 101 N., R. 48 W.

0 - 5.0 SAND AND GRAVEL, MEDIUM SAND TO COARSE GRAVEL; WITH SOME CLAY

5.0 - 16.0 SAND AND GRAVEL, MEDIUM SAND TO COARSE GRAVEL

22.0 - 25.0 SAND, MEDIUM TO COARSE; COMPOSED MAINLY OF QUARTZ AND SOME GREEN MINERAL

\* \* \* \*

TEST HOLE NUMBER: 35 LOCATION: 101N-48W-09ADDD

LEGAL LOCATION: SE SE SE NE SEC. 09, T. 101 N., R. 48 W.

8.0 - 22.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 36 LOCATION: 101N-48W-09ADDD 2

LEGAL LOCATION: SE SE SE NE SEC. 09, T. 101 N., R. 48 W.

7.0 - 21.0 GRAVEL, BROWN, FINE TO MEDIUM, VERY SANDY; OXIDIZED

24.0 - 27.0 SAND, BROWN, MEDIUM, GRAVELLY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 37

LOCATION: 101N-48W-09ADDD 3

LEGAL LOCATION: SE SE SE NE SEC. 09, T. 101 N., R. 48 W.

7.0 - 21.0 GRAVEL, BROWN, FINE TO MEDIUM, VERY SANDY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 38 LOCATION: 101N-48W-10CDDC

LEGAL LOCATION: SW SE SE SW SEC. 10, T. 101 N., R. 48 W.

8.0 - 19.0 SAND AND GRAVEL, MEDIUM TO COARSE; SOME ROCKS

\* \* \* \*

TEST HOLE NUMBER: 39 LOCATION: 101N-48W-11CCCC

LEGAL LOCATION: SW SW SW SEC. 11, T. 101 N., R. 48 W.

1.0 - 21.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 40 LOCATION: 101N-48W-11DAAA

LEGAL LOCATION: NE NE NE SE SEC. 11, T. 101 N., R. 48 W.

1.0 - 4.0 SAND, REDDISH-BROWN, FINE; OXIDIZED, DRY, CLEAN

13.0 - 17.0 SAND AND GRAVEL, REDDISH-BROWN, MEDIUM TO COARSE SAND, MEDIUM GRAVEL; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 41
LOCATION: 101N-48W-11DDDA

LEGAL LOCATION: NE SE SE SE SEC. 11, T. 101 N., R. 48 W.

13.0 - 17.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 42 LOCATION: 101N-48W-11DDDD

LEGAL LOCATION: SE SE SE SE SEC. 11, T. 101 N., R. 48 W.

5.0 - 15.0 SAND AND GRAVEL, MEDIUM SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 43 LOCATION: 101N-48W-12ABBB

LEGAL LOCATION: NW NW NW NE SEC. 12, T. 101 N., R. 48 W.

8.0 - 30.0 SAND AND GRAVEL, MEDIUM SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 44 LOCATION: 101N-48W-12DADD

LEGAL LOCATION: SE SE NE SE SEC. 12, T. 101 N., R. 48 W.

18.0 - 37.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 45 LOCATION: 101N-48W-13AAAA

LEGAL LOCATION: NE NE NE NE SEC. 13, T. 101 N., R. 48 W.

0 - 18.0 SAND, BROWN, MEDIUM, SILTY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 46
LOCATION: 101N-48W-13BAAB

LEGAL LOCATION: NW NE NE NW SEC. 13, T. 101 N., R. 48 W.

O - 20.0 SAND, LIGHT-BROWN, FINE TO MEDIUM, SILTY; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 47 LOCATION: 101N-48W-14AAAA

LEGAL LOCATION: NE NE NE NE SEC. 14, T. 101 N., R. 48 W.

0 - 7.0 SAND, MEDIUM; WITH COARSE GRAVEL

7.0 - 9.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 48
LOCATION: 101N-48W-15ABBB

LEGAL LOCATION: NW NW NW NE SEC. 15, T. 101 N., R. 48 W.

1.0 - 16.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL, SILTY; WELL-ROUNDED

\* \* \* \*

TEST HOLE NUMBER: 49 LOCATION: 101N-48W-15BBBA

LEGAL LOCATION: NE NW NW NW SEC. 15, T. 101 N., R. 48 W.

13.0 - 20.0 SAND AND GRAVEL, MEDIUM TO COARSE

20.0 - 24.0 SAND AND GRAVEL, GRAY, MEDIUM TO COARSE; SOME CLAY, SOME ROCKS

\* \* \* \*

TEST HOLE NUMBER: 50 LOCATION: 101N-48W-15BBBB

LEGAL LOCATION: NW NW NW NW SEC. 15, T. 101 N., R. 48 W.

9.0 - 19.0 SAND AND GRAVEL, UNSORTED

\* \* \* \*

TEST HOLE NUMBER: 51 LOCATION: 101N-48W-16AABA

LEGAL LOCATION: NE NW NE NE SEC. 16, T. 101 N., R. 48 W.

7.0 - 15.0 SAND

TEST HOLE NUMBER: 52 LOCATION: 101N-48W-16ADDA

LEGAL LOCATION: NE SE SE NE SEC. 16, T. 101 N., R. 48 W.

16.0 - 21.0 SAND, COARSE; SAMPLE TAKEN

21.0 - 29.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 53 LOCATION: 101N-48W-21AABB

LEGAL LOCATION: NW NW NE NE SEC. 21, T. 101 N., R. 48 W.

1.0 - 17.0 SAND, FINE TO MEDIUM

17.0 - 23.0 SAND AND GRAVEL

24.0 - 42.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 54 LOCATION: 101N-48W-21DAAA

LEGAL LOCATION: NE NE NE SE SEC. 21, T. 101 N., R. 48 W.

2.0 - 8.0 SAND, BROWN, FINE TO MEDIUM; OXIDIZED, MOIST AT 6 FEET

8.0 - 32.0 SAND AND GRAVEL, BROWN, FINE TO MEDIUM SAND, MEDIUM TO COARSE GRAVEL; MOIST, OXIDIZED, HIT QUARTZITE AT 32 FEET

\* \* \* \*

TEST HOLE NUMBER: 55 LOCATION: 101N-48W-21DCCD 1

LEGAL LOCATION: SE SW SW SE SEC. 21, T. 101 N., R. 48 W.

0 - 12.0 SAND AND GRAVEL, FINE SAND TO COARSE

GRAVEL
9.0 - 77.0 SAND AND GRAVEL, FINE SAND TO COARSE

GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 56
LOCATION: 101N-48W-21DCCD 2

LEGAL LOCATION: SE SW SW SE SEC. 21, T. 101 N., R. 48 W.

0 - 90.0 SAND AND GRAVEL, FINE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 57 LOCATION: 101N-48W-21DCDC

LEGAL LOCATION: SW SE SW SE SEC. 21, T. 101 N., R. 48 W.

1.0 - 8.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED
8.0 - 78.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE
SAND, MEDIUM TO VERY COARSE GRAVEL;
OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 58
LOCATION: 101N-48W-21DDDD

LEGAL LOCATION: SE SE SE SE SEC. 21, T. 101 N., R. 48 W.

15.0 - 26.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 59 LOCATION: 101N-48W-22BBBA

LEGAL LOCATION: NE NW NW NW SEC. 22, T. 101 N., R. 48 W.

2.0 - 14.0 SAND, REDDISH-BROWN, FINE TO MEDIUM; OXIDIZED, DRY, HIT QUARTZITE(?)

\* \* \* \*

TEST HOLE NUMBER: 60 LOCATION: 101N-48W-22BBBA 1

LEGAL LOCATION: NE NW NW NW SEC. 22, T. 101 N., R. 48 W.

2.0 - 14.0 SAND, REDDISH-BROWN, FINE TO MEDIUM; OXIDIZED, DRY, HIT QUARTZITE AT 14 FEET

\* \* \* \*

TEST HOLE NUMBER: 61

LOCATION: 101N-48W-22DDDD 1

LEGAL LOCATION: SE SE SE SE SEC. 22, T. 101 N., R. 48 W.

1.0 - 12.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 62 LOCATION: 101N-48W-26CCCD

LEGAL LOCATION: SE SW SW SW SEC. 26, T. 101 N., R. 48 W.

O - 22.0 SAND, BROWN, FINE TO MEDIUM; OXIDIZED, MOIST AT 10 FEET

22.0 - 25.0 GRAVEL, BROWN, COARSE; OXIDIZED, MOIST, HIT QUARTZITE AT 25 FEET

\* \* \* \*

LOCATION: 101N-48W-27BABB

LEGAL LOCATION: NW NW NE NW SEC. 27, T. 101 N., R. 48 W.

3.0 - 30.0 SAND AND GRAVEL, MEDIUM SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 64 LOCATION: 101N-48W-27BBAB

LEGAL LOCATION: NW NE NW NW SEC. 27, T. 101 N., R. 48 W.

2.0 - 14.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED 14.0 - 21.0 GRAVEL, BROWN, MEDIUM, SANDY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 65 LOCATION: 101N-48W-27CBCC

LEGAL LOCATION: SW SW NW SW SEC. 27, T. 101 N., R. 48 W.

7.0 - 22.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 66 LOCATION: 101N-48W-27CCCC

LEGAL LOCATION: SW SW SW SEC. 27, T. 101 N., R. 48 W.

O - 10.0 SAND, BROWN, FINE TO MEDIUM; OXIDIZED, DRY, HIT QUARTZITE AT 10 FEET

\* \* \* \*

TEST HOLE NUMBER: 67 LOCATION: 101N-48W-27DCDC

LEGAL LOCATION: SW SE SW SE SEC. 27, T. 101 N., R. 48 W.

2.0 - 17.0 SAND, REDDISH-BROWN, MEDIUM; OXIDIZED, DRY, SATURATED BELOW 12 FEET, HIT QUARTZITE AT 17 FEET

\* \* \* \*

TEST HOLE NUMBER: 68
LOCATION: 101N-48W-28ADAD

LEGAL LOCATION: SE NE SE NE SEC. 28, T. 101 N., R. 48 W.

1.0 - 49.0 SAND AND GRAVEL, MEDIUM SAND TO MEDIUM GRAVEL

\* \* \* \*

LOCATION: 101N-48W-28ADBD 1

LEGAL LOCATION: SE NW SE NE SEC. 28, T. 101 N., R. 48 W.

1.0 - 7.0 GRAVEL, MEDIUM

7.0 - 27.0 SAND, PEBBLY

\* \* \* \*

TEST HOLE NUMBER: 70

LOCATION: 101N-48W-28ADBD 2

LEGAL LOCATION: SE NW SE NE SEC. 28, T. 101 N., R. 48 W.

3.0 - 18.0 SAND, BROWN, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 71 LOCATION: 101N-48W-28BAAA

LEGAL LOCATION: NE NE NE NW SEC. 28, T. 101 N., R. 48 W.

10.0 - 19.0 SAND AND GRAVEL, MEDIUM SAND TO COARSE GRAVEL; WITH SOME CLAY

19.0 - 21.0 GRAVEL, VERY COARSE; WITH COBBLES

21.0 - 30.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 72 LOCATION: 101N-48W-28BAAC

LEGAL LOCATION: SW NE NE NW SEC. 28, T. 101 N., R. 48 W.

3.0 - 7.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 73 LOCATION: 101N-48W-28BDAD

LEGAL LOCATION: SE NE SE NW SEC. 28, T. 101 N., R. 48 W.

2.0 - 7.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL, WELL ROUNDED

\* \* \* \*

TEST HOLE NUMBER: 74
LOCATION: 101N-48W-28CDDD

LEGAL LOCATION: SE SE SE SW SEC. 28, T. 101 N., R. 48 W.

11.0 - 19.0 GRAVEL, CLAYEY; QUARTZITE AT 19 FEET

\* \* \* \*

LOCATION: 101N-48W-34BCDA

LEGAL LOCATION: NE SE SW NW SEC. 34, T. 101 N., R. 48 W.

18.0 - 24.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 76 LOCATION: 101N-48W-34CBBB

LEGAL LOCATION: NW NW NW SW SEC. 34, T. 101 N., R. 48 W.

0 - 8.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 77 LOCATION: 101N-49W-02AAAA

LEGAL LOCATION: NE NE NE NE SEC. 02, T. 101 N., R. 49 W.

3.0 - 35.0 SAND, MEDIUM TO COARSE; SOME MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 78
LOCATION: 101N-49W-02BDDD

LEGAL LOCATION: SE SE SE NW SEC. 02, T. 101 N., R. 49 W.

4.0 - 48.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 79
LOCATION: 101N-49W-02BDDD 2

LEGAL LOCATION: SE SE SE NW SEC. 02, T. 101 N., R. 49 W.

5.0 - 43.0 SAND, BROWN TO DARK-BROWN, MEDIUM TO COARSE; SOME FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 80

LOCATION: 101N-49W-02BDDD 3

LEGAL LOCATION: SE SE SE NW SEC. 02, T. 101 N., R. 49 W.

2.0 - 46.0 SAND, BROWN, COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 81 LOCATION: 101N-49W-02CDBB LEGAL LOCATION: NW NW SE SW SEC. 02, T. 101 N., R. 49 W.

23.0 - 25.0 SAND AND GRAVEL, FINE SAND TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 82 LOCATION: 101N-49W-04ADDD

LEGAL LOCATION: SE SE SE NE SEC. 04, T. 101 N., R. 49 W.

12.0 - 22.0 SAND, FINE; DRY, WITH PEBBLY YELLOW CLAY

22.0 - 27.0 SAND, FINE; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 83 LOCATION: 101N-49W-04BA

LEGAL LOCATION: NE NW SEC. 04, T. 101 N., R. 49 W.

10.0 - 12.0 SAND AND GRAVEL 12.0 - 21.0 GRAVEL, COARSE

21.0 - 25.0 GRAVEL, SANDY

25.0 - 31.0 GRAVEL, COARSE; WITH QUARTZITE PEBBLES

\* \* \* \*

TEST HOLE NUMBER: 84 LOCATION: 101N-49W-04BDBB

LEGAL LOCATION: NW NW SE NW SEC. 04, T. 101 N., R. 49 W.

7.0 - 28.0 SAND AND GRAVEL, VERY COARSE SAND, MEDIUM GRAVEL; LAMINATED

\* \* \* \*

TEST HOLE NUMBER: 85 LOCATION: 101N-49W-04CBAA

LEGAL LOCATION: NE NE NW SW SEC. 04, T. 101 N., R. 49 W.

5.0 - 11.0 SAND, BROWN, FINE TO MEDIUM

11.0 - 46.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, FINE TO COARSE GRAVEL; SATURATED, CLEAN

\* \* \* \*

TEST HOLE NUMBER: 86
LOCATION: 101N-49W-04CDDD

LEGAL LOCATION: SE SE SE SW SEC. 04, T. 101 N., R. 49 W.

5.0 - 15.0 SAND, REDDISH-BROWN, MEDIUM; OXIDIZED

15.0 - 25.0 SAND, VERY FINE TO COARSE

25.0 - 30.0 SAND, FINE TO VERY COARSE; WITH VERY

#### FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 87 LOCATION: 101N-49W-04DBBB

LEGAL LOCATION: NW NW NW SE SEC. 04, T. 101 N., R. 49 W.

5.0 - 14.0 SAND, MEDIUM TO COARSE; WITH SOME GRAVEL

14.0 - 42.0 SAND, GRAY, COARSE; TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 88 LOCATION: 101N-49W-05ADDD

LEGAL LOCATION: SE SE SE NE SEC. 05, T. 101 N., R. 49 W.

2.0 - 14.0 SAND, FINE

14.0 - 40.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 89 LOCATION: 101N-49W-05BBBD

LEGAL LOCATION: SE NW NW NW SEC. 05, T. 101 N., R. 49 W.

6.0 - 7.0 SAND, BROWN, SILTY
7.0 - 12.0 GRAVEL, FINE; CLEAN
12.0 - 20.0 GRAVEL, MEDIUM; CLEAN
20.0 - 25.0 SAND, COARSE; CLEAN

25.0 - 35.0 SAND AND GRAVEL, COARSE SAND, MEDIUM GRAVEL; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 90 LOCATION: 101N-49W-05CAAD

LEGAL LOCATION: SE NE NE SW SEC. 05, T. 101 N., R. 49 W.

1.0 - 7.0 SAND, MEDIUM TO COARSE

13.0 - 44.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 91 LOCATION: 101N-49W-06AAAA

LEGAL LOCATION: NE NE NE NE SEC. 06, T. 101 N., R. 49 W.

6.0 - 14.0 SAND, BROWN, FINE TO MEDIUM

14.0 - 32.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 92 LOCATION: 101N-49W-06AADD

LEGAL LOCATION: SE SE NE NE SEC. 06, T. 101 N., R. 49 W.

6.0 - 12.0 SAND AND GRAVEL, REDDISH

12.0 - 16.0 SAND AND GRAVEL 16.0 - 17.5 SAND, FINE, SILTY 17.5 - 38.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 93 LOCATION: 101N-49W-06ABA

LEGAL LOCATION: NE NW NE SEC. 06, T. 101 N., R. 49 W.

8.0 - 14.0 SAND, MEDIUM

14.0 - 26.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 94 LOCATION: 101N-49W-06ABAB

LEGAL LOCATION: NW NE NW NE SEC. 06, T. 101 N., R. 49 W.

6.0 - 16.0 GRAVEL; DIRTY

16.0 - 29.0 GRAVEL, COARSE; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 95 LOCATION: 101N-49W-06ADCC

LEGAL LOCATION: SW SW SE NE SEC. 06, T. 101 N., R. 49 W.

7.0 - 48.0 SAND AND GRAVEL, MEDIUM SAND GRADING TO A COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 96
LOCATION: 101N-49W-06CDCC

LEGAL LOCATION: SW SW SE SW SEC. 06, T. 101 N., R. 49 W.

9.0 - 14.0 SAND, MEDIUM

14.0 - 28.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 97
LOCATION: 101N-49W-06DBCA

LEGAL LOCATION: NE SW NW SE SEC. 06, T. 101 N., R. 49 W.

- 1.0 10.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, COARSE GRAVEL

  10.0 18.0 GRAVEL, COARSE

  18.0 36.0 SAND, MEDIUM TO VERY COARSE; WITH SOME COARSE GRAVEL
  - \* \* \* \*

TEST HOLE NUMBER: 98 LOCATION: 101N-49W-06DC 1

LEGAL LOCATION: SW SE SEC. 06, T. 101 N., R. 49 W.

- 3.0 6.0 GRAVEL, COARSE
- 6.0 10.0 SAND, BROWN, MEDIUM, SILTY; DRY
- 10.0 36.0 SAND AND GRAVEL, MEDIUM BROWN SAND TO FINE GRAVEL; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 99
LOCATION: 101N-49W-06DC

LEGAL LOCATION: SW SE SEC. 06, T. 101 N., R. 49 W.

- 6.0 9.0 GRAVEL, BROWN, COARSE, SILTY; DRY
- 9.0 12.0 SAND, BROWN, MEDIUM; DRY
- 12.0 37.0 SAND AND GRAVEL, MEDIUM-BROWN, MOIST SAND TO MEDIUM GRAVEL; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 100 LOCATION: 101N-49W-06DC 4

LEGAL LOCATION: SW SE SEC. 06, T. 101 N., R. 49 W.

- 6.0 9.0 GRAVEL, BROWN, COARSE; DRY
- 9.0 12.0 SAND, BROWN, MEDIUM; DRY
- 12.0 23.0 SAND AND GRAVEL, MEDIUM-BROWN SAND TO FINE GRAVEL; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 101 LOCATION: 101N-49W-07AB 1

LEGAL LOCATION: NW NE SEC. 07, T. 101 N., R. 49 W.

5.0 - 48.0 SAND AND GRAVEL, FINE SAND AND COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 102 LOCATION: 101N-49W-07AB

LEGAL LOCATION: NW NE SEC. 07, T. 101 N., R. 49 W.

2

4.0 - 9.0 SAND, BROWN, CLAYEY, SILTY; DRY

9.0 - 12.0 SAND, DARK-BROWN, MEDIUM, GRAVELLY,

SILTY: MOIST

12.0 - 14.0 GRAVEL, BROWN, FINE; SATURATED

14.0 - 23.0 GRAVEL, GRAY-BROWN, MEDIUM; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 103

LOCATION: 101N-49W-07AC 1

LEGAL LOCATION: SW NE SEC. 07, T. 101 N., R. 49 W.

14.0 - 45.0 SAND AND GRAVEL, FINE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 104

LOCATION: 101N-49W-07BA

LEGAL LOCATION: NE NW SEC. 07, T. 101 N., R. 49 W.

6.0 - 33.0 SAND, COARSE

\* \* \* \*

TEST HOLE NUMBER: 105

LOCATION: 101N-49W-07BA 2

LEGAL LOCATION: NE NW SEC. 07, T. 101 N., R. 49 W.

10.0 - 15.0 SAND, BROWN, MEDIUM; DRY

15.0 - 28.0 SAND, BROWN, MEDIUM, SILTY, PEBBLY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 106

LOCATION: 101N-49W-07BAAB

LEGAL LOCATION: NW NE NE NW SEC. 07, T. 101 N., R. 49 W.

17.0 - 38.0 SAND, VERY COARSE, GRAVELLY; CLAY LENSE AT 32 FEET, COARSE GRAVEL AT 37 FEET

\* \* \* \*

TEST HOLE NUMBER: 107

LOCATION: 101N-49W-07BD 1

LEGAL LOCATION: SE NW SEC. 07, T. 101 N., R. 49 W.

5.0 - 39.0 GRAVEL, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 108

LOCATION: 101N-49W-07BD 2

LEGAL LOCATION: SE NW SEC. 07, T. 101 N., R. 49 W.

4.0 - 9.0 SAND, FINE TO MEDIUM, PEBBLY; DRY

9.0 - 11.0 SAND, GRAY-BLACK, SILTY, CLAYEY; MOIST

11.0 - 23.0 SAND, GRAY-BLACK, SILTY, CLAYEY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 109

LOCATION: 101N-49W-07BD 3

LEGAL LOCATION: SE NW SEC. 07, T. 101 N., R. 49 W.

16.0 - 40.0 SAND AND GRAVEL, FINE SAND AND MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 110

LOCATION: 101N-49W-07BD

LEGAL LOCATION: SE NW SEC. 07, T. 101 N., R. 49 W.

0 - 16.0 GRAVEL, SILTY

16.0 - 40.0 SAND AND GRAVEL, MEDIUM SAND AND MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 111

LOCATION: 101N-49W-07BD 5

LEGAL LOCATION: SE NW SEC. 07, T. 101 N., R. 49 W.

8.0 - 28.0 SAND AND GRAVEL, FINE SAND TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 112

LOCATION: 101N-49W-07BD 6

LEGAL LOCATION: SE NW SEC. 07, T. 101 N., R. 49 W.

10.0 - 12.0 GRAVEL, COARSE, BROWN

12.0 - 13.0 SAND, BROWN, MEDIUM; MOIST

13.0 - 23.0 SAND AND GRAVEL, FINE; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 113 LOCATION: 101N-49W-07BDBB

LEGAL LOCATION: NW NW SE NW SEC. 07, T. 101 N., R. 49 W.

3.0 - 9.0 SAND, COARSE

11.0 - 42.0 SAND, VERY COARSE TO COARSE, GRAVELLY; COARSE GRAVEL AT 40 FEET

\* \* \* \*

TEST HOLE NUMBER: 114 LOCATION: 101N-49W-07CA

LEGAL LOCATION: NE SW SEC. 07, T. 101 N., R. 49 W.

13.0 - 50.0 SAND AND GRAVEL, FINE SAND TO MEDIUM GRAVEL, SILTY

\* \* \* \*

TEST HOLE NUMBER: 115 LOCATION: 101N-49W-07CA 2

LEGAL LOCATION: NE SW SEC. 07, T. 101 N., R. 49 W.

10.0 - 12.0 SAND, BROWN, MEDIUM, SILTY; DRY 12.0 - 23.0 SAND, GRAY, SILTY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 116 LOCATION: 101N-49W-07CBB

LEGAL LOCATION: NW NW SW SEC. 07, T. 101 N., R. 49 W.

> 9.0 - 13.0 SAND, FINE 13.0 - 35.0 SAND; CLEAN

> > \* \* \* \*

TEST HOLE NUMBER: 117 LOCATION: 101N-49W-08ABA

LEGAL LOCATION: NE NW NE SEC. 08, T. 101 N., R. 49 W.

7.0 - 34.0 SAND AND GRAVEL, FINE TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 118 LOCATION: 101N-49W-08ABAA

LEGAL LOCATION: NE NE NW NE SEC. 08, T. 101 N., R. 49 W.

5.0 - 42.0 SAND AND GRAVEL, FINE TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 119 LOCATION: 101N-49W-08ABAC

LEGAL LOCATION: SW NE NW NE SEC. 08, T. 101 N., R. 49 W.

6.0 - 37.0 SAND AND GRAVEL, FINE TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 120 LOCATION: 101N-49W-08ABAC 2

LEGAL LOCATION: SW NE NW NE SEC. 08, T. 101 N., R. 49 W.

6.0 - 37.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 121 LOCATION: 101N-49W-08ABBD

LEGAL LOCATION: SE NW NW NE SEC. 08, T. 101 N., R. 49 W.

5.0 - 37.0 SAND AND GRAVEL, FINE TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 122 LOCATION: 101N-49W-08ADCC

LEGAL LOCATION: SW SW SE NE SEC. 08, T. 101 N., R. 49 W.

5.0 - 37.0 SAND AND GRAVEL, FINE TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 123 LOCATION: 101N-49W-08BBBD

LEGAL LOCATION: SE NW NW NW SEC. 08, T. 101 N., R. 49 W.

15.0 - 20.0 GRAVEL, FINE, CLAYEY

20.0 - 40.0 SAND AND GRAVEL, VERY COARSE SAND, VERY FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 124 LOCATION: 101N-49W-08CBAC

LEGAL LOCATION: SW NE NW SW SEC. 08, T. 101 N., R. 49 W.

5.0 - 7.0 GRAVEL, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 125 LOCATION: 101N-49W-08CDAD

LEGAL LOCATION: SE NE SE SW SEC. 08, T. 101 N., R. 49 W.

0 - 20.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 126 LOCATION: 101N-49W-08DAAA LEGAL LOCATION: NE NE NE SE SEC. 08, T. 101 N., R. 49 W.

5.0 - 26.0 SAND AND GRAVEL, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 127 LOCATION: 101N-49W-08DAAC

LEGAL LOCATION: SW NE NE SE SEC. 08, T. 101 N., R. 49 W.

7.0 - 17.0 SAND, COARSE TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 101N-49W-08DABA

LEGAL LOCATION: NE NW NE SE SEC. 08, T. 101 N., R. 49 W.

SAND, GRAVEL AND CLAY 1.0

6.0 -30.0 SAND AND GRAVEL, FINE TO MEDIUM SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 101N-49W-08DABC

LEGAL LOCATION: SW NW NE SE SEC. 08, T. 101 N., R. 49 W.

- 0 1.0 GRAVEL AND CLAY
- GRAVEL, FINE TO COARSE 6.0 **-**11.0
- 6.0 **-**11.0 **-**GRAVEL AND SAND, FINE TO COARSE GRAVEL, 19.0

COARSE SAND

19.0 - 29.0 GRAVEL AND SAND, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 130 LOCATION: 101N-49W-08DACC

LEGAL LOCATION: SW SW NE SE SEC. 08, T. 101 N., R. 49 W.

- GRAVEL, SANDY; FEW PEBBLES, DRY 6.0 -17.0
- 19.0 17.0 -GRAVEL; GOOD
- 19.0 -23.0 SAND AND GRAVEL
- 27.0 SAND AND CLAY; DIRTY SAND 23.0 -

\* \* \* \*

TEST HOLE NUMBER: 131 LOCATION: 101N-49W-09BAAA

LEGAL LOCATION: NE NE NE NW SEC. 09, T. 101 N., R. 49 W.

SAND, MEDIUM, SILTY, WELL-SORTED; HARD 4.0 -20.0

DRILLING

SAND, COARSE TO VERY COARSE, SLIGHTLY 20.0 -30.0

#### SILTY

\* \* \* \*

TEST HOLE NUMBER: 132 LOCATION: 101N-49W-09BB

LEGAL LOCATION: NW NW SEC. 09, T. 101 N., R. 49 W.

0 - 15.0 SAND, BROWN, FINE

15.0 - 33.0 SAND, GRAY, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 133 LOCATION: 101N-49W-09BBCD

LEGAL LOCATION: SE SW NW NW SEC. 09, T. 101 N., R. 49 W.

8.0 - 36.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 134 LOCATION: 101N-49W-09BCB

LEGAL LOCATION: NW SW NW SEC. 09, T. 101 N., R. 49 W.

3.0 - 25.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 135 LOCATION: 101N-49W-09BCBC

LEGAL LOCATION: SW NW SW NW SEC. 09, T. 101 N., R. 49 W.

4.0 - 11.0 SAND, FINE

11.0 - 30.0 GRAVEL, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 136 LOCATION: 101N-49W-11ACAB

LEGAL LOCATION: NW NE SW NE SEC. 11, T. 101 N., R. 49 W.

1.0 - 3.0 SAND, FINE TO MEDIUM

20.0 - 46.0 SAND AND GRAVEL, COARSE; SOME ROCKS, COULD NOT PENETRATE, QUARTZITE(?), ABANDONED HOLE

\* \* \* \*

TEST HOLE NUMBER: 137 LOCATION: 101N-49W-11ACAB 2

LEGAL LOCATION: NW NE SW NE SEC. 11, T. 101 N., R. 49 W.

1.0 - 5.0 SAND, BROWN, MEDIUM

## 21.0 - 28.0 SAND, BROWN, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 138 LOCATION: 101N-49W-11BACB

LEGAL LOCATION: NW SW NE NW SEC. 11, T. 101 N., R. 49 W.

0 - 2.0 GRAVEL

13.0 - 14.0 GRAVEL, COARSE

14.0 - 17.0 SAND, FINE TO COARSE

20.0 - 32.0 GRAVEL, VERY COARSE; POSSIBLY WITH SOME CLAY LAYERS

\* \* \* \*

TEST HOLE NUMBER: 139 LOCATION: 101N-49W-11BCDA

LEGAL LOCATION: NE SE SW NW SEC. 11, T. 101 N., R. 49 W.

0 - 3.0 SAND, MEDIUM, SILTY

10.0 - 22.0 SAND AND GRAVEL, FINE SAND TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 140 LOCATION: 101N-49W-11CDDC

LEGAL LOCATION: SW SE SE SW SEC. 11, T. 101 N., R. 49 W.

0 - 85.0 GRAVEL, FINE TO COARSE; ONE THIN CLAY SEAM

\* \* \* \*

TEST HOLE NUMBER: 141 LOCATION: 101N-49W-17BCDC

LEGAL LOCATION: SW SE SW NW SEC. 17, T. 101 N., R. 49 W.

12.0 - 20.0 SAND 20.0 - 23.5 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 142 LOCATION: 101N-49W-18BBC

LEGAL LOCATION: SW NW NW SEC. 18, T. 101 N., R. 49 W.

5.0 - 14.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 143 LOCATION: 101N-49W-18DBCD LEGAL LOCATION: SE SW NW SE SEC. 18, T. 101 N., R. 49 W.

14.0 - 25.0 GRAVEL

TEST HOLE NUMBER: LOCATION: 101N-49W-22DB

LEGAL LOCATION: NW SE SEC. 22, T. 101 N., R. 49 W.

4.0 - 13.5 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 145 LOCATION: 101N-49W-22DB

LEGAL LOCATION: NW SE SEC. 22, T. 101 N., R. 49 W.

5.0 SAND, CLAYEY 2.0 -

5.0 - 8.0 SAND 8.0 - 13.0 SAND, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 146 LOCATION: 101N-49W-22DB 3

LEGAL LOCATION: NW SE SEC. 22, T. 101 N., R. 49 W.

3.0 - 9.5 SAND

TEST HOLE NUMBER: 147 LOCATION: 101N-49W-22DB

LEGAL LOCATION: NW SE SEC. 22, T. 101 N., R. 49 W.

2.5 - 7.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 148 LOCATION: 101N-49W-22DB 5

LEGAL LOCATION: NW SE SEC. 22, T. 101 N., R. 49 W.

0 - 3.5 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 149 LOCATION: 101N-49W-22DB

LEGAL LOCATION: NW SE SEC. 22, T. 101 N., R. 49 W.

4.5 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 150

LOCATION: 101N-49W-22DB 7

LEGAL LOCATION: NW SE SEC. 22, T. 101 N., R. 49 W.

7.5 - 11.0 GRAVEL, ROCKY

\* \* \* \*

TEST HOLE NUMBER: 151

LOCATION: 101N-49W-22DB 8

LEGAL LOCATION: NW SE SEC. 22, T. 101 N., R. 49 W.

4.0 - 9.0 GRAVEL

9.0 - 11.0 GRAVEL, VERY COARSE; CEMENTED, VERY HARD DRILLING, EASIER FROM 10 TO 11 FEET

\* \* \* \*

TEST HOLE NUMBER: 152 LOCATION: 101N-49W-25DDDC

LEGAL LOCATION: SW SE SE SE SEC. 25, T. 101 N., R. 49 W.

23.0 - 28.0 GRAVEL; MIXED WITH SANDY, PEBBLY CLAY (TILL)

\* \* \* \*

TEST HOLE NUMBER: 153 LOCATION: 101N-49W-27ACDD

LEGAL LOCATION: SE SE SW NE SEC. 27, T. 101 N., R. 49 W.

11.0 - 13.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 154 LOCATION: 101N-49W-27BABC

LEGAL LOCATION: SW NW NE NW SEC. 27, T. 101 N., R. 49 W.

1.0 - 5.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 155 LOCATION: 101N-49W-30BC

LEGAL LOCATION: SW NW SEC. 30, T. 101 N., R. 49 W.

19.0 - 29.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 156

LOCATION: 101N-49W-31DA 1

LEGAL LOCATION: NE SE SEC. 31, T. 101 N., R. 49 W.

7.5 - 12.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 157 LOCATION: 101N-49W-31DC

LEGAL LOCATION: SW SE SEC. 31, T. 101 N., R. 49 W.

2.0 - 3.5 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 158 LOCATION: 101N-49W-31DD

LEGAL LOCATION: SE SE SEC. 31, T. 101 N., R. 49 W.

7.0 - 13.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 159 LOCATION: 101N-49W-31DD

LEGAL LOCATION: SE SE SEC. 31, T. 101 N., R. 49 W.

2.0 - 6.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 160 LOCATION: 101N-49W-32ADDA

LEGAL LOCATION: NE SE SE NE SEC. 32, T. 101 N., R. 49 W.

8.0 - 15.0 SAND (QUARTZITE WASH)

\* \* \* \*

TEST HOLE NUMBER: 161 LOCATION: 101N-50W-01ABBB 1

LEGAL LOCATION: NW NW NW NE SEC. 01, T. 101 N., R. 50 W.

16.0 - 23.0 SAND, FINE TO COARSE; WITH FINE TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 162

LOCATION: 101N-50W-01ABBB 2

LEGAL LOCATION: NW NW NW NE SEC. 01, T. 101 N., R. 50 W.

16.0 - 26.0 SAND, FINE TO COARSE; WITH FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 163 LOCATION: 101N-50W-01CCCC 1

LEGAL LOCATION: SW SW SW SEC. 01, T. 101 N., R. 50 W.

12.0 - 14.0 SAND, FINE TO COARSE; OXIDIZED 16.0 - 24.0 SAND, FINE TO COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 164 LOCATION: 101N-50W-01CCCC 2

LEGAL LOCATION: SW SW SW SEC. 01, T. 101 N., R. 50 W.

12.0 - 16.0 GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 165 LOCATION: 101N-50W-03BBBA

LEGAL LOCATION: NE NW NW NW SEC. 03, T. 101 N., R. 50 W.

22.0 - 23.0 SAND; SOME CLAY, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 166
LOCATION: 101N-50W-03BBBB

LEGAL LOCATION: NW NW NW NW SEC. 03, T. 101 N., R. 50 W.

17.0 - 21.0 SAND, YELLOWISH-BROWN, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 167 LOCATION: 101N-50W-03CCCD

LEGAL LOCATION: SE SW SW SEC. 03, T. 101 N., R. 50 W.

19.0 - 24.0 SAND, MEDIUM, SILTY

\* \* \* \*

TEST HOLE NUMBER: 168 LOCATION: 101N-50W-06DDD

LEGAL LOCATION: SE SE SE SEC. 06, T. 101 N., R. 50 W.

8.0 - 14.0 SAND, FINE, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 169 LOCATION: 101N-50W-07AAB

LEGAL LOCATION: NW NE NE SEC. 07, T. 101 N., R. 50 W.

6.0 - 9.0 GRAVEL, VERY COARSE

9.0 - 12.0 GRAVEL, MEDIUM TO COARSE

12.0 - 36.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 170 LOCATION: 101N-50W-07AABB

LEGAL LOCATION: NW NW NE NE SEC. 07, T. 101 N., R. 50 W.

12.0 - 19.0 GRAVEL, COARSE; SAMPLE TAKEN

\* \* \* \*

TEST HOLE NUMBER: 171 LOCATION: 101N-50W-07ABAB

LEGAL LOCATION: NW NE NW NE SEC. 07, T. 101 N., R. 50 W.

4.0 - 15.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 172 LOCATION: 101N-50W-07BAA

LEGAL LOCATION: NE NE NW SEC. 07, T. 101 N., R. 50 W.

3.0 - 8.0 SAND, FINE, SILTY, CLAYEY

8.0 - 10.0 SAND AND GRAVEL, COARSE GRAVEL

17.0 - 52.0 SAND AND GRAVEL, MEDIUM SAND, COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 173 LOCATION: 101N-50W-07CCCC

LEGAL LOCATION: SW SW SW SEC. 07, T. 101 N., R. 50 W.

1.0 - 7.0 SAND, MEDIUM, SILTY

\* \* \* \*

TEST HOLE NUMBER: 174 LOCATION: 101N-50W-08BBBB

LEGAL LOCATION: NW NW NW NW SEC. 08, T. 101 N., R. 50 W.

3.0 - 16.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 175 LOCATION: 101N-50W-08BCBC

LEGAL LOCATION: SW NW SW NW SEC. 08, T. 101 N., R. 50 W.

3.0 - 13.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE

#### SAND, MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 176
LOCATION: 101N-50W-08BCCC

LEGAL LOCATION: SW SW SW NW SEC. 08, T. 101 N., R. 50 W.

4.0 - 21.0 SAND AND GRAVEL, MEDIUM TO COARSE, ROCKY;
ROCK AT 21 FEET, COULD NOT PENETRATE

\* \* \* \*

TEST HOLE NUMBER: 177 LOCATION: 101N-50W-09ADD

LEGAL LOCATION: SE SE NE SEC. 09, T. 101 N., R. 50 W.

1.0 - 5.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 178 LOCATION: 101N-50W-09ADDD

LEGAL LOCATION: SE SE SE NE SEC. 09, T. 101 N., R. 50 W.

3.0 - 5.0 SAND AND GRAVEL, REDDISH, FINE

5.0 - 10.0 SAND AND GRAVEL, MEDIUM SAND, FINE GRAVEL

10.0 - 18.0 GRAVEL, FINE; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 179 LOCATION: 101N-50W-09BBC

LEGAL LOCATION: SW NW NW SEC. 09, T. 101 N., R. 50 W.

9.0 - 14.0 SAND, MEDIUM, SILTY

\* \* \* \*

TEST HOLE NUMBER: 180 LOCATION: 101N-50W-09DADD

LEGAL LOCATION: SE SE NE SE SEC. 09, T. 101 N., R. 50 W.

6.0 - 17.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 181 LOCATION: 101N-50W-09DDDD

LEGAL LOCATION: SE SE SE SE SEC. 09, T. 101 N., R. 50 W.

1.0 - 3.0 SAND, FINE TO MEDIUM

3.0 - 9.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, FINE TO COARSE GRAVEL

# 9.0 - 18.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 182 LOCATION: 101N-50W-10DCCD

LEGAL LOCATION: SE SW SW SE SEC. 10, T. 101 N., R. 50 W.

9.0 - 15.0 GRAVEL, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 183 LOCATION: 101N-50W-10DCDC

LEGAL LOCATION: SW SE SW SE SEC. 10, T. 101 N., R. 50 W.

16.0 - 19.0 GRAVEL AND SAND, COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 184 LOCATION: 101N-50W-10DCDD

LEGAL LOCATION: SE SE SW SE SEC. 10, T. 101 N., R. 50 W.

3.0 - 4.0 SAND, DARK

10.0 - 17.0 SAND, COARSE; WITH CLAY BALLS

17.0 - 37.5 SAND, MEDIUM TO COARSE; INCOHERENT

\* \* \* \*

TEST HOLE NUMBER: 185 LOCATION: 101N-50W-12AAAC

LEGAL LOCATION: SW NE NE NE SEC. 12, T. 101 N., R. 50 W.

0 - 1.0 GRAVEL, CLAYEY

8.0 - 27.0 SAND AND GRAVEL, FINE TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 186 LOCATION: 101N-50W-13CCC

LEGAL LOCATION: SW SW SW SEC. 13, T. 101 N., R. 50 W.

3.0 - 6.0 SAND AND GRAVEL, COARSE SAND, COARSE

GRAVEL; UNSORTED

6.0 - 18.0 SAND AND GRAVEL, MEDIUM SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 187 LOCATION: 101N-50W-14AAAA

LEGAL LOCATION: NE NE NE NE SEC. 14, T. 101 N., R. 50 W.

## 21.0 - 24.0 SAND, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 188 LOCATION: 101N-50W-14DACB

LEGAL LOCATION: NW SW NE SE SEC. 14, T. 101 N., R. 50 W.

14.0 - 22.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 189 LOCATION: 101N-50W-14DCCA

LEGAL LOCATION: NE SW SW SE SEC. 14, T. 101 N., R. 50 W.

2.4 - 13.0 SAND AND GRAVEL, YELLOWISH-BROWN TO REDDISH-BROWN, MEDIUM SAND TO MEDIUM PEBBLE GRAVEL, SOME VERY COARSE PEBBLE
GRAVEL, CLAYEY, POORLY SORTED; OXIDIZED, SECONDARY WHITE CARBONATE, SLIGHT
FUEL ODOR 5-7.5 FT, SLIGHT PAINT THINNER ODOR 10-12.5 FT, WET BELOW 7.5 FT

\* \* \* \*

TEST HOLE NUMBER: 190 LOCATION: 101N-50W-14DCCC

LEGAL LOCATION: SW SW SW SE SEC. 14, T. 101 N., R. 50 W.

- 4.5 8.8 SAND, BROWN, MEDIUM TO VERY COARSE; WITH SOME VERY FINE PEBBLE GRAVEL, GASOLINE ODOR
- 8.8 17.5 SAND AND GRAVEL, GRAY-BROWN, MEDIUM SAND
  TO MEDIUM PEBBLE GRAVEL; PRIMARILY SAND
  NEAR TOP WITH AN INCREASE IN GRAVEL
  SIZE AND CONTENT WITH DEPTH, GASOLINE
  ODOR

\* \* \* \*

TEST HOLE NUMBER: 191 LOCATION: 101N-50W-14DCCC 1

LEGAL LOCATION: SW SW SW SE SEC. 14, T. 101 N., R. 50 W.

3.8 - 17.5 SAND AND GRAVEL, YELLOWISH-BROWN TO REDDISH-BROWN, MEDIUM SAND TO MEDIUM PEBBLE GRAVEL, SOME COARSE TO VERY COARSE
PEBBLE GRAVEL, VERY CLAYEY, POORLY
SORTED; HIGHLY OXIDIZED, WATER AT 14.6
FEET, DRILLER REPORTS GAS SMELL FROM

12.5 TO 17.5 FEET

17.5 - 19.0 SAND, BROWN, VERY FINE TO COARSE, CLAYEY, MODERATELY SORTED; COAL FRAGMENTS, DRILLER REPORTS GAS ODOR

\* \* \* \*

TEST HOLE NUMBER: 192 LOCATION: 101N-50W-14DDAD

LEGAL LOCATION: SE NE SE SE SEC. 14, T. 101 N., R. 50 W.

3.3 - 7.7 SAND, REDDISH-BROWN, MEDIUM

7.7 - 8.8 SAND, BROWN, MEDIUM WITH SOME PEBBLES

8.8 - 13.8 SAND AND GRAVEL, GRAYISH, MEDIUM SAND TO VERY FINE PEBBLE GRAVEL; WITH SOME VERY

COARSE PEBBLES, PETROLEUM ODOR

16.3 - 16.9 SAND, MEDIUM; PETROLEUM ODOR(?)

\* \* \* \*

TEST HOLE NUMBER: 193 LOCATION: 101N-50W-14DDCA

LEGAL LOCATION: NE SW SE SE SEC. 14, T. 101 N., R. 50 W.

- 3.5 7.0 SAND, REDDISH-BROWN, MEDIUM TO VERY
  COARSE; WITH SOME VERY FINE TO FINE
  PEBBLE GRAVEL, POSSIBLE FUEL-OIL ODOR
  AT 3.5 FEET, DEFINITE FUEL-OIL ODOR
  FROM 5 TO 7 FEET
- 7.0 7.5 SAND, GRAY, MEDIUM TO VERY COARSE; WITH SOME VERY FINE TO FINE PEBBLE GRAVEL, FUEL-OIL ODOR
- 7.5 13.5 SAND AND GRAVEL, REDDISH-BROWN, MEDIUM SAND TO MEDIUM PEBBLE GRAVEL, SLIGHTLY SILTY; FUEL-OIL ODOR

\* \* \* \*

TEST HOLE NUMBER: 194 LOCATION: 101N-50W-14DDDD

LEGAL LOCATION: SE SE SE SE SEC. 14, T. 101 N., R. 50 W.

7.5 - 10.0 SAND, GRAY, MEDIUM TO COARSE; FUEL-OIL ODOR

10.0 - 12.5 SAND, GRAY, MEDIUM TO COARSE, SILTY; FUEL-OIL OR GASOLINE ODOR

12.5 - 14.2 SAND, GRAY, MEDIUM TO COARSE; WITH PEBBLES, GASOLINE ODOR

\* \* \* \*

TEST HOLE NUMBER: 195 LOCATION: 101N-50W-15ADDC

LEGAL LOCATION: SW SE SE NE SEC. 15, T. 101 N., R. 50 W.

2.0 - 38.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 196 LOCATION: 101N-50W-15BBBC

LEGAL LOCATION: SW NW NW NW SEC. 15, T. 101 N., R. 50 W.

4.0 - 5.0 GRAVEL, FINE TO MEDIUM; LOOSE

5.0 - 10.0 SAND AND GRAVEL

10.0 - 18.0 GRAVEL, FINE TO MEDIUM; SOME PEBBLES UP
TO ONE INCH IN WIDTH

\* \* \* \*

TEST HOLE NUMBER: 197 LOCATION: 101N-50W-15CBBB

LEGAL LOCATION: NW NW NW SW SEC. 15, T. 101 N., R. 50 W.

2.0 - 17.0 SAND AND GRAVEL, MEDIUM TO COARSE; DRY

\* \* \* \*

TEST HOLE NUMBER: 198 LOCATION: 101N-50W-15CBCC

LEGAL LOCATION: SW SW NW SW SEC. 15, T. 101 N., R. 50 W.

3.0 - 5.0 SAND AND GRAVEL, RUST COLORED

5.0 - 10.0 GRAVEL, FINE TO MEDIUM; CLEAN

10.0 - 15.0 SAND, GRAY, FINE TO MEDIUM

24.0 - 25.0 SAND AND GRAVEL, MEDIUM

25.0 - 30.0 SAND AND GRAVEL, VERY COARSE SAND, MEDIUM GRAVEL

3KA V EL

\* \* \* \*

TEST HOLE NUMBER: 199 LOCATION: 101N-50W-15CCC

LEGAL LOCATION: SW SW SEC. 15, T. 101 N., R. 50 W.

14.0 - 29.0 SAND, FINE TO MEDIUM, SILTY

\* \* \* \* \*

TEST HOLE NUMBER: 200 LOCATION: 101N-50W-16AAA

LEGAL LOCATION: NE NE NE SEC. 16, T. 101 N., R. 50 W.

4.0 - 18.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 201 LOCATION: 101N-50W-16BAAA LEGAL LOCATION: NE NE NE NW SEC. 16, T. 101 N., R. 50 W.

O - 14.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL

20.0 - 31.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL; CLAYEY(?)

\* \* \* \*

TEST HOLE NUMBER: 202 LOCATION: 101N-50W-16BBBB

LEGAL LOCATION: NW NW NW NW SEC. 16, T. 101 N., R. 50 W.

4.0 - 29.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 203 LOCATION: 101N-50W-16DAA

LEGAL LOCATION: NE NE SE SEC. 16, T. 101 N., R. 50 W.

1.0 - 18.0 SAND AND GRAVEL, COARSE SAND, COARSE GRAVEL; UNSORTED

\* \* \* \*

TEST HOLE NUMBER: 204 LOCATION: 101N-50W-17BBBB

LEGAL LOCATION: NW NW NW NW SEC. 17, T. 101 N., R. 50 W.

4.0 - 51.0 SAND, MEDIUM TO COARSE; SOME MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 205 LOCATION: 101N-50W-17BBCC

LEGAL LOCATION: SW SW NW NW SEC. 17, T. 101 N., R. 50 W.

3.0 - 23.0 SAND AND GRAVEL

23.0 - 43.0 SAND AND GRAVEL, FINE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 206 LOCATION: 101N-50W-17BDAB

LEGAL LOCATION: NW NE SE NW SEC. 17, T. 101 N., R. 50 W.

2.0 - 4.0 SAND, RUST-COLORED

4.0 - 20.0 SAND, BROWN, FINE TO COARSE

20.0 - 22.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 207 LOCATION: 101N-50W-17DDCC

LEGAL LOCATION: SW SW SE SE SEC. 17, T. 101 N., R. 50 W.

3.0 - 41.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 208 LOCATION: 101N-50W-20CCBB

LEGAL LOCATION: NW NW SW SW SEC. 20, T. 101 N., R. 50 W.

16.0 - 46.0 SAND AND GRAVEL, BROWN; SOME COARSE GRAVEL, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 209 LOCATION: 101N-50W-23ABAB

LEGAL LOCATION: NW NE NW NE SEC. 23, T. 101 N., R. 50 W.

- 4.0 5.0 SAND, YELLOWISH-BROWN, MEDIUM TO VERY COARSE, GRAVELLY, MODERATELY SORTED; OXIDIZED
- 5.0 11.5 SAND AND GRAVEL, YELLOWISH-BROWN TO RED-DISH-BROWN, MEDIUM SAND TO COARSE PEBBLE GRAVEL, CLAYEY, POORLY SORTED; HIGHLY OXIDIZED, HIT ROCK AT 11.5 AND COULD NOT PENETRATE FURTHER

\* \* \* \*

TEST HOLE NUMBER: 210 LOCATION: 101N-50W-23ABBA

LEGAL LOCATION: NE NW NW NE SEC. 23, T. 101 N., R. 50 W.

- 5.0 9.5 SAND, BROWN, MEDIUM TO VERY COARSE,
  CONTAINS SOME VERY FINE PEBBLE GRAVEL,
  WELL-SORTED; OXIDIZED
- 9.5 10.5 SAND, YELLOWISH-BROWN TO REDDISH-BROWN,
  MEDIUM TO VERY COARSE; CONTAINS SOME
  VERY FINE TO FINE PEBBLE GRAVEL, WELLSORTED; HIGHLY OXIDIZED, DRILLER
  REPORTS GAS ODOR
- 10.5 17.4 SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM SAND TO COARSE PEBBLE GRAVEL, CLAYEY, MODERATELY SORTED; OXIDIZED, ROCK LAYER AT 10.4 FT, WHITE CLAY LAYERS AT 15 FT, WATER AT 16.9 FT, LARGE ROCKS AT 15.4 AND 17.2 FT, PAINT THINNER AND ROTTEN GAS ODOR FROM 15 TO 17.4 FEET

\* \* \* \*

TEST HOLE NUMBER: 211 LOCATION: 101N-50W-23ABBA 1

LEGAL LOCATION: NE NW NW NE SEC. 23, T. 101 N., R. 50 W.

5.0 - 17.2 SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM SAND TO COARSE PEBBLE GRAVEL, CLAYEY, POORLY SORTED; OXIDIZED, FAINT PAINT THINNER ODOR 10-12.5 FT, ROTTEN GAS ODOR 12.5-15 FT, AND STRONG GAS ODOR 15-17.2 FT, WET AT 17 FT; HIT ROCK AT 17.2 FT, COULD NOT PENETRATE

\* \* \* \*

TEST HOLE NUMBER: 212 LOCATION: 101N-50W-23ABBA 2

LEGAL LOCATION: NE NW NW NE SEC. 23, T. 101 N., R. 50 W.

4.5 - 5.0 SAND, YELLOW-BROWN, MEDIUM TO VERY COARSE, WELL-SORTED

- 5.0 7.5 SAND AND GRAVEL, YELLOWISH-BROWN TO REDDISH-BROWN, COARSE SAND TO FINE PEBBLE
  GRAVEL, SOME MEDIUM TO COARSE PEBBLE
  GRAVEL, POORLY SORTED; OXIDIZED, HIGHLY
  OXIDIZED ZONE AT 6.4 FT, CONTAINS MANY
  FRIABLE GRANITE PEBBLES THAT CRUMBLE TO
  GIVE SAND A WHITE APPEARANCE
- 7.5 10.0 SAND AND GRAVEL, DARK-YELLOWISH-BROWN, COARSE SAND TO COARSE PEBBLE GRAVEL, CLAYEY, POORLY SORTED; HIGHLY OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 213 LOCATION: 101N-50W-23ABBA 3

LEGAL LOCATION: NE NW NW NE SEC. 23, T. 101 N., R. 50 W.

4.0 - 14.7 SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM SAND TO COARSE PEBBLE GRAVEL, SILTY TO CLAYEY, POORLY SORTED; OXIDIZED, WET AT 14.4 FEET, HIT ROCK AT 14.7 FEET, COULD NOT PENETRATE FURTHER

\* \* \* \*

TEST HOLE NUMBER: 214 LOCATION: 101N-50W-23ABBA 4

LEGAL LOCATION: NE NW NW NE SEC. 23, T. 101 N., R. 50 W.

4.0 - 14.7 SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM SAND TO COARSE PEBBLE GRAVEL, SILTY TO CLAYEY, POORLY SORTED; OXIDIZED, HIT

ROCK AT 14.7 FEET, COULD NOT PENETRATE FURTHER

\* \* \* \*

TEST HOLE NUMBER: 215 LOCATION: 101N-50W-23ABBB

LEGAL LOCATION: NW NW NW NE SEC. 23, T. 101 N., R. 50 W.

3.3 -	12.0	SAND, BROWN TO YELLOWISH-BROWN, FINE TO VERY COARSE, SILTY, GRAVELLY, WELL-SORTED; BROWN CLAY FROM 8.7 TO 8.9 AND 10.5 TO 10.6 FEET, FAINT PETROLEUM ODOR FROM 8 TO 12 FEET
12.0 -	14.0	SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM SAND TO COARSE PEBBLE GRAVEL, SILTY; CONTAINS BOULDERS, HARD DRIVING, OXIDIZED, FAINT PETROLEUM ODOR
14.0 -	16.0	GRAVEL, YELLOWISH-BROWN, VERY FINE TO MEDIUM PEBBLES, SANDY, CLAYEY; OXIDIZED, SATURATED, STRONG PETROLEUM ODOR
16.0 -	20.0	SAND AND GRAVEL, YELLOWISH-BROWN TO RED- DISH-BROWN, VERY COARSE SAND TO MEDIUM PEBBLE GRAVEL, CLAYEY; HIGHLY OXIDIZED, SATURATED, FAINT PETROLEUM ODOR FROM

\* \* \* \*

TEST HOLE NUMBER: 216 LOCATION: 101N-50W-23ABBB 1

LEGAL LOCATION: NW NW NW NE SEC. 23, T. 101 N., R. 50 W.

4.4 - 7.0 SAND, YELLOWISH-BROWN, MEDIUM TO COARSE, GRAVELLY, CLAYEY, WELL-SORTED; OXIDIZED

7.0 - 22.5 SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM SAND TO COARSE PEBBLE GRAVEL, CLAYEY, POORLY SORTED; OXIDIZED, COBBLE GRAVEL ZONE AT 7 FT, WET AT 15 FT, NO SAMPLE 15-17.5 FT, ROTTEN GAS ODOR 17.5-20 FEET

\* \* \* \*

TEST HOLE NUMBER: 217 LCCATION: 101N-50W-23ABBB 2

LEGAL LOCATION: NW NW NW NE SEC. 23, T. 101 N., R. 50 W.

4.3 - 17.5 SAND AND GRAVEL, YELLOWISH-BROWN, COARSE SAND TO FINE PEBBLE GRAVEL, WITH SOME MEDIUM TO COARSE PEBBLE GRAVEL, CLAYEY, MODERATELY SORTED; OXIDIZED NOT CLAYEY FROM 5 TO 7.5 FEET, DAMP BELOW

12.1 FEET, COBBLE GRAVEL FROM 12.1 TO 17.5 FEET

20.0 - 25.0 GRAVEL, YELLOWISH-BROWN, VERY FINE TO MEDIUM PEBBLE GRAVEL, SILTY TO SANDY, CLAYEY, POORLY SORTED; OXIDIZED, HIGHLY OXIDIZED FROM 22.5 TO 25 FEET, CONTAINS WATER, PAINT THINNER ODOR

\* \* \* \*

TEST HOLE NUMBER: 218 LOCATION: 101N-50W-23ABBB 3

LEGAL LOCATION: NW NW NW NE SEC. 23, T. 101 N., R. 50 W.

- 4.6 7.5 SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM SAND TO MEDIUM PEBBLE GRAVEL, SOME COARSE PEBBLE GRAVEL, SILTY TO CLAYEY, POORLY SORTED; OXIDIZED
- 7.5 10.0 SAND, YELLOWISH-BROWN, COARSE TO VERY COARSE, GRAVELLY, WELL-SORTED; OXI-DIZED, CLEAN
- 10.0 17.5 SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM SAND TO MEDIUM PEBBLE GRAVEL, SOME VERY COARSE PEBBLE GRAVEL, SILTY TO CLAYEY, POORLY SORTED; OXIDIZED, PAINT THINNER ODOR 12.5 TO 15 FEET, ROTTEN GAS ODOR FROM 15 TO 17.5 FEET, WATER BELOW 16.71 FEET
- 17.5 20.0 GRAVEL, YELLOWISH-BROWN, VERY FINE TO MEDIUM PEBBLE GRAVEL, SANDY, CLAYEY, MODERATELY SORTED; OXIDIZED, ROTTEN GAS ODOR 17.5 TO 18 FEET

\* \* \* \*

TEST HOLE NUMBER: 219 LOCATION: 101N-50W-23ABBB 4

LEGAL LOCATION: NW NW NW NE SEC. 23, T. 101 N., R. 50 W.

- 3.0 5.5 SAND, REDDISH-BROWN, FINE TO MEDIUM
  5.5 7.4 SAND AND GRAVEL; FAINT PETROLEUM ODOR
  7.4 13.0 SAND AND GRAVEL; WEATHERED GASOLINE ODOR
- 13.0 18.0 SAND AND GRAVEL; STRONG GASOLINE AND PAINT THINNER ODOR

\* \* \* \*

TEST HOLE NUMBER: 220 LOCATION: 101N-50W-23ABBC

LEGAL LOCATION: SW NW NW NE SEC. 23, T. 101 N., R. 50 W.

2.8 - 6.0 SAND, BROWN, MEDIUM TO VERY COARSE, GRAVELLY, SILTY, MODERATELY SORTED; OXIDIZED

6.0 <del>-</del>	14.0	, , , , , , , , , , , , , , , , ,
		SAND TO COARSE PEBBLE GRAVEL, CLAYEY,
		POORLY SORTED; OXIDIZED, DARK-RED SANDY
		CLAY 6.3 TO 6.4 FEET, MOIST, PETROLEUM
		ODOR 8 TO 10 FEET, HNU READING IN
		SAMPLE JAR ABOUT 15 PPM
14.0 -	19.0	GRAVEL, YELLOWISH-BROWN TO REDDISH-BROWN,
		VERY FINE TO COARSE PEBBLES, VERY
		SANDY, CLAYEY, POORLY SORTED; HIGHLY
		OXIDIZED, WET AT 15.4 FEET, GRAY-BROWN
		CLAY 18.3 TO 18.5 FEET
19.0 <del>-</del>	21.0	SAND AND GRAVEL, YELLOWISH-BROWN TO RED-
		DISH-BROWN, COARSE SAND TO MEDIUM
		PEBBLE GRAVEL, VERY CLAYEY; HIGHLY
		OXIDIZED, POORLY SORTED, GRAY-BROWN
		· · · · · · · · · · · · · · · · · · ·
		CLAY LAYER 20.3 TO 20.7 FEET

\* \* \* \*

TEST HOLE NUMBER: 221 LOCATION: 101N-50W-23ABBC 1

LEGAL LOCATION: SW NW NW NE SEC. 23, T. 101 N., R. 50 W.

3.5 <b>-</b>	6.0	SAND AND GRAVEL, YELLOWISH-BROWN TO RED-
		DISH-BROWN, MEDIUM SAND TO COARSE
		PEBBLE GRAVEL, SILTY, POORLY SORTED;
		HIGHLY OXIDIZED, DRY
10.0 -	12.0	SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM
		SAND TO VERY FINE PEBBLE GRAVEL,
		MODERATELY SORTED; OXIDIZED, DRY
12.0 <b>-</b>	14.0	SAND, YELLOWISH-BROWN, MEDIUM TO VERY
		COARSE SAND, SOME VERY FINE TO FINE
		PEBBLE GRAVEL; OXIDIZED, DRY
14.0 -	20.0	SAND AND GRAVEL, YELLOWISH-BROWN TO RED-
		DISH-BROWN, COARSE SAND TO FINE PEBBLE
		GRAVEL, SOME MEDIUM TO COARSE PEBBLES,
		CLAYEY, MODERATELY SORTED; OXIDIZED,
		WET, HIT BOULDER AT 15 FT, COULD NOT
		PENETRATE, MOVED 10 FT WEST, DRILLED
		20 FT, NO SAMPLES 15 TO 20 FEET

\* \* \* \*

TEST HOLE NUMBER: 222 LOCATION: 101N-50W-23ABBD

LEGAL LOCATION: SE NW NW NE SEC. 23, T. 101 N., R. 50 W.

2.3 <b>-</b>	12.5	SAND AND GRAVEL, YELLOWISH-BROWN TO RED-
		DISH-BROWN, MEDIUM SAND TO VERY COARSE
		PEBBLE GRAVEL, SOME COBBLE GRAVEL,
		CLAYEY; HIGHLY OXIDIZED
15.0 <del>-</del>	25.0	SAND AND GRAVEL, YELLOWISH-BROWN, MEDIUM
		SAND TO VERY COARSE PEBBLE GRAVEL,
		CLAYEY, POORLY SORTED; YELLOWISH-BROWN

TO LIGHT-GRAY CLAY PRESENT FROM 17.5 TO 20 FT, WET AT 16.5 FT, NO SAMPLE 19.5 TO 22.5 FT, OXIDIZED, ROTTEN ODOR FROM 22.5 TO 25 FEET

\* \* \* \*

TEST HOLE NUMBER: 223 LOCATION: 101N-50W-23ABBD 1

LEGAL LOCATION: SE NW NW NE SEC. 23, T. 101 N., R. 50 W.

4.0 - 18.0 SAND AND GRAVEL, REDDISH-BROWN TO YELLOWISH-BROWN, COARSE SAND TO VERY COARSE
PEBBLE GRAVEL, CLAYEY, POORLY SORTED;
OXIDIZED, DRY, NO SAMPLE FROM 6-8 AND
12-14 FT DUE TO ROCKS, FAINT PETROLEUM
ODOR BELOW 10 FT(?), WET AT 16 FT,
GRAY-BROWN CLAY LAYERS 15.4-15.8 FEET

\* \* \* \*

TEST HOLE NUMBER: 224 LOCATION: 101N-50W-23ADAA

LEGAL LOCATION: NE NE SE NE SEC. 23, T. 101 N., R. 50 W.

10.0 - 15.0 GRAVEL, FINE TO MEDIUM; CLEAN 15.0 - 30.0 SAND; WITH SOME GRAVEL, CLEAN

\* \* \* \*

TEST HOLE NUMBER: 225 LOCATION: 101N-50W-23BBBA

LEGAL LOCATION: NE NW NW NW SEC. 23, T. 101 N., R. 50 W.

9.0 - 16.0 GRAVEL, FINE TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 226 LOCATION: 101N-50W-23DAA

LEGAL LOCATION: NE NE SE SEC. 23, T. 101 N., R. 50 W.

2.0 - 18.0 SAND AND GRAVEL, COARSE SAND, COARSE

GRAVEL; UNSORTED

18.0 - 65.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 227 LOCATION: 101N-50W-23DADD

LEGAL LOCATION: SE SE NE SE SEC. 23, T. 101 N., R. 50 W.

12.0 - 64.0 SAND, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 228 LOCATION: 101N-50W-23DADD 1

LEGAL LOCATION: SE SE NE SE SEC. 23, T. 101 N., R. 50 W.

3.0 - 5.0 GRAVEL AND SILT, RUST-BROWN

5.0 - 30.0 SAND AND GRAVEL, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 229 LOCATION: 101N-50W-23DDDD

LEGAL LOCATION: SE SE SE SE SEC. 23, T. 101 N., R. 50 W.

5.0 - 8.0 SAND AND GRAVEL, MEDIUM TO COARSE

8.0 - 78.0 SAND, MEDIUM TO COARSE; SOME FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 230 LOCATION: 101N-50W-24ACDD

LEGAL LOCATION: SE SE SW NE SEC. 24, T. 101 N., R. 50 W.

10.0 - 24.0 SAND, MEDIUM TO COARSE; SOME FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 231 LOCATION: 101N-50W-24BBAB

LEGAL LOCATION: NW NE NW NW SEC. 24, T. 101 N., R. 50 W.

0 - 1.0 GRAVEL, COARSE, QUARTZITE (PARKING LOT)

12.0 - 16.0 SAND, BROWN, CLAYEY; MOIST

16.0 - 29.0 SAND, BROWN, SILTY, CLAYEY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 232 LOCATION: 101N-50W-24BBBB

LEGAL LOCATION: NW NW NW NW SEC. 24, T. 101 N., R. 50 W.

5.0 - 11.0 GRAVEL, COARSE, SILTY; DRY

\* \* \* \*

TEST HOLE NUMBER: 233 LOCATION: 101N-50W-24BBDB

LEGAL LOCATION: NW SE NW NW SEC. 24, T. 101 N., R. 50 W.

4.0 - 10.0 SAND, RED-BROWN, GRAVELLY; DRY

10.0 - 15.0 GRAVEL, COARSE

15.0 - 24.0 SAND, RED-BROWN, MEDIUM; DRY TO MOIST

24.0 - 43.0 SAND, BROWN, MEDIUM; SATURATED, GETS HARD

### TO DRILL TOWARD THE BOTTOM

\* \* \* \*

TEST HOLE NUMBER: 234 LOCATION: 101N-50W-24CBBC

LEGAL LOCATION: SW NW NW SW SEC. 24, T. 101 N., R. 50 W.

10.0 - 15.0 SAND AND GRAVEL; CLEAN

15.0 - 27.0 GRAVEL; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 235 LOCATION: 101N-50W-24CDAB

LEGAL LOCATION: NW NE SE SW SEC. 24, T. 101 N., R. 50 W.

13.0 - 61.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 236 LOCATION: 101N-50W-24DACC

LEGAL LOCATION: SW SW NE SE SEC. 24, T. 101 N., R. 50 W.

6.0 - 10.0 GRAVEL, FINE; CLEAN 10.0 - 20.0 SAND, COARSE; GRAVEL

20.0 - 25.0 GRAVEL, FINE TO COARSE; SOME PEBBLES UP

TO 4 INCHES IN DIAMETER

25.0 - 31.0 SAND, MEDIUM; SMALL SHALE FRAGMENTS

\* \* \* \*

TEST HOLE NUMBER: 237 LOCATION: 101N-50W-24DBBA

LEGAL LOCATION: NE NW NW SE SEC. 24, T. 101 N., R. 50 W.

5.0 - 30.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 238 LOCATION: 101N-50W-24DDAC

LEGAL LOCATION: SW NE SE SE SEC. 24, T. 101 N., R. 50 W.

4.0 - 5.0 GRAVEL, BROWN; DIRTY

5.0 - 37.0 GRAVEL, FINE TO MEDIUM; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 239 LOCATION: 101N-50W-25ADBA

LEGAL LOCATION: NE NW SE NE SEC. 25, T. 101 N., R. 50 W.

## 10.0 - 30.0 GRAVEL; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 240 LOCATION: 101N-50W-25BADD

LEGAL LOCATION: SE SE NE NW SEC. 25, T. 101 N., R. 50 W.

3.0 - 5.0 SAND AND GRAVEL, REDDISH, FINE

5.0 - 10.0 GRAVEL, RED-BROWN, MEDIUM

10.0 - 15.0 SAND, FINE, WELL-SORTED

15.0 - 40.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 241 LOCATION: 101N-50W-25BBB

LEGAL LOCATION: NW NW NW SEC. 25, T. 101 N., R. 50 W.

2.0 - 7.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

7.0 - 14.0 SAND, MEDIUM TO COARSE

14.0 - 37.0 SAND, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 242 LOCATION: 101N-50W-25DBCA

LEGAL LOCATION: NE SW NW SE SEC. 25, T. 101 N., R. 50 W.

8.0 - 14.0 GRAVEL, FINE TO MEDIUM; CLEAN

19.0 - 25.0 SAND, COARSE; WITH GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 243 LOCATION: 101N-50W-29BAAA

LEGAL LOCATION: NE NE NE NW SEC. 29, T. 101 N., R. 50 W.

15.0 - 21.0 SAND, BROWN, FINE TO MEDIUM, VERY CLAYEY, SILTY; VERY FEW FINE PEBBLES, OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 244 LOCATION: 101N-50W-30BABB

LEGAL LOCATION: NW NW NE NW SEC. 30, T. 101 N., R. 50 W.

O - 5.0 SAND, BROWN, FINE TO COARSE; OXIDIZED, DRY

5.0 - 23.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, FINE GRAVEL, CLAYEY; OXIDIZED, SATURATED

23.0 - 38.0 SAND AND GRAVEL, GRAY, MEDIUM TO COARSE

# SAND, FINE TO MEDIUM GRAVEL, SLIGHTLY CLAYEY; UNOXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 245 LOCATION: 101N-51W-16AAAA 1

LEGAL LOCATION: NE NE NE NE SEC. 16, T. 101 N., R. 51 W.

0 - 2.0 SAND, BROWN

\* \* \* \*

TEST HOLE NUMBER: 246 LOCATION: 101N-51W-33AAAA

LEGAL LOCATION: NE NE NE NE SEC. 33, T. 101 N., R. 51 W.

0 - 5.0 SAND, BROWN, FINE TO COARSE, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 247 LOCATION: 101N-51W-35CAAA 1

LEGAL LOCATION: NE NE NE SW SEC. 35, T. 101 N., R. 51 W.

15.0 - 36.0 SAND AND GRAVEL, CLAYEY, SUBANGULAR TO SUBROUND; SATURATED, ROCK 22 TO 23 FEET, LESS THAN 30 PERCENT CLAY, GRAVEL 1/4-INCH IN DIAMETER, GRADES TO CLAY

\* \* \* \*

TEST HOLE NUMBER: 248 LOCATION: 101N-51W-35CAAA 3

LEGAL LOCATION: NE NE NE SW SEC. 35, T. 101 N., R. 51 W.

1.0 - 5.0 SAND AND GRAVEL, FINE; CLAY

\* \* \* \*

TEST HOLE NUMBER: 249 LOCATION: 101N-51W-35CAAA 4

LEGAL LOCATION: NE NE NE SW SEC. 35, T. 101 N., R. 51 W.

5.0 - 10.0 SAND AND CLAY, FINE TO COARSE SAND, VERY MOIST

10.0 - 17.0 SAND, CLAYEY; LESS THAN 40 PERCENT CLAY, SATURATED AT 12 TO 13 FEET

19.0 - 20.0 GRAVELS; HEAVY

\* \* \* \*

TEST HOLE NUMBER: 250 LOCATION: 101N-51W-35CAAA 5 LEGAL LOCATION: NE NE NE SW SEC. 35, T. 101 N., R. 51 W.

- 0 1.0 SAND AND SILT; ORGANIC MATERIAL
- 1.0 5.0 SAND AND CLAY, FINE TO COARSE SAND; VERY GRAINY, FEW FINES, VERY LITTLE MOISTURE
- 5.0 15.0 SAND, FINE TO COARSE; SOME CLAY, MORE FINES, VERY MOIST
- 15.0 41.0 SAND, FINE TO VERY COARSE; SATURATED, LESS FINES, SMALL GRAVELS

\* \* \* \*

TEST HOLE NUMBER: 251 LOCATION: 101N-51W-35CAAD 1

LEGAL LOCATION: SE NE NE SW SEC. 35, T. 101 N., R. 51 W.

- 8.0 20.0 SAND, YELLOW, FINE TO COARSE, SILTY; SATURATED
- 20.0 52.0 SAND, GRAY, FINE TO COARSE, SILTY; ALSO SOME FINE GRAVEL, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 252 LOCATION: 101N-51W-35CAAD 2

LEGAL LOCATION: SE NE NE SW SEC. 35, T. 101 N., R. 51 W.

8.0 - 20.0 SAND, GRAY, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 253

LOCATION: 101N-51W-35CAAD 5

LEGAL LOCATION: SE NE NE SW SEC. 35, T. 101 N., R. 51 W.

15.0 - 17.0 SAND LENSE(?); DRILLER REPORTED EASY DRILLING, NO CUTTINGS

\* \* \* \*

TEST HOLE NUMBER: 254 LOCATION: 101N-51W-35CAAD 6

LEGAL LOCATION: SE NE NE SW SEC. 35, T. 101 N., R. 51 W.

10.0 - 30.0 SAND, TAN TO BROWN, VERY FINE, CLAYEY;
SATURATED, VERY LOOSE, ODOR AND SHEEN
ON CUTTINGS, NO CUTTINGS 20 TO 30 FEET

\* \* \* \*

TEST HOLE NUMBER: 255 LOCATION: 101N-51W-35CAAD 7

LEGAL LOCATION: SE NE NE SW SEC. 35, T. 101 N., R. 51 W.

18.0 SAND, TAN TO BROWN, FINE; SATURATED, SOME 13.0 -FINES

GRAVEL(?); NO CUTTINGS, DRILL CHATTER 18.0 -22.0

22.0 -33.0 SAND, TAN TO BROWN, VERY FINE, CLAYEY; SATURATED, VERY LOOSE, SOME GRAVEL LESS THAN 1/4-INCH IN DIAMETER

\* \* \* \*

TEST HOLE NUMBER: 256 LOCATION: 101N-51W-35CACC 2

LEGAL LOCATION: SW SW NE SW SEC. 35, T. 101 N., R. 51 W.

15.0 SAND; WITH CLAY 2.0 -

SAND, GRAY; WITH MORE CLAY THAN FROM 2 TO 15.0 **-**28.0 15 FEET

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 101N-51W-35CACC 3

LEGAL LOCATION: SW SW NE SW SEC. 35, T. 101 N., R. 51 W.

15.0 SAND, YELLOW, SILTY, VERY CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 258

LOCATION: 101N-51W-35CACC 4

LEGAL LOCATION: SW SW NE SW SEC. 35, T. 101 N., R. 51 W.

1.0 - 4.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 259

LOCATION: 101N-51W-35CACC 7

LEGAL LOCATION: SW SW NE SW SEC. 35, T. 101 N., R. 51 W.

7.0 **-**SAND, BROWN, MEDIUM TO COARSE, CLAYEY; 10.0 OXIDIZED, MIXED WITH GRAVEL, LOOSE TO SEMI-FIRM

25.0 10.0 -SAND, MEDIUM TO COARSE, CLAYEY; WATER SATURATED, EASY DRILLING

\* \* \* \*

TEST HOLE NUMBER: 260 LOCATION: 101N-51W-35CACC 8

LEGAL LOCATION: SW SW NE SW SEC. 35, T. 101 N., R. 51 W.

7.0 -9.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, 1/8-INCH TO 3/4-INCH GRAVEL, WELL-ROUNDED TO SUBANGULAR; MOIST

9.0 - 29.0 SAND, TAN TO BROWN, MEDIUM TO COARSE,
CLAYEY; SEMI-FIRM TO VERY LOOSE SAND AT
20 FEET, SATURATED, SOME GRAVEL BUT
LESS THAN 10 PERCENT

\* \* \* \*

TEST HOLE NUMBER: 261 LOCATION: 101N-51W-35CADA 1

LEGAL LOCATION: NE SE NE SW SEC. 35, T. 101 N., R. 51 W.

3.0 - 18.0 SAND, YELLOW, FINE TO MEDIUM 20.0 - 22.0 SAND, YELLOW, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 262 LOCATION: 101N-51W-35CADA 2

LEGAL LOCATION: NE SE NE SW SEC. 35, T. 101 N., R. 51 W.

2.0 - 6.0 SAND AND GRAVEL, RUST-COLORED

\* \* \* \*

TEST HOLE NUMBER: 263 LOCATION: 101N-51W-35CADA 3

LEGAL LOCATION: NE SE NE SW SEC. 35, T. 101 N., R. 51 W.

5.0 - 8.0 SAND AND GRAVEL, GRAY

\* \* \* \*

TEST HOLE NUMBER: 264

LOCATION: 101N-51W-35CADA 6

LEGAL LOCATION: NE SE NE SW SEC. 35, T. 101 N., R. 51 W.

- O 6.0 SAND, REDDISH-BROWN, MEDIUM TO COARSE;
  SOME FINE GRAVEL, POORLY SORTED;
  SATURATED BELOW 5 FEET
- 6.0 11.0 SAND AND GRAVEL, REDDISH-BROWN; MEDIUM SAND TO COARSE GRAVEL; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 265 LOCATION: 101N-51W-35CADA 9

LEGAL LOCATION: NE SE NE SW SEC. 35, T. 101 N., R. 51 W.

23.0 - 30.0 SAND, DARK-TAN TO BROWN, CLAYEY;
SATURATED, VERY LOOSE OOZE, ODOR, OILY
SHEEN ON CUTTINGS

\* \* \* \*

TEST HOLE NUMBER: 266
LOCATION: 101N-51W-35CADD 1

LEGAL LOCATION: SE SE NE SW SEC. 35, T. 101 N., R. 51 W.

9.0 - 11.0 SAND, YELLOW, FINE TO MEDIUM; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 267 LOCATION: 101N-51W-35CADD 4

LEGAL LOCATION: SE SE NE SW SEC. 35, T. 101 N., R. 51 W.

O - 10.0 SAND AND GRAVEL, COARSE GRAVEL, 1/8-INCH
TO 2 INCHES IN DIAMETER, SUBANGULAR TO
WELL-ROUNDED; MIXED WITH CLAY,
SATURATED AT 8 FEET

10.0 - 43.0 SAND, TAN TO BROWN, FINE; 30 TO 50
PERCENT CLAY AND FINES, VERY LOOSE OOZE
GRADES TO MEDIUM TO COARSE DARKER
COLORED SAND

\* \* \* \*

TEST HOLE NUMBER: 268 LOCATION: 101N-51W-35CBAB

LEGAL LOCATION: NW NE NW SW SEC. 35, T. 101 N., R. 51 W.

5.0 - 12.0 SAND AND GRAVEL, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 269 LOCATION: 101N-51W-35CBAB 1

LEGAL LOCATION: NW NE NW SW SEC. 35, T. 101 N., R. 51 W.

4.0 - 6.0 SAND, DARK-YELLOWISH-BROWN; 5 TO 15
PERCENT GRAVEL, 55 TO 75 PERCENT MOSTLY
MEDIUM AND FINE SAND, 20 TO 30 PERCENT
MEDIUM PLASTICITY FINES, MOIST

\* \* \* \*

TEST HOLE NUMBER: 270 LOCATION: 101N-51W-35CBBB 1

LEGAL LOCATION: NW NW NW SW SEC. 35, T. 101 N., R. 51 W.

0 - 3.0 SANDS AND SILTS; ORGANIC MATTER (TOPSOIL)

\* \* \* \*

TEST HOLE NUMBER: 271 LOCATION: 101N-51W-35CBCD 1

LEGAL LOCATION: SE SW NW SW SEC. 35, T. 101 N., R. 51 W.

22.0 - 37.0 SAND, GRAY, SILTY; SOME CLAY (TILL?)

\* \* \* \*

TEST HOLE NUMBER: 272 LOCATION: 101N-51W-35CBCD 4

LEGAL LOCATION: SE SW NW SW SEC. 35, T. 101 N., R. 51 W.

6.0 - 9.0 SAND AND GRAVEL, REDDISH-BROWN, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 273 LOCATION: 101N-51W-35CBCD 5

LEGAL LOCATION: SE SW NW SW SEC. 35, T. 101 N., R. 51 W.

4.0 - 6.0 SAND AND GRAVEL, BROWN; WITH SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 274 LOCATION: 101N-51W-35CBDC 1

LEGAL LOCATION: SW SE NW SW SEC. 35, T. 101 N., R. 51 W.

3.0 - 7.0 SAND, BROWN; WITH CLAY

\* \* \* \*

TEST HOLE NUMBER: 275 LOCATION: 101N-51W-35CBDC 4

LEGAL LOCATION: SW SE NW SW SEC. 35, T. 101 N., R. 51 W.

6.0 - 8.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, 1/8-INCH TO 1-INCH IN DIAMETER GRAVEL

13.0 - 14.0 GRAVEL LENSES; NO CUTTINGS, DRILL CHATTER

20.0 - 50.0 SAND, TAN TO BROWN, CLAYEY; OXIDIZED, SATURATED, LOOSE OOZE, NO CUTTINGS FROM 30 TO 50 FEET

\* \* \* \*

TEST HOLE NUMBER: 276 LOCATION: 101N-51W-35CCCC 1

LEGAL LOCATION: SW SW SW SEC. 35, T. 101 N., R. 51 W.

4.0 - 6.0 SAND, BROWN, MEDIUM TO COARSE; SOME FINE GRAVEL; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 277
LOCATION: 101N-51W-35CCCC 3

LEGAL LOCATION: SW SW SW SEC. 35, T. 101 N., R. 51 W.

2.0 - 5.0 SAND, GRAYISH-BROWN, CLAYEY; 5 TO 15
PERCENT GRAVEL, 45 TO 65 PERCENT MOSTLY
MEDIUM AND FINE SAND, 30 TO 40 PERCENT
MEDIUM PLASTICITY FINES, WET

\* \* \* \*

TEST HOLE NUMBER: 278 LOCATION: 101N-51W-35DBAC 1

LEGAL LOCATION: SW NE NW SE SEC. 35, T. 101 N., R. 51 W.

4.0 - 5.0 GRAVEL, BROWN, MEDIUM TO COARSE, SANDY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 279 LOCATION: 101N-51W-35DBBC

LEGAL LOCATION: SW NW NW SE SEC. 35, T. 101 N., R. 51 W.

5.0 - 24.0 SAND, BROWN, MEDIUM TO COARSE, SLIGHTLY CLAYEY; SATURATED

24.0 - 29.0 SAND AND GRAVEL(?), CLAYEY; SAND IS COARSER THAN INTERVAL FROM 5 TO 24 FEET; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 280 LOCATION: 101N-51W-35DBCA 3

LEGAL LOCATION: NE SW NW SE SEC. 35, T. 101 N., R. 51 W.

4.0 - 6.0 SAND AND GRAVEL, BROWN, MEDIUM SAND TO COARSE GRAVEL, CLAYEY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 281 LOCATION: 101N-51W-35DBCA 4

LEGAL LOCATION: NE SW NW SE SEC. 35, T. 101 N., R. 51 W.

2.0 - 5.0 GRAVEL, COARSE, ANGULAR, POORLY SORTED;
DRY

\* \* \* \*

TEST HOLE NUMBER: 282 LOCATION: 101N-52W-16AAAA

LEGAL LOCATION: NE NE NE NE SEC. 16, T. 101 N., R. 52 W.

0 - 4.0 SAND, RUST-BROWN, COARSE

\* \* \* \*

TEST HOLE NUMBER: 283 LOCATION: 101N-52W-22AABA

LEGAL LOCATION: NE NW NE NE SEC. 22, T. 101 N., R. 52 W.

O - 3.0 SAND, REDDISH-BROWN, COARSE, VERY CLAYEY; OXIDIZED, DRY

9.0 - 13.0 GRAVEL, REDDISH-BROWN, COBBLY, VERY CLAYEY; OXIDIZED, DRY

13.0 - 32.0 GRAVEL, BROWN, COBBLY, SLIGHTLY CLAYEY;
OXIDIZED, DRY, HIT ROCK ABANDONED HOLE

\* \* \* \*

TEST HOLE NUMBER: 284 LOCATION: 101N-52W-22CBCC

LEGAL LOCATION: SW SW NW SW SEC. 22, T. 101 N., R. 52 W.

3.0 - 14.0 SAND, YELLOW-BROWN, CLAYEY, GRAVELLY; SATURATED, COULD NOT PENETRATE FURTHER

\* \* \* \*

TEST HOLE NUMBER: 285 LOCATION: 101N-52W-27DCCD

LEGAL LOCATION: SE SW SW SE SEC. 27, T. 101 N., R. 52 W.

8.0 - 22.0 SAND, RUST-BROWN, MEDIUM TO COARSE, CLAYEY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 286 LOCATION: 101N-52W-34DDAD

LEGAL LOCATION: SE NE SE SE SEC. 34, T. 101 N., R. 52 W.

10.0 - 24.0 SAND, GRAY, MEDIUM TO COARSE, CLAYEY, SLIGHTLY GRAVELLY; UNOXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 287 LOCATION: 101N-52W-36BBBC

LEGAL LOCATION: SW NW NW NW SEC. 36, T. 101 N., R. 52 W.

O - 38.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, MEDIUM TO COARSE GRAVEL, SLIGHTLY CLAYEY; OXIDIZED, MOIST AT 16 FEET

\* \* \* \*

TEST HOLE NUMBER: 288 LOCATION: 102N-47W-06CCDC

LEGAL LOCATION: SW SE SW SW SEC. 06, T. 102 N., R. 47 W.

## 9.0 - 11.0 GRAVEL, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 289 LOCATION: 102N-47W-07AAAD

LEGAL LOCATION: SE NE NE NE SEC. 07, T. 102 N., R. 47 W.

1.0 - 19.0 SAND, BROWN, MEDIUM TO COARSE; SOME

GRAVEL, HIT ROCK AT 20 FEET

19.0 - 25.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 290 LOCATION: 102N-47W-07DDAD

LEGAL LOCATION: SE NE SE SEC. 07, T. 102 N., R. 47 W.

0 - 28.0 SAND, REDDISH-BROWN, FINE TO COARSE, SLIGHTLY CLAYEY; WITH SOME GRAVEL, DRY,

OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 291 LOCATION: 102N-47W-08ABAB

LEGAL LOCATION: NW NE NW NE SEC. 08, T. 102 N., R. 47 W.

16.0 - 48.0 SAND, REDDISH-BROWN, MEDIUM TO COARSE, SLIGHTLY CLAYEY; OXIDIZED, DRY

\* \* \* \*

TEST HOLE NUMBER: 292 LOCATION: 102N-47W-10AABB

LEGAL LOCATION: NW NW NE NE SEC. 10, T. 102 N., R. 47 W.

10.0 - 12.0 SAND, BROWN, MEDIUM; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 293 LOCATION: 102N-47W-10DADA

LEGAL LOCATION: NE SE NE SE SEC. 10, T. 102 N., R. 47 W.

9.0 - 22.0 SAND AND GRAVEL, BROWN, COARSE SAND,
MEDIUM GRAVEL, CLAYEY; OXIDIZED,
SATURATED

\* \* \* \*

TEST HOLE NUMBER: 294 LOCATION: 102N-47W-16AAAA

LEGAL LOCATION: NE NE NE NE SEC. 16, T. 102 N., R. 47 W.

# 25.0 - 41.0 SAND AND GRAVEL; WITH CLAY LAYERS

\* \* \* \*

TEST HOLE NUMBER: 295 LOCATION: 102N-47W-18AABB

LEGAL LOCATION: NW NW NE NE SEC. 18, T. 102 N., R. 47 W.

O - 1.0 SAND AND GRAVEL, BROWN, COARSE SAND, FINE TO COARSE GRAVEL, CLAYEY; OXIDIZED, DRY

13.0 - 19.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, FINE TO COARSE GRAVEL, SLIGHTLY CLAYEY; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 296

LOCATION: 102N-47W-18BBBB 1

LEGAL LOCATION: NW NW NW NW SEC. 18, T. 102 N., R. 47 W.

21.0 - 30.0 SAND AND GRAVEL, COARSE SAND AND FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 297 LOCATION: 102N-47W-18BBBB 2

LEGAL LOCATION: NW NW NW NW SEC. 18, T. 102 N., R. 47 W.

17.0 - 26.0 SAND AND GRAVEL, MEDIUM SAND TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 298 LOCATION: 102N-47W-22BABB

LEGAL LOCATION: NW NW NE NW SEC. 22, T. 102 N., R. 47 W.

9.0 - 30.0 SAND, GRAY, FINE TO MEDIUM, SLIGHTLY CLAYEY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 299 LOCATION: 102N-47W-22CCBB

LEGAL LOCATION: NW NW SW SEC. 22, T. 102 N., R. 47 W.

12.0 - 26.0 SAND, TAN-BROWN, MEDIUM, VERY CLAYEY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 300 LOCATION: 102N-47W-33AAAA LEGAL LOCATION: NE NE NE NE SEC. 33, T. 102 N., R. 47 W.

6.0 - 30.0 SAND AND GRAVEL, MEDIUM SAND TO FINE GRAVEL; WITH CLAY

\* \* \* \*

TEST HOLE NUMBER: 301 LOCATION: 102N-47W-33DAAA

LEGAL LOCATION: NE NE NE SE SEC. 33, T. 102 N., R. 47 W.

5.0 - 15.0 SAND, LIGHT-BROWN, FINE TO COARSE, PEBBLY; SATURATED, OXIDIZED

15.0 - 25.0 SAND, LIGHT-BROWN, FINE; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 302 LOCATION: 102N-47W-34BBBB

LEGAL LOCATION: NW NW NW NW SEC. 34, T. 102 N., R. 47 W.

9.0 - 23.0 SAND AND GRAVEL, BROWN, MEDIUM SAND,
MEDIUM TO COARSE GRAVEL; OXIDIZED, SOME
ROCKS

\* \* \* \*

TEST HOLE NUMBER: 303 LOCATION: 102N-47W-34CCCC

LEGAL LOCATION: SW SW SW SEC. 34, T. 102 N., R. 47 W.

O - 31.0 SAND AND GRAVEL, BROWN TO REDDISH-BROWN;
OXIDIZED, GRADES FROM A FINE SAND TO A
COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 304 LOCATION: 102N-47W-34CCCC 2

LEGAL LOCATION: SW SW SW SEC. 34, T. 102 N., R. 47 W.

1.0 - 31.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, MEDIUM TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 305 LOCATION: 102N-47W-34DAAA

LEGAL LOCATION: NE NE NE SE SEC. 34, T. 102 N., R. 47 W.

6.0 - 10.0 SAND, BROWN, FINE TO MEDIUM, SILTY; SATURATED, OXIDIZED

10.0 - 24.0 SAND, GRAY, FINE TO MEDIUM, SILTY;

### SATURATED, UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 306 LOCATION: 102N-48W-02DDCC

LEGAL LOCATION: SW SW SE SE SEC. 02, T. 102 N., R. 48 W.

6.0 - 8.0 SAND AND GRAVEL, BROWN, COARSE SAND,
COARSE GRAVEL; OXIDIZED, MOIST, HIT
QUARTZITE AT 8 FEET

\* \* \* \*

TEST HOLE NUMBER: 307 LOCATION: 102N-48W-03AAAA

LEGAL LOCATION: NE NE NE SEC. 03, T. 102 N., R. 48 W.

1.0 - 20.0 SAND, LIGHT-BROWN, MEDIUM TO COARSE, PEBBLY; SUBROUNDED

\* \* \* \*

TEST HOLE NUMBER: 308 LOCATION: 102N-48W-03BBBB

LEGAL LOCATION: NW NW NW NW SEC. 03, T. 102 N., R. 48 W.

15.0 - 20.0 SAND, BROWN, MEDIUM TO COARSE, POORLY SORTED; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 309 LOCATION: 102N-48W-10DDAA

LEGAL LOCATION: NE NE SE SE SEC. 10, T. 102 N., R. 48 W.

5.0 - 11.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 310 LOCATION: 102N-48W-11BBBA

LEGAL LOCATION: NE NW NW NW SEC. 11, T. 102 N., R. 48 W.

5.0 - 21.0 GRAVEL, GRAY, SANDY, SILTY; SATURATED, UNOXIDIZED

21.0 - 23.0 GRAVEL, COARSE, SANDY, SILTY; SATURATED, UNOXIDIZED, HIT BEDROCK (QUARTZITE?)

\* \* \* \*

TEST HOLE NUMBER: 311 LOCATION: 102N-48W-12DCDC LEGAL LOCATION: SW SE SW SE SEC. 12, T. 102 N., R. 48 W.

- O 2.0 SAND, TAN-BROWN, FINE TO MEDIUM, VERY CLAYEY; OXIDIZED, DRY
- 2.0 6.0 SAND, TAN-BROWN, FINE TO MEDIUM, VERY CLAYEY; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 312 LOCATION: 102N-48W-21AAAD

LEGAL LOCATION: SE NE NE NE SEC. 21, T. 102 N., R. 48 W.

18.0 - 30.0 SAND, BROWN, MEDIUM; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 313 LOCATION: 102N-48W-21DDDD

LEGAL LOCATION: SE SE SE SE SEC. 21, T. 102 N., R. 48 W.

- 0 16.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, FINE GRAVEL; OXIDIZED
- 19.0 26.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 314 LOCATION: 102N-48W-23ADAA

LEGAL LOCATION: NE NE SE NE SEC. 23, T. 102 N., R. 48 W.

- 10.0 11.0 SAND, ORANGE-BROWN, FINE TO MEDIUM; DRY
  TO MOIST, OXIDIZED
- 14.0 19.0 GRAVEL, BROWN, MEDIUM TO COARSE GRADING INTO MEDIUM TO FINE, VERY CLAYEY;
  LITTLE SAND, MOIST, OXIDIZED
- 19.0 38.0 SAND AND GRAVEL, LIGHT-BROWN TO BROWN,
  FINE TO COARSE SAND, FINE TO MEDIUM
  GRAVEL, ROUNDED; MOIST, OXIDIZED,
  GRAVEL AND CLAY CONTENT INCREASE
  WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 315 LOCATION: 102N-48W-23CCDD

LEGAL LOCATION: SE SE SW SW SEC. 23, T. 102 N., R. 48 W.

O - 33.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, FINE TO MEDIUM GRAVEL; SOME COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 316
LOCATION: 102N-48W-23DAAD

LEGAL LOCATION: SE NE NE SE SEC. 23, T. 102 N., R. 48 W.

6.0 - 17.0 SAND AND GRAVEL, BROWN, MEDIUM SAND,
FINE GRAVEL, SLIGHTLY CLAYEY; OXIDIZED,
MOIST

\* \* \* \*

TEST HOLE NUMBER: 317 LOCATION: 102N-48W-24BAAA

LEGAL LOCATION: NE NE NE NW SEC. 24, T. 102 N., R. 48 W.

SAND, BROWN, FINE TO MEDIUM; LITTLE 2.0 -8.0 CLAY, DRY, OXIDIZED 8.0 -13.0 SAND, LIGHT-BROWN TO DARK-BROWN, FINE TO MEDIUM; LITTLE CLAY, SOME GRAVEL FROM 10 FEET, DRY, OXIDIZED SAND, YELLOW-BROWN TO BROWN, FINE TO 13.0 -17.0 MEDIUM; LITTLE CLAY, SOME GRAVEL, DRY, OXIDIZED GRAVEL, DARK-BROWN, FINE TO MEDIUM, 17.0 - 31.0 SANDY, ROUNDED; SOME CLAY, DRY TO MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 318 LOCATION: 102N-48W-27CDDD

LEGAL LOCATION: SE SE SE SW SEC. 27, T. 102 N., R. 48 W.

2.0 - 22.0 SAND, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 319 LOCATION: 102N-48W-28CACB

LEGAL LOCATION: NW SW NE SW SEC. 28, T. 102 N., R. 48 W.

2.0 - 30.0 SAND, BROWN, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 320 LOCATION: 102N-48W-29BDDD

LEGAL LOCATION: SE SE SE NW SEC. 29, T. 102 N., R. 48 W.

8.0 - 16.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 321 LOCATION: 102N-48W-29DABB LEGAL LOCATION: NW NW NE SE SEC. 29, T. 102 N., R. 48 W.

6.0 - 26.0 SAND, FINE TO COARSE; WITH SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 322 LOCATION: 102N-48W-30ADDD

LEGAL LOCATION: SE SE SE NE SEC. 30, T. 102 N., R. 48 W.

20.0 - 27.0 SAND AND GRAVEL, FINE SAND TO MEDIUM GRAVEL, SLIGHTLY CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 323 LOCATION: 102N-48W-30ADDD 1

LEGAL LOCATION: SE SE SE NE SEC. 30, T. 102 N., R. 48 W.

20.0 - 26.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, MEDIUM TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 324 LOCATION: 102N-48W-30CADA

LEGAL LOCATION: NE SE NE SW SEC. 30, T. 102 N., R. 48 W.

5.0 - 22.5 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 325 LOCATION: 102N-48W-30CBBC

LEGAL LOCATION: SW NW NW SW SEC. 30, T. 102 N., R. 48 W.

0 - 12.0 SAND, MEDIUM, SILTY

22.0 - 32.0 SAND, BRIGHT-ORANGE, MEDIUM; ALSO SOME PELLETS OF SAND

\* \* \* \*

TEST HOLE NUMBER: 326 LOCATION: 102N-48W-30CBBC 1

LEGAL LOCATION: SW NW NW SW SEC. 30, T. 102 N., R. 48 W.

6.0 - 8.0 SAND, MEDIUM TO COARSE; SOME ROCKS

\* \* \* \*

TEST HOLE NUMBER: 327 LOCATION: 102N-48W-30CCCB

LEGAL LOCATION: NW SW SW SEC. 30, T. 102 N., R. 48 W.

## 18.0 - 22.0 GRAVEL, COARSE; SAMPLE TAKEN, LARGE COBBLES PREVENTED FURTHER DRILLING

\* \* \* \*

TEST HOLE NUMBER: 328 LOCATION: 102N-48W-30CCCC

LEGAL LOCATION: SW SW SW SEC. 30, T. 102 N., R. 48 W.

1.0 - 12.0 SAND, BROWN, MEDIUM; OXIDIZED, SOME YELLOWISH-BROWN CLAY

12.0 - 18.0 SAND, BROWN, MEDIUM; SOME GRAY CLAY
18.0 - 22.0 SAND AND GRAVEL, BROWN, MEDIUM SAND,

MEDIUM TO COARSE GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 329 LOCATION: 102N-48W-30CCCC 1

LEGAL LOCATION: SW SW SW SEC. 30, T. 102 N., R. 48 W.

10.0 - 11.0 GRAVEL, RUST-COLORED, COARSE

11.0 - 15.0 SAND AND GRAVEL, GRAY, FINE SAND TO FINE GRAVEL, SILTY

\* \* \* \*

TEST HOLE NUMBER: 330 LOCATION: 102N-48W-30DADC

LEGAL LOCATION: SW SE NE SE SEC. 30, T. 102 N., R. 48 W.

7.0 - 12.0 SAND AND GRAVEL; SOME BLACK SILTSTONE

\* \* \* \*

TEST HOLE NUMBER: 331 LOCATION: 102N-48W-30DCDC

LEGAL LOCATION: SW SE SW SE SEC. 30, T. 102 N., R. 48 W.

5.0 - 19.5 SAND, BROWN, COARSE; SOME GRAVEL, MOIST

\* \* \* \*

TEST HOLE NUMBER: 332 LOCATION: 102N-48W-31AADD

LEGAL LOCATION: SE SE NE NE SEC. 31, T. 102 N., R. 48 W.

7.0 - 8.5 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 333 LOCATION: 102N-48W-31BBBB

LEGAL LOCATION: NW NW NW NW SEC. 31, T. 102 N., R. 48 W.

#### 8.0 - 12.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 334 LOCATION: 102N-48W-32BCDD

LEGAL LOCATION: SE SE SW NW SEC. 32, T. 102 N., R. 48 W.

8.5 - 31.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 335 LOCATION: 102N-48W-33CABA

LEGAL LOCATION: NE NW NE SW SEC. 33, T. 102 N., R. 48 W.

2.0 - 3.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 336
LOCATION: 102N-48W-33CBBB

LEGAL LOCATION: NW NW NW SW SEC. 33, T. 102 N., R. 48 W.

1.0 - 18.0 SAND AND GRAVEL, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 337 LOCATION: 102N-48W-33DABA

LEGAL LOCATION: NE NW NE SE SEC. 33, T. 102 N., R. 48 W.

0 - 3.0 GRAVEL

12.0 - 24.0 SAND AND GRAVEL, FINE SAND TO MEDIUM

GRAVEL

24.0 - 26.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 338 LOCATION: 102N-48W-33DBBA

LEGAL LOCATION: NE NW NW SE SEC. 33, T. 102 N., R. 48 W.

0 - 8.0 SAND, BROWN, FINE TO MEDIUM, SILTY

8.0 - 15.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL

15.0 - 18.0 GRAVEL, VERY COARSE; ANGULAR

\* \* \* \*

TEST HOLE NUMBER: 339 LOCATION: 102N-48W-33DCDD

LEGAL LOCATION: SE SE SW SE SEC. 33, T. 102 N., R. 48 W.

12.0 - 19.0 SAND, MEDIUM TO COARSE; SATURATED AT 17

FEET

19.0 - 29.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 340 LOCATION: 102N-48W-33DDDC

LEGAL LOCATION: SW SE SE SE SEC. 33, T. 102 N., R. 48 W.

8.0 - 49.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 341 LOCATION: 102N-48W-34AAAA

LEGAL LOCATION: NE NE NE NE SEC. 34, T. 102 N., R. 48 W.

12.0 - 17.0 SAND, COARSE

17.0 - 20.0 SAND, MEDIUM TO COARSE 20.0 - 41.0 GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 342 LOCATION: 102N-48W-34BCCC

LEGAL LOCATION: SW SW SW NW SEC. 34, T. 102 N., R. 48 W.

7.0 - 32.0 SAND, FINE TO COARSE; WITH FINE TO COARSE GRAVEL WHICH OCCURS IN LAYERS IN THE SAND

\* \* \* \*

TEST HOLE NUMBER: 343 LOCATION: 102N-48W-34BCCD

LEGAL LOCATION: SE SW SW NW SEC. 34, T. 102 N., R. 48 W.

0 - 19.0 SAND AND GRAVEL, FINE TO COARSE SAND

AND FINE GRAVEL

19.0 - 41.0 SAND AND GRAVEL, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 344 LOCATION: 102N-48W-34BCDD

LEGAL LOCATION: SE SE SW NW SEC. 34, T. 102 N., R. 48 W.

1.0 - 46.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND AND FINE TO COARSE GRAVEL; ROCKS AT 35 D 45 FEET

\* \* \* \*

TEST HOLE NUMBER: 345 LOCATION: 102N-48W-34CABA

LEGAL LOCATION: NE NW NE SW SEC. 34, T. 102 N., R. 48 W.

1.0 - 12.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED 12.0 - 37.0 GRAVEL, BROWN, MEDIUM TO VERY COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 346 LOCATION: 102N-48W-34CABA 2

LEGAL LOCATION: NE NW NE SW SEC. 34, T. 102 N., R. 48 W.

5.0 - 14.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED 14.0 - 36.0 GRAVEL, BROWN, MEDIUM TO VERY COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 347 LOCATION: 102N-48W-34CABA 3

LEGAL LOCATION: NE NW NE SW SEC. 34, T. 102 N., R. 48 W.

- 4.0 7.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED 7.0 36.0 GRAVEL, BROWN, MEDIUM TO COARSE; OXIDIZED
  - \* \* \* \*

TEST HOLE NUMBER: 348 LOCATION: 102N-48W-34CC

LEGAL LOCATION: SW SW SEC. 34, T. 102 N., R. 48 W.

- 2.0 4.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL
- 4.0 9.0 SAND AND GRAVEL, MEDIUM SAND, COARSE

GRAVEL

- 9.0 14.0 SAND AND GRAVEL, MEDIUM SAND, MEDIUM GRAVEL
- 14.0 19.0 SAND, COARSE
- 19.0 29.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 349
LOCATION: 102N-48W-35ABEB

LEGAL LOCATION: NW NW NW NE SEC. 35, T. 102 N., R. 48 W.

16.0 - 24.0 GRAVEL, BROWN, MEDIUM TO COARSE; OXIDIZED

24.0 - 31.0 SAND, FINE TO MEDIUM; MOSTLY QUARTZ

\* \* \* \*

TEST HOLE NUMBER: 350 LOCATION: 102N-48W-35ABBB 2

LEGAL LOCATION: NW NW NW NE SEC. 35, T. 102 N., R. 48 W.

15.0 - 25.0 GRAVEL, BROWN, MEDIUM TO COARSE; OXIDIZED

25.0 - 32.0 SAND, FINE TO MEDIUM; MOSTLY QUARTZ

\* \* \* \*

TEST HOLE NUMBER: 351 LOCATION: 102N-48W-35BAAA

LEGAL LOCATION: NE NE NE NW SEC. 35, T. 102 N., R. 48 W.

10.0 - 32.0 SAND AND GRAVEL, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 352 LOCATION: 102N-48W-35BBBB

LEGAL LOCATION: NW NW NW NW SEC. 35, T. 102 N., R. 48 W.

7.0 - 9.0 SAND AND GRAVEL, MEDIUM TO COARSE 11.0 - 34.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 353 LOCATION: 102N-48W-35BBCC

LEGAL LOCATION: SW SW NW NW SEC. 35, T. 102 N., R. 48 W.

22.0 - 36.0 SAND AND GRAVEL, BROWN, MEDIUM; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 354 LOCATION: 102N-48W-35CDCC 1

LEGAL LOCATION: SW SW SE SW SEC. 35, T. 102 N., R. 48 W.

0 - 15.0 SAND, FINE TO MEDIUM; SOME GRAVEL

15.0 - 19.0 SAND AND GRAVEL, FINE SAND TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 355 LOCATION: 102N-48W-35CDCC 2

LEGAL LOCATION: SW SW SE SW SEC. 35. T. 102 N., R. 48 W.

2.0 - 17.0 SAND AND GRAVEL, MEDIUM SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 356

LOCATION: 102N-48W-36DDAA

LEGAL LOCATION: NE NE SE SE SEC. 36, T. 102 N., R. 48 W.

12.0 - 15.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED

25.0 - 30.0 SAND, REDDISH-BROWN, MEDIUM; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 357 LOCATION: 102N-49W-01AAAB

LEGAL LOCATION: NW NE NE NE SEC. 01, T. 102 N., R. 49 W.

5.0 - 25.0 SAND, BROWN, MEDIUM TO COARSE; TURNS TO GRAY AT 15 FEET

\* \* \* \*

TEST HOLE NUMBER: 358 LOCATION: 102N-49W-01CCCC

LEGAL LOCATION: SW SW SW SEC. 01, T. 102 N., R. 49 W.

2.0 - 7.0 GRAVEL, FINE TO MEDIUM; WITH CLAY

7.0 - 14.0 GRAVEL, MEDIUM TO COARSE; WITH CLAY

\* \* \* \*

TEST HOLE NUMBER: 359 LOCATION: 102N-49W-03BAAA

LEGAL LOCATION: NE NE NE NW SEC. 03, T. 102 N., R. 49 W.

O - 6.0 SAND, BROWN, CLAYEY

6.0 - 28.0 SAND, YELLOW-BROWN, CLAYEY; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 360 LOCATION: 102N-49W-03BCCC

LEGAL LOCATION: SW SW SW NW SEC. 03, T. 102 N., R. 49 W.

2.0 - 35.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, FINE TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 361 LOCATION: 102N-49W-04AAAA

LEGAL LOCATION: NE NE NE NE SEC. 04, T. 102 N., R. 49 W.

10.0 - 20.0 SAND, COARSE; DIRTY 20.0 - 25.0 SAND; AND SOME GRAVEL

25.0 - 30.0 GRAVEL, FINE, SANDY

\* \* \* \*

TEST HOLE NUMBER: 362 LOCATION: 102N-49W-04AB

LEGAL LOCATION: NW NE SEC. 04, T. 102 N., R. 49 W.

12.0 - 15.0 SAND, FINE

15.0 - 30.0 SAND, COARSE IN UPPER PART

\* \* \* \*

TEST HOLE NUMBER: 363 LOCATION: 102N-49W-04BBB

LEGAL LOCATION: NW NW NW SEC. 04, T. 102 N., R. 49 W.

10.0 - 12.0 SAND AND GRAVEL, FINE 12.0 - 15.0 SAND, COARSE; CLEAN

15.0 - 20.0 GRAVEL, COARSE

20.0 - 25.0 SAND; WOOD FRAGMENTS AT 20.5 FEET

25.0 - 28.0 SAND OR GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 364

LOCATION: 102N-49W-04BBB 1

LEGAL LOCATION: NW NW NW SEC. 04, T. 102 N., R. 49 W.

12.0 - 15.0 SAND, DARK-GRAY TO BLACK, COARSE, CLAYEY

15.0 - 30.0 SAND, DARK-GRAY TO BLACK, MEDIUM TO COARSE

\_ -----

\* \* \* \*

TEST HOLE NUMBER: 365 LOCATION: 102N-49W-05AB

LEGAL LOCATION: NW NE SEC. 05, T. 102 N., R. 49 W.

5.0 - 10.0 SAND, COARSE

12.0 - 15.0 SAND, COARSE

15.0 - 26.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 366 LOCATION: 102N-49W-05ABAB

LEGAL LOCATION: NW NE NW NE SEC. 05, T. 102 N., R. 49 W.

2.0 - 34.0 SAND AND GRAVEL, BROWN, MEDIUM SAND, MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 367 LOCATION: 102N-49W-05BBBB

LEGAL LOCATION: NW NW NW NW SEC. 05, T. 102 N., R. 49 W.

### 7.0 - 12.0 SAND, YELLOW-BROWN, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 368 LOCATION: 102N-49W-08ACDD

LEGAL LOCATION: SE SE SW NE SEC. 08, T. 102 N., R. 49 W.

7.0 -	17.0	SAND,	GRAY,	MEDIUM	TO	FINE;	SATURATED,
		WTጥ፣	VA.TO I				

- 17.0 20.0 GRAVEL, FINE; WITH FINE TO COARSE SAND, 10 PERCENT CLAY
- 20.0 24.0 GRAVEL, FINE TO PEA; WITH FINE TO COARSE SAND, 5 PERCENT CLAY
- 24.0 34.0 GRAVEL, FINE TO PEA; WITH FINE TO COARSE SAND, CLEAN

\* \* \* \*

TEST HOLE NUMBER: 369 LOCATION: 102N-49W-08BAAB

LEGAL LOCATION: NW NE NE NW SEC. 08, T. 102 N., R. 49 W.

9.0 - 31.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 370 LOCATION: 102N-49W-08CC

LEGAL LOCATION: SW SW SEC. 08, T. 102 N., R. 49 W.

9.0 -	14.0	SAND.	MEDIUM	TO	COARSE
J . U		O-1410,			

- 14.0 19.0 SAND, MEDIUM; TO FINE GRAVEL
- 19.0 24.0 SAND, COARSE; TO FINE GRAVEL
- 24.0 29.0 SAND, MEDIUM; TO FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 371 LOCATION: 102N-49W-08CCCD

LEGAL LOCATION: SE SW SW SW SEC. 08, T. 102 N., R. 49 W.

11.0 - 43.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 372 LOCATION: 102N-49W-08CCCD 1 LEGAL LOCATION: SE SW SW SEC. 08, T. 102 N., R. 49 W.

11.0 - 12.0 SAND, FINE

12.0 - 20.0 GRAVEL, FINE; CLEAN AT BASE

20.0 - 25.0 GRAVEL, FINE, MEDIUM 25.0 - 30.0 SAND, FINE; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 373 LOCATION: 102N-49W-08CDCC

LEGAL LOCATION: SW SW SE SW SEC. 08, T. 102 N., R. 49 W.

10.0 - 23.0 SAND AND GRAVEL, GREENISH, FINE SAND TO

FINE GRAVEL

23.0 - 31.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 374 LOCATION: 102N-49W-08CDCC 1

LEGAL LOCATION: SW SW SE SW SEC. 08, T. 102 N., R. 49 W.

10.0 - 20.0 SAND, BROWN, MEDIUM, WELL-SORTED

20.0 - 30.0 SAND AND GRAVEL, VERY COARSE SAND, VERY FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 375 LOCATION: 102N-49W-08DCDD

LEGAL LOCATION: SE SE SW SE SEC. 08, T. 102 N., R. 49 W.

14.0 - 35.0 SAND, BROWN, MEDIUM; GRADES TO A MEDIUM GRAVEL WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 376 LOCATION: 102N-49W-09BABA

LEGAL LOCATION: NE NW NE NW SEC. 09, T. 102 N., R. 49 W.

6.0 - 10.0 SAND

14.0 - 24.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 377 LOCATION: 102N-49W-09BBAB

LEGAL LOCATION: NW NE NW NW SEC. 09, T. 102 N., R. 49 W.

8.0 - 14.0 SAND AND GRAVEL, COARSE SAND AND FINE

GRAVEL

14.0 - 35.0 GRAVEL, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 378 LOCATION: 102N-49W-09BBAB 2

LEGAL LOCATION: NW NE NW NW SEC. 09, T. 102 N., R. 49 W.

10.0 - 34.0 GRAVEL, GRAY, MEDIUM TO COARSE; SOME GRAY COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 379 LOCATION: 102N-49W-09BBAB 3

LEGAL LOCATION: NW NE NW NW SEC. 09, T. 102 N., R. 49 W.

4.0 - 37.0 SAND, BROWN, MEDIUM; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 380 LOCATION: 102N-49W-10AAAA

LEGAL LOCATION: NE NE NE NE SEC. 10, T. 102 N., R. 49 W.

0 - 2.0 SAND, FINE 24.0 - 27.0 SAND, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 381 LOCATION: 102N-49W-12AABB

LEGAL LOCATION: NW NW NE NE SEC. 12, T. 102 N., R. 49 W.

15.0 - 16.0 SAND, FINE

\* \* \* \*

TEST HOLE NUMBER: 382 LOCATION: 102N-49W-14AAAA

LEGAL LOCATION: NE NE NE NE SEC. 14, T. 102 N., R. 49 W.

5.0 - 11.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 383 LOCATION: 102N-49W-14AAAB

LEGAL LOCATION: NW NE NE NE SEC. 14, T. 102 N., R. 49 W.

2.0 - 22.0 SAND AND GRAVEL, MEDIUM SAND TO MEDIUM GRAVEL; WELL ROUNDED TO ANGULAR

TEST HOLE NUMBER: LOCATION: 102N-49W-14AAAB 2

LEGAL LOCATION: NW NE NE NE SEC. 14, T. 102 N., R. 49 W.

18.0 SAND AND GRAVEL, BROWN, COARSE SAND, MEDIUM TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 102N-49W-14DDDA 1

LEGAL LOCATION: NE SE SE SE SEC. 14, T. 102 N., R. 49 W.

11.0 SAND AND GRAVEL, FINE SAND TO MEDIUM GRAVEL; WELL ROUNDED

\* \* \* \*

TEST HOLE NUMBER: 386

LOCATION: 102N-49W-14DDDA 2

LEGAL LOCATION: NE SE SE SE SEC. 14, T. 102 N., R. 49 W.

8.0 GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 102N-49W-15CBBB

LEGAL LOCATION: NW NW NW SW SEC. 15, T. 102 N., R. 49 W.

7.0 SAND, MEDIUM TO COARSE; WITH BROWN CLAY SAND AND GRAVEL, COARSE SAND AND FINE 10.0 -20.0

GRAVEL; SOME BROWN CLAY BUT NOT AS MUCH AS FROM 4 TO 7 FEET

\* \* \* \*

TEST HOLE NUMBER: 388 LOCATION: 102N-49W-16ABB

LEGAL LOCATION: NW NW NE SEC. 16, T. 102 N., R. 49 W.

9.0 -17.0 GRAVEL, COARSE, SANDY AT TOP

17.0 -20.0 SAND, SILTY

20.0 -30.0 GRAVEL AND SAND

\* \* \* \*

TEST HOLE NUMBER: 389 LOCATION: 102N-49W-16BB

LEGAL LOCATION: NW NW SEC. 16, T. 102 N., R. 49 W.

9.0 -15.0 GRAVEL, COARSE, FINE AT TOP; CLEAN 15.0 - 24.0 GRAVEL, COARSE; CLEAN, SOME SAND AT BASE

24.0 - 26.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 390 LOCATION: 102N-49W-16CCDC

LEGAL LOCATION: SW SE SW SW SEC. 16, T. 102 N., R. 49 W.

8.0 - 17.0 SAND, CLAYEY

17.0 - 38.0 SAND AND GRAVEL, VERY COARSE SAND, VERY FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 391 LOCATION: 102N-49W-17AB

LEGAL LOCATION: NW NE SEC. 17, T. 102 N., R. 49 W.

0 - 10.0 SAND, COARSE

10.0 - 20.0 GRAVEL AND SAND; CLEAN AT TOP

20.0 - 30.0 SAND AND GRAVEL, COARSE AT BASE

\* \* \* \*

TEST HOLE NUMBER: 392 LOCATION: 102N-49W-17CACC

LEGAL LOCATION: SW SW NE SW SEC. 17, T. 102 N., R. 49 W.

8.0 - 20.0 SAND, MEDIUM, CLAYEY

20.0 - 38.0 SAND AND GRAVEL, VERY COARSE SAND, VERY FINE GRAVEL, SILTY; CLEANER FROM 30 FEET

\* \* \* \*

TEST HOLE NUMBER: 393 LOCATION: 102N-49W-17CDCD

LEGAL LOCATION: SE SW SE SW SEC. 17, T. 102 N., R. 49 W.

4.0 - 41.0 SAND, BROWN, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 394 LOCATION: 102N-49W-17DACC

LEGAL LOCATION: SW SW NE SE SEC. 17, T. 102 N., R. 49 W.

14.0 - 22.0 SAND AND GRAVEL, BLACK, VERY COARSE SAND,

FINE GRAVEL, CLAYEY

22.0 - 33.0 SAND AND GRAVEL, VERY COARSE SAND, FINE

GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 395 LOCATION: 102N-49W-20AACC

LEGAL LOCATION: SW SW NE NE SEC. 20, T. 102 N., R. 49 W.

14.0 - 16.0 SAND, CLAYEY

16.0 - 35.0 SAND AND GRAVEL, VERY COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 396 LOCATION: 102N-49W-20ABA 1

LEGAL LOCATION: NE NW NE SEC. 20, T. 102 N., R. 49 W.

6.0 <b>-</b>	16.0	SAND AND GRAVEL, BROWN, 60 PERCENT FINE TO COARSE SAND, 40 PERCENT FINE TO
		MEDIUM GRAVEL
160 -	22 0	SAND AND GRAVEL, 60 PERCENT FINE
10.0 -	22.0	·
		TO COARSE SAND, 40 PERCENT FINE TO
		MEDIUM GRAVEL
22.0 -	36.0	SAND AND GRAVEL, GRAY, 45 PERCENT FINE
		TO COARSE SAND, 45 PERCENT FINE TO
		MEDIUM GRAVEL, 10 PERCENT COARSE

\* \* \* \*

GRAVEL

TEST HOLE NUMBER: 397 LOCATION: 102N-49W-20ABA 2

LEGAL LOCATION: NE NW NE SEC. 20, T. 102 N., R. 49 W.

7.0 <del>-</del>	18.0	SAND AND GRAVEL, BROWN, 70 PERCENT FINE
		TO COARSE SAND, 30 PERCENT FINE TO
		MEDIUM GRAVEL
18.0 -	21.0	SAND AND GRAVEL, GRAY, 40 PERCENT FINE
		TO COARSE SAND, 60 PERCENT FINE TO
		MEDIUM GRAVEL
21.0 -	28.0	SAND AND GRAVEL, 70 PERCENT MEDIUM TO
		COARSE SAND, 30 PERCENT FINE TO
		MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 398
LOCATION: 102N-49W-20ABA 3

LEGAL LOCATION: NE NW NE SEC. 20, T. 102 N., R. 49 W.

6.	0 -	18.0	SAND AND	GRAVEL,	40	PERCEN	T FI	TE T	0
			COARSE	SAND, 60	) PI	ERCENT	FINE	TO 1	MEDIUM
			GRAVEL						
10	^	27 0	CAND AND	CDATTER		DEDOES	TOTAL NATION	TIME	mo.

18.0 - 27.0 SAND AND GRAVEL, 60 PERCENT MEDIUM TO

COARSE SAND, 40 PERCENT FINE TO MEDIUM

GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 399 LOCATION: 102N-49W-20ABAA

LEGAL LOCATION: NE NE NW NE SEC. 20, T. 102 N., R. 49 W.

7.0 -	12.0	SAND, DARK-BROWN, GRAVELLY; VERY DIRTY,
		WET
12.0 -	17.0	SAND, LIGHT-BROWN, GRAVELLY; DIRTY
17.0 <b>-</b>	18.0	SAND AND GRAVEL, GRAY, FINE TO MEDIUM
18.0 -	20.0	SAND AND GRAVEL, GRAY, FINE TO COARSE
20.0 -	24.0	SAND AND GRAVEL, FINE TO MEDIUM
24.0 -	25.0	SAND AND GRAVEL, COARSE
25.0 <b>-</b>	29.0	SAND AND GRAVEL, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 400 LOCATION: 102N-49W-20ABBA

LEGAL LOCATION: NE NW NW NE SEC. 20, T. 102 N., R. 49 W.

14.0 -	-	17.0	SAND	AND	GRAVEL,	GRAYISH-BROWN,	MEDIUM;
			VEF	RY DI	CRTY, WET	C	
17.0 -	-	22.0	SAND	AND	GRAVEL,	GRAY, FINE	
22.0 -	-	25.0	SAND	AND	GRAVEL,	MEDIUM SAND, CO	DARSE
			GR <i>I</i>	VEL			
25.0 -	•	37.0	SAND	AND	GRAVEL,	FINE TO MEDIUM	

\* \* \* \*

TEST HOLE NUMBER: 401 LOCATION: 102N-49W-20ABBB

LEGAL LOCATION: NW NW NW NE SEC. 20, T. 102 N., R. 49 W.

8.0 -	13.0	GRAVEL,	FINE	TO	MEDIUM;	$\mathtt{HTIW}$	SAND	AND
		BROWN	CLAY,	SI	TURATED			
13.0 -	20.0	GRAVEL,	FINE	TO	MEDIUM;	HTIW	SAND,	CLEAN
20.0 -	33.0	GRAVEL,	FINE	TO	COARSE;	WITH	SAND,	CLEAN

\* \* \* \*

TEST HOLE NUMBER: 402 LOCATION: 102N-49W-20ACBB

LEGAL LOCATION: NW NW SW NE SEC. 20, T. 102 N., R. 49 W.

11.0 -	20.0	SAND,	MEDIUM	$\mathtt{TO}$	COARSE;	$\mathtt{WITH}$	BROWN CI	${}_{\! \perp}\! { m AY}$	
20.0 -	42.0	SAND,	MEDIUM	TO	COARSE;	WITH	FINE TO		
COARSE GRAVEL									

\* \* \* \*

TEST HOLE NUMBER: 403 LOCATION: 102N-49W-20ACDB

LEGAL LOCATION: NW SE SW NE SEC. 20, T. 102 N., R. 49 W.

9.0 - 14.0 SAND, FINE TO COARSE; WITH SOME BROWN CLAY

14.0 - 19.0 SAND, MEDIUM TO COARSE; WITH GRAVEL AND BROWN CLAY

19.0 - 29.0 SAND AND GRAVEL, COARSE SAND, FINE TO COARSE GRAVEL; WITH SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 404 LOCATION: 102N-49W-20ACDC 1

LEGAL LOCATION: SW SE SW NE SEC. 20, T. 102 N., R. 49 W.

8.0 - 18.0 SAND, MEDIUM TO COARSE

18.0 - 44.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 405 LOCATION: 102N-49W-20ACDC 2

LEGAL LOCATION: SW SE SW NE SEC. 20, T. 102 N., R. 49 W.

11.0 - 18.0 SAND, MEDIUM TO COARSE

18.0 - 23.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND,

MEDIUM TO COARSE GRAVEL

23.0 - 37.0 SAND, MEDIUM TO COARSE; WITH FINE TO

MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 406 LOCATION: 102N-49W-20ACDD

LEGAL LOCATION: SE SE SW NE SEC. 20, T. 102 N., R. 49 W.

15.0 - 26.0 SAND, COARSE; WITH FINE TO COARSE GRAVEL AND HEAVY CLAY-SILT

\* \* \* \*

TEST HOLE NUMBER: 407 LOCATION: 102N-49W-20BAAA

LEGAL LOCATION: NE NE NE NW SEC. 20, T. 102 N., R. 49 W.

7.0 - 19.0 GRAVEL, COARSE; WITH SAND AND SOME CLAY

19.0 - 38.0 GRAVEL, MEDIUM; WITH SAND, CLEAN

\* \* \* \*

TEST HOLE NUMBER: 408 LOCATION: 102N-49W-20BACD

LEGAL LOCATION: SE SW NE NW SEC. 20, T. 102 N., R. 49 W.

7.0 - 12.0 SAND AND CLAY

# 12.0 - 31.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE GRAVEL; CLEAN

\* \* \* \* .

TEST HOLE NUMBER: 409 LOCATION: 102N-49W-20BDCC

LEGAL LOCATION: SW SW SE NW SEC. 20, T. 102 N., R. 49 W.

12.0 - 19.0 SAND, FINE TO MEDIUM; WITH SILT AND CLAY

19.0 - 33.0 GRAVEL, FINE TO MEDIUM; WITH SAND AND

SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 410 LOCATION: 102N-49W-20CD

LEGAL LOCATION: SE SW SEC. 20, T. 102 N., R. 49 W.

9.0 - 15.0 SAND AND GRAVEL

15.0 - 20.0 GRAVEL 20.0 - 25.0 SAND 25.0 - 45.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 411 LOCATION: 102N-49W-20DABB

LEGAL LOCATION: NW NW NE SE SEC. 20, T. 102 N., R. 49 W.

9.0 - 19.0 SAND, MEDIUM; WITH DARK-GRAY CLAY,

SATURATED

23.0 - 28.0 GRAVEL, FINE; WITH SAND AND CLAY

\* \* \* \*

TEST HOLE NUMBER: 412 LOCATION: 102N-49W-20DBDD

LEGAL LOCATION: SE SE NW SE SEC. 20, T. 102 N., R. 49 W.

9.0 - 17.0 GRAVEL, FINE, SANDY, CLAYEY, SILTY

17.0 - 38.0 GRAVEL, FINE

\* \* \* \*

TEST HOLE NUMBER: 413 LOCATION: 102N-49W-20DCC

LEGAL LOCATION: SW SW SE SEC. 20, T. 102 N., R. 49 W.

8.0 - 10.0 GRAVEL, COARSE 10.0 - 30.0 GRAVEL AND SAND

\* \* \* \*

TEST HOLE NUMBER: 414 LOCATION: 102N-49W-20DCD 1

LEGAL LOCATION: SE SW SE SEC. 20, T. 102 N., R. 49 W.

12.0 - 35.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 415 LOCATION: 102N-49W-20DCD 2

LEGAL LOCATION: SE SW SE SEC. 20, T. 102 N., R. 49 W.

10.0 - 34.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 416
LOCATION: 102N-49W-20DCD 3

LEGAL LOCATION: SE SW SE SEC. 20, T. 102 N., R. 49 W.

14.0 - 17.0 SAND, BROWN, FINE TO COARSE; VERY DIRTY, 10 PERCENT MEDIUM TO COARSE GRAVEL

17.0 - 34.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 417 LOCATION: 102N-49W-20DCD 4

LEGAL LOCATION: SE SW SE SEC. 20, T. 102 N., R. 49 W.

13.0 - 16.0 SAND, FINE TO COARSE; 20 PERCENT FINE TO MEDIUM GRAVEL

16.0 - 34.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 418
LOCATION: 102N-49W-20DCD 5

LEGAL LOCATION: SE SW SE SEC. 20, T. 102 N., R. 49 W.

12.0 - 20.0 SAND AND GRAVEL, RUST-COLORED, FINE TO COARSE SAND, MEDIUM GRAVEL; DIRTY

20.0 - 26.0 SAND AND GRAVEL, GRAY, MEDIUM TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 419 LOCATION: 102N-49W-20DCD 6

LEGAL LOCATION: SE SW SE SEC. 20, T. 102 N., R. 49 W.

12.0 - 33.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 420 LOCATION: 102N-49W-20DCD 7

LEGAL LOCATION: SE SW SE SEC. 20, T. 102 N., R. 49 W.

14.0 - 23.0 SAND AND GRAVEL, FINE TO COARSE SAND,

FINE TO COARSE GRAVEL, SILTY

23.0 - 32.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 421

LOCATION: 102N-49W-20DCD 8

LEGAL LOCATION: SE SW SE SEC. 20, T. 102 N., R. 49 W.

7.0 - 36.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 422

LOCATION: 102N-49W-20DCD 9

LEGAL LOCATION: SE SW SE SEC. 20, T. 102 N., R. 49 W.

- 7.0 23.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL
- 23.0 35.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 423 LOCATION: 102N-49W-21BBA

LEGAL LOCATION: NE NW NW SEC. 21, T. 102 N., R. 49 W.

- 2.0 15.0 GRAVEL, FINE TO COARSE, CLAYEY
- 15.0 20.0 GRAVEL, COARSE
- 20.0 27.0 SAND AND GRAVEL, FINE TO COARSE SAND, COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 424 LOCATION: 102N-49W-21BCAC

LEGAL LOCATION: SW NE SW NW SEC. 21, T. 102 N., R. 49 W.

8.0 - 15.0 GRAVEL, VERY FINE, CLAYEY

15.0 - 25.0 SAND AND GRAVEL, VERY COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 102N-49W-21CCC

LEGAL LOCATION: SW SW SW SEC. 21, T. 102 N., R. 49 W.

SAND AND GRAVEL 9.0 -10.0

20.0 SAND 10.0 -

25.0 SAND, COARSE; SOME GRAVEL

20.0 - 25.0 SAND, COARSE; SOME ( 25.0 - 32.0 SAND, MEDIUM; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 426 LOCATION: 102N-49W-21CCD

LEGAL LOCATION: SE SW SW SEC. 21, T. 102 N., R. 49 W.

6.0 **-**17.0 SAND AND GRAVEL, BROWN, FINE TO COARSE

SAND, FINE TO MEDIUM GRAVEL

SAND AND GRAVEL, GRAY, FINE TO COARSE 17.0 - 30.0

SAND, FINE TO MEDIUM GRAVEL; LIGHT SILT

AND CLAY

\* \* \* \*

TEST HOLE NUMBER: 427 LOCATION: 102N-49W-21CDBB

LEGAL LOCATION: NW NW SE SW SEC. 21, T. 102 N., R. 49 W.

SAND, COARSE, SILTY 7.0 -12.0

12.0 -SAND AND GRAVEL, VERY COARSE SAND, VERY 27.0 FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 428 LOCATION: 102N-49W-21DBDD

LEGAL LOCATION: SE SE NW SE SEC. 21, T. 102 N., R. 49 W.

\*\*\*\*\*\*\*\*\*\* \* THIS LOG CONTAINS UNVERIFIED INFORMATION \* \*\*\*\*\*\*\*\*\*\*\*

2.0 - 20.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 429 LOCATION: 102N-49W-21DCC

LEGAL LOCATION: SW SW SE SEC. 21, T. 102 N., R. 49 W.

6.0 **-**13.0 GRAVEL

13.0 -16.0 SAND, FINE

21.0 SAND, COARSE 16.0 -

26.0 GRAVEL, COARSE; BOULDERS AND CLAY 21.0 -

#### STREAKS

\* \* \* \*

TEST HOLE NUMBER: 430 LOCATION: 102N-49W-21DDAB

LEGAL LOCATION: NW NE SE SE SEC. 21, T. 102 N., R. 49 W.

15.0 - 26.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 431 LOCATION: 102N-49W-22BBBB

LEGAL LOCATION: NW NW NW NW SEC. 22, T. 102 N., R. 49 W.

6.0 - 10.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 432 LOCATION: 102N-49W-22BBBB 1

LEGAL LOCATION: NW NW NW NW SEC. 22, T. 102 N., R. 49 W.

1.0 - 13.0 SAND, BROWN, MEDIUM; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 433 LOCATION: 102N-49W-25CCDD

LEGAL LOCATION: SE SE SW SW SEC. 25, T. 102 N., R. 49 W.

- 1.0 8.0 SAND AND GRAVEL, BROWN, MEDIUM SAND,
  MEDIUM TO COARSE GRAVEL; OXIDIZED, SOME
  COBBLES
- 12.0 16.0 SAND AND GRAVEL, BROWN, MEDIUM SAND, MEDIUM GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 434 LOCATION: 102N-49W-25CCDD 2

LEGAL LOCATION: SE SE SW SW SEC. 25, T. 102 N., R. 49 W.

- 0 8.0 SAND AND GRAVEL, BROWN, MEDIUM SAND, MEDIUM TO COARSE GRAVEL
- 12.0 16.0 SAND AND GRAVEL, BROWN, MEDIUM SAND, MEDIUM GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 435 LOCATION: 102N-49W-28ABBB

LEGAL LOCATION: NW NW NW NE SEC. 28, T. 102 N., R. 49 W.

SAND, MEDIUM 2.0 -7.0

10.0 -20.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

SAND AND GRAVEL, VERY COARSE SAND, FINE 20.0 -34.0

GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 436 LOCATION: 102N-49W-28BBAB

LEGAL LOCATION: NW NE NW NW SEC. 28, T. 102 N., R. 49 W.

5.0 - 27.0 GRAVEL, FINE; SAND

\* \* \* \*

TEST HOLE NUMBER: 437 LOCATION: 102N-49W-28BBDC

LEGAL LOCATION: SW SE NW NW SEC. 28, T. 102 N., R. 49 W.

4.0 -7.0 SAND AND GRAVEL, COARSE SAND, FINE

GRAVEL, SILTY 7.0 - 32.0 SAND, VERY COARSE, SILTY

\* \* \* \*

TEST HOLE NUMBER: 438 LOCATION: 102N-49W-28BCDC

LEGAL LOCATION: SW SE SW NW SEC. 28, T. 102 N., R. 49 W.

10.0 SAND, VERY COARSE, CLAYEY; GRAVEL 4.0 -

10.0 -37.0 SAND AND GRAVEL, VERY COARSE SAND, VERY FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 439 LOCATION: 102N-49W-28CADD

LEGAL LOCATION: SE SE NE SW SEC. 28, T. 102 N., R. 49 W.

6.0 - 28.0 SAND AND GRAVEL, VERY COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 440 LOCATION: 102N-49W-28CBCC

LEGAL LOCATION: SW SW NW SW SEC. 28, T. 102 N., R. 49 W.

9.0 SAND, FINE; WITH SILT AND CLAY 6.0 **-**

9.0 -14.0 GRAVEL, FINE; WITH SAND, SILT AND CLAY

- 14.0 23.0 GRAVEL, FINE TO COARSE; WITH SAND, SILT AND CLAY
- 23.0 40.0 GRAVEL, FINE TO COARSE; WITH SAND

\* \* \* \*

TEST HOLE NUMBER: 441 LOCATION: 102N-49W-28CCAC

LEGAL LOCATION: SW NE SW SW SEC. 28, T. 102 N., R. 49 W.

- 7.0 8.0 SAND, BROWN, VERY FINE TO FINE
- 15.0 24.0 SAND, MEDIUM TO COARSE; WITH SOME FINE GRAVEL
- 24.0 30.0 SAND, VERY FINE TO COARSE; WITH FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 442 LOCATION: 102N-49W-28CCC

LEGAL LOCATION: SW SW SW SEC. 28, T. 102 N., R. 49 W.

- 5.0 23.0 GRAVEL; FINE SAND AT BASE
- 23.0 36.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 443 LOCATION: 102N-49W-28CCD

LEGAL LOCATION: SE SW SW SEC. 28, T. 102 N., R. 49 W.

14.0 - 31.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 444 LOCATION: 102N-49W-28CCD

LEGAL LOCATION: SE SW SW SEC. 28, T. 102 N., R. 49 W.

- 12.0 17.0 SAND, FINE TO COARSE; GRAVEL, FINE TO MEDIUM, SILTY
- 17.0 23.0 SAND, FINE TO COARSE; GRAVEL, FINE TO MEDIUM, SLIGHTLY SILTY
- 23.0 28.0 SAND AND GRAVEL, GRAY, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 445 LOCATION: 102N-49W-28CCD

LOCATION: 102N-49W-28CCD 2 LEGAL LOCATION: SE SW SW SEC. 28, T. 102 N., R. 49 W.

9.0 - 14.0 SAND, FINE TO MEDIUM, SILTY; SCATTERED

GRAVEL

14.0 -	17.0	SAND, E	BROWN,	FINE '	TO COARSE,	SILTY;	SOME
		FINE	TO MED	DIUM G	RAVEL		

17.0 - 28.0 SAND, GRAY, FINE TO COARSE SAND, SILTY; FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 446 LOCATION: 102N-49W-28CCD 3

LEGAL LOCATION: SE SW SW SEC. 28, T. 102 N., R. 49 W.

13.0 <b>-</b>	17.0	SAND	AND	) (	GRAVEL,	MEDIUM	TO	COAL	RSE	SAND,
		FI	VE I	O.	MEDIUM	GRAVEL,	. S	LTY	TO	VERY
		SII	YTL							

- 17.0 21.0 SAND, MEDIUM TO COARSE, SLIGHTLY SILTY; SOME FINE GRAVEL
- 21.0 37.5 SAND AND GRAVEL, GRAY, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL, SLIGHTLY SILTY

\* \* \* \*

TEST HOLE NUMBER: 447 LOCATION: 102N-49W-28CCD 4

LEGAL LOCATION: SE SW SW SEC. 28, T. 102 N., R. 49 W.

- 14.0 19.0 SAND, BROWN, MEDIUM TO COARSE; SOME FINE TO MEDIUM GRAVEL
- 19.0 22.0 SAND, FINE TO COARSE; SOME SCATTERED FINE GRAVEL
- 22.0 31.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 448 LOCATION: 102N-49W-28CCD 5

LEGAL LOCATION: SE SW SW SEC. 28, T. 102 N., R. 49 W.

- 14.0 23.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL, SILTY
- 23.0 26.0 SAND, MEDIUM TO COARSE, SLIGHTLY SILTY; SOME FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 449 LOCATION: 102N-49W-28CCD 6

LEGAL LOCATION: SE SW SW SEC. 28, T. 102 N., R. 49 W.

13.0 - 28.0 SAND AND GRAVEL, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL, SLIGHTLY SILTY

\* \* \* \*

TEST HOLE NUMBER: 450 LOCATION: 102N-49W-28CDCC

LEGAL LOCATION: SW SW SE SW SEC. 28, T. 102 N., R. 49 W.

11.0 - 15.0 SAND, MEDIUM TO COARSE

15.0 - 30.0 SAND AND GRAVEL, VERY COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 451 LOCATION: 102N-49W-28CDD

LEGAL LOCATION: SE SE SW SEC. 28, T. 102 N., R. 49 W.

9.0 - 24.0 GRAVEL

24.0 - 28.0 GRAVEL AND SAND

\* \* \* \*

TEST HOLE NUMBER: 452 LOCATION: 102N-49W-28DBBB

LEGAL LOCATION: NW NW NW SE SEC. 28, T. 102 N., R. 49 W.

0 - 10.0 SAND, MEDIUM, WELL-SORTED; SILTED

10.0 - 15.0 SAND, COARSE

15.0 - 30.0 SAND AND GRAVEL, VERY COARSE SAND, VERY FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 453 LOCATION: 102N-49W-28DDD

LEGAL LOCATION: SE SE SE SEC. 28, T. 102 N., R. 49 W.

9.0 - 14.0 SAND, FINE 14.0 - 34.0 SAND, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 454 LOCATION: 102N-49W-28DDDD

LEGAL LOCATION: SE SE SE SE SEC. 28, T. 102 N., R. 49 W.

14.0 - 32.0 SAND, COARSE, VERY COARSE TOWARD BOTTOM

\* \* \* \*

TEST HOLE NUMBER: 455 LOCATION: 102N-49W-29AAAB

LEGAL LOCATION: NW NE NE NE SEC. 29, T. 102 N., R. 49 W.

9.0 - 17.0 GRAVEL AND SAND, CLAYEY

#### 17.0 - 45.0 SAND AND GRAVEL, VERY COARSE SAND, VERY FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 456 LOCATION: 102N-49W-29ADDC

LEGAL LOCATION: SW SE SE NE SEC. 29, T. 102 N., R. 49 W.

14.0 - 35.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 102N-49W-29BDCD

LEGAL LOCATION: SE SW SE NW SEC. 29, T. 102 N., R. 49 W.

11.0 -16.0 SAND, MEDIUM

16.0 -18.0 GRAVEL

18.0 - 36.0 SAND; WITH FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 102N-49W-29CC

LEGAL LOCATION: SW SW SEC. 29, T. 102 N., R. 49 W.

SAND, GRAVELLY 5.0 **-**14.0

21.0 SAND AND GRAVEL; BOULDERS 18.0 -

33.0 SAND, LIGHT-BROWN, COARSE; WET 21.0 -

\* \* \* \*

TEST HOLE NUMBER: 459

LOCATION: 102N-49W-29CC

LEGAL LOCATION: SW SW SEC. 29, T. 102 N., R. 49 W.

11.0 4.0 -GRAVEL

12.0 -14.0 GRAVEL

14.0 -23.0 GRAVEL, VERY COARSE

23.0 -34.0 SAND, VERY COARSE; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 460

LOCATION: 102N-49W-29CC

LEGAL LOCATION: SW SW SEC. 29, T. 102 N., R. 49 W.

12.0 -20.0 SAND, LIGHT-BROWN; CLEAN, MOIST

28.0 SAND AND CLAY, GRAY; WET 20.0 -

\* \* \* \*

TEST HOLE NUMBER: 461

LOCATION: 102N-49W-29CCC 3

LEGAL LOCATION: SW SW SW SEC. 29, T. 102 N., R. 49 W.

10.0 - 17.0 GRAVEL, COARSE; SOME CLAY AT TOP

17.0 - 25.0 GRAVEL

25.0 - 27.0 SAND, FINE

\* \* \* \*

TEST HOLE NUMBER: 462 LOCATION: 102N-49W-29CD

LEGAL LOCATION: SE SW SEC. 29, T. 102 N., R. 49 W.

14.0 - 19.0 SAND, FINE TO COARSE 19.0 - 24.0 SAND, MEDIUM TO COARSE

24.0 - 29.0 SAND, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 463 LOCATION: 102N-49W-29DCAA

LEGAL LOCATION: NE NE SW SE SEC. 29, T. 102 N., R. 49 W.

4.0 - 10.0 GRAVEL AND SAND, MEDIUM 10.0 - 22.0 SAND, VERY COARSE; GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 464 LOCATION: 102N-49W-29DD

LEGAL LOCATION: SE SE SEC. 29, T. 102 N., R. 49 W.

10.0 - 30.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 465 LOCATION: 102N-49W-29DDDA

LEGAL LOCATION: NE SE SE SEC. 29, T. 102 N., R. 49 W.

0 - 3.0 SAND, MEDIUM, WELL-SORTED

3.0 - 32.0 SAND AND GRAVEL, VERY COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 466 LOCATION: 102N-49W-30DD

LEGAL LOCATION: SE SE SEC. 30, T. 102 N., R. 49 W.

0 - 1.0 SAND AND CLAY, BLACK; MOIST (TOPSOIL)

1.0 - 6.0 SAND, LIGHT-BROWN, GRAVELLY; MOIST

6.0 - 12.0 GRAVEL, COARSE

### 12.0 - 19.0 SAND, GRAVELLY

\* \* \* \*

TEST HOLE NUMBER: 467 LOCATION: 102N-49W-30DD

LEGAL LOCATION: SE SE SEC. 30, T. 102 N., R. 49 W.

1.0 - 11.0 GRAVEL, BOULDERY; VERY CLEAN

12.0 - 21.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 468 LOCATION: 102N-49W-31BAAA

LEGAL LOCATION: NE NE NE NW SEC. 31, T. 102 N., R. 49 W.

20.0 - 30.0 SAND, FINE TO MEDIUM; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 469 LOCATION: 102N-49W-32AACA

LEGAL LOCATION: NE SW NE NE SEC. 32, T. 102 N., R. 49 W.

2.0 - 4.0 SAND, DARK-BROWN, CLAYEY; DRY

4.0 - 7.0 SAND AND GRAVEL, FINE; DIRTY, DRY

7.0 - 9.0 SAND, REDDISH-BROWN, MEDIUM; DRY

12.0 - 22.0 GRAVEL, BROWN, MEDIUM TO COARSE, SANDY;

VERY DIRTY
22.0 - 25.0 SAND AND GRAVEL, GRAY, FINE

\* \* \* \*

TEST HOLE NUMBER: 470 LOCATION: 102N-49W-32AACC

LEGAL LOCATION: SW SW NE NE SEC. 32, T. 102 N., R. 49 W.

11.0 - 23.0 SAND AND GRAVEL, COARSE GRAVEL; FAIRLY

CLEAN

23.0 - 26.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 471 LOCATION: 102N-49W-32AADA

LEGAL LOCATION: NE SE NE NE SEC. 32, T. 102 N., R. 49 W.

3.0 - 11.0 SAND, MEDIUM

11.0 - 16.0 SAND, MEDIUM TO COARSE; WITH GRAVEL

16.0 - 35.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 472 LOCATION: 102N-49W-32ABBB

LEGAL LOCATION: NW NW NW NE SEC. 32, T. 102 N., R. 49 W.

15.0 - 25.0 SAND, FINE; WITH CLAY

25.0 - 29.0 SAND AND GRAVEL; LITTLE CLAY

\* \* \* \*

TEST HOLE NUMBER: 473 LOCATION: 102N-49W-32ABCA

LEGAL LOCATION: NE SW NW NE SEC. 32, T. 102 N., R. 49 W.

10.0 - 17.0 SAND, FINE TO COARSE; WITH GRAVEL LENSES 17.0 - 27.0 SAND AND GRAVEL, FINE GRAVEL; WITH SOME

CLAY

\* \* \* \*

TEST HOLE NUMBER: 474 LOCATION: 102N-49W-32ABCA 2

LEGAL LOCATION: NE SW NW NE SEC. 32, T. 102 N., R. 49 W.

8.0 - 12.0 GRAVEL, FINE; WITH SAND AND BROWN CLAY

12.0 - 25.0 GRAVEL AND SAND, FINE TO PEA-SIZE GRAVEL,

FINE TO COARSE SAND; CLEAN

25.0 - 29.0 GRAVEL AND SAND, FINE TO COARSE GRAVEL, FINE TO COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 475 LOCATION: 102N-49W-32ABCC

LEGAL LOCATION: SW SW NW NE SEC. 32, T. 102 N., R. 49 W.

15.0 - 37.0 SAND AND GRAVEL, VERY COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 476 LOCATION: 102N-49W-32ADAC

LEGAL LOCATION: SW NE SE NE SEC. 32, T. 102 N., R. 49 W.

15.0 - 16.0 SAND; WITH FINE TO COARSE GRAVEL

16.0 - 20.0 SAND AND GRAVEL, MEDIUM SAND, FINE

GRAVEL; WITH SOME CLAY

20.0 - 24.0 SAND AND GRAVEL, MEDIUM SAND TO MEDIUM

GRAVEL

24.0 - 28.0 SAND, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 477

LOCATION: 102N-49W-32ADAD

LEGAL LOCATION: SE NE SE NE SEC. 32, T. 102 N., R. 49 W.

9.0 - 23.0 SAND, FINE TO COARSE; CLEAN, SATURATED 23.0 - 30.0 GRAVEL AND SAND, FINE TO COARSE GRAVEL, FINE TO COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 478 LOCATION: 102N-49W-32ADBB

LEGAL LOCATION: NW NW SE NE SEC. 32, T. 102 N., R. 49 W.

6.0 - 14.0 SAND, FINE TO MEDIUM; CLEAN

14.0 - 30.0 GRAVEL AND SAND, FINE GRAVEL, FINE TO COARSE SAND; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 479 LOCATION: 102N-49W-32BAB

LEGAL LOCATION: NW NE NW SEC. 32, T. 102 N., R. 49 W.

11.0 - 16.0 SAND, MEDIUM

16.0 - 30.0 SAND, MEDIUM TO COARSE; WITH SOME COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 480 LOCATION: 102N-49W-32CDAD

LEGAL LOCATION: SE NE SE SW SEC. 32, T. 102 N., R. 49 W.

5.0 - 10.0 SAND AND GRAVEL, COARSE GRAVEL

10.0 - 15.0 GRAVEL, VERY COARSE

15.0 - 27.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 481 LOCATION: 102N-49W-33ACCC

LEGAL LOCATION: SW SW SW NE SEC. 33, T. 102 N., R. 49 W.

7.0 - 12.0 SAND, FINE TO COARSE; WITH CLAY AND FINE

TO MEDIUM GRAVEL

12.0 - 32.0 SAND, MEDIUM TO COARSE; WITH CLAY AND FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 482 LOCATION: 102N-49W-33BAAA

LEGAL LOCATION: NE NE NE NW SEC. 33, T. 102 N., R. 49 W.

3.0 - 11.0 SAND, BROWN, FINE TO MEDIUM 11.0 - 23.0 SAND, MEDIUM TO COARSE; WITH FINE GRA BROWN SILT AND CLAY	VEL,
23.0 - 27.0 SAND, MEDIUM TO COARSE; WITH FINE TO COARSE GRAVEL AND BROWN CLAY	
* * * *	
EST HOLE NUMBER: 483 DCATION: 102N-49W-33BBAA EGAL LOCATION: NE NE NW NW SEC. 33, T. 102 N., R. 49 W.	
3.0 - 12.0 SAND, BROWN, VERY FINE TO FINE 12.0 - 15.0 SAND, FINE TO COARSE; WITH SOME CLAY FINE GRAVEL	AND
15.0 - 30.0 SAND, MEDIUM TO COARSE; WITH FINE TO MEDIUM GRAVEL	
* * *	
EST HOLE NUMBER: 484 OCATION: 102N-49W-33BBBA EGAL LOCATION: NE NW NW NW SEC. 33, T. 102 N., R. 49 W.	
10.0 - 12.0 SAND, BROWN, FINE TO VERY COARSE; DIR	ΤY
12.0 - 18.0 SAND, BROWN, FINE, GRAVELLY; DIRTY 18.0 - 22.0 SAND AND GRAVEL, GRAY, FINE TO MEDIUM SOME COARSE GRAVEL	
22.0 - 27.0 SAND AND GRAVEL, GRAY, MEDIUM; SEVERA INCHES OF CLAY AT 25 FEET, SOME COA GRAVEL	
* * *	
EST HOLE NUMBER: 485	
OCATION: 102N-49W-33BBBB	
EGAL LOCATION: NW NW NW NW SEC. 33, T. 102 N., R. 49 W.	
10.0 - 16.0 SAND, DARK-BROWN, FINE TO VERY COARSE WET, VERY DIRTY, SOME FINE GRAVEL	;
16.0 - 24.0 SAND AND GRAVEL, BROWN, FINE; DIRTY, FRAGMENTS	COAL
24.0 - 32.0 SAND AND GRAVEL, GRAY, FINE TO MEDIUM	
* * * *	
EST HOLE NUMBER: 486 OCATION: 102N-49W-33BBDB EGAL LOCATION: NW SE NW NW SEC. 33, T. 102 N., R. 49 W.	
10.0 - 16.0 SAND, COARSE; SOME CLAY	
16.0 - 18.0 SAND, COARSE; 40 PERCENT GRAVEL, DIRT 18.0 - 41.0 SAND AND GRAVEL, COARSE SAND TO COARS	

18.0 -

41.0

SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL; WITH STREAKS OF VERY COARSE

### GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 487 LOCATION: 102N-49W-33BCBA

LEGAL LOCATION: NE NW SW NW SEC. 33, T. 102 N., R. 49 W.

7.0 -	12.0	GRAVEL AND SAND,	FINE GRAVEL,	COARSE	
SAND, SILTY					
12.0 -	18.0	GRAVEL AND SAND,	FINE GRAVEL,	MEDIUM TO	
COARSE SAND; CLEAN					

18.0 - 35.0 GRAVEL AND SAND, FINE GRAVEL, VERY COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 488 LOCATION: 102N-49W-33BDCB

LEGAL LOCATION: NW SW SE NW SEC. 33, T. 102 N., R. 49 W.

3.0 -	7.0	SAND, ORANGISH-BROWN, VERY FINE TO FINE		
7.0 <del>-</del>	9.0	SAND, FINE TO MEDIUM; WITH SOME GRAVEL		
9.0 <b>-</b>	14.0	SAND, FINE TO COARSE; WITH FINE TO MEDIUM		
GRAVEL				
14.0 -	25.0	SAND, FINE TO COARSE; WITH FINE TO		
COARSE GRAVEL				
25.0 -	37.0	GRAVEL, FINE TO COARSE; WITH COARSE SAND		

\* \* \* \*

TEST HOLE NUMBER: 489 LOCATION: 102N-49W-33CABB

LEGAL LOCATION: NW NW NE SW SEC. 33, T. 102 N., R. 49 W.

3.0 <b>-</b>	17.0	SAND,	FINE TO MEDIUM; WITH SOME GRAVEL
17.0 <b>-</b>	24.0	SAND,	MEDIUM TO COARSE; WITH SOME GRAVEL
24.0 -	36.0	SAND,	COARSE; WITH FINE TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 490 LOCATION: 102N-49W-33CADD

LEGAL LOCATION: SE SE NE SW SEC. 33, T. 102 N., R. 49 W.

5.0	-	7.0	SAND, MEDIUM, CLAYEY
7.0	-	9.0	SAND, MEDIUM TO COARSE
9.0	-	12.0	GRAVEL AND SAND, COARSE GRAVEL, MEDIUM TO
			COARSE SAND
12.0	_	33.0	SAND, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 491

LOCATION: 102N-49W-33CDDD

LEGAL LOCATION: SE SE SE SW SEC. 33, T. 102 N., R. 49 W.

- 2.0 9.0 SAND, FINE; WITH CLAY AND SILT
- 9.0 27.0 SAND, MEDIUM TO COARSE; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 492 LOCATION: 102N-49W-33DBAA

LEGAL LOCATION: NE NE NW SE SEC. 33, T. 102 N., R. 49 W.

5.0 - 12.0 SAND, COARSE, SLIGHTLY SILTY

12.0 - 22.0 SAND, COARSE TO VERY COARSE

22.0 - 30.0 SAND AND GRAVEL, VERY COARSE SAND, VERY

FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 493
LOCATION: 102N-49W-33DDCC

LEGAL LOCATION: SW SW SE SE SEC. 33, T. 102 N., R. 49 W.

4.0 - 36.0 SAND AND GRAVEL, VERY COARSE SAND, VERY FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 494 LOCATION: 102N-49W-34ABB

LEGAL LOCATION: NW NW NE SEC. 34, T. 102 N., R. 49 W.

23.0 - 30.0 SAND, FINE, CLAYEY, PEBBLY

\* \* \* \*

TEST HOLE NUMBER: 495 LOCATION: 102N-49W-36ADAB

LEGAL LOCATION: NW NE SE NE SEC. 36, T. 102 N., R. 49 W.

15.0 - 19.0 SAND, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 496 LOCATION: 102N-49W-36ADDC

LEGAL LOCATION: SW SE SE NE SEC. 36, T. 102 N., R. 49 W.

13.0 - 17.0 SAND, BROWN, SILTY

\* \* \* \*

TEST HOLE NUMBER: 497 LOCATION: 102N-49W-36BBBB LEGAL LOCATION: NW NW NW NW SEC. 36, T. 102 N., R. 49 W.

1.0 - 6.0 SAND, BROWN, MEDIUM; OXIDIZED

20.0 - 26.0 SAND, BROWN, MEDIUM; OXIDIZED, SOME FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 498 LOCATION: 102N-49W-36DCCD

LEGAL LOCATION: SE SW SW SE SEC. 36, T. 102 N., R. 49 W.

4.0 - 16.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 499

LOCATION: 102N-49W-36DCCD 2

LEGAL LOCATION: SE SW SW SE SEC. 36, T. 102 N., R. 49 W.

7.0 - 10.0 SAND, BROWN, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 500 LOCATION: 102N-50W-07CCCC

LEGAL LOCATION: SW SW SW SEC. 07, T. 102 N., R. 50 W.

0 - 8.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 501 LOCATION: 102N-50W-19BCDC

LEGAL LOCATION: SW SE SW NW SEC. 19, T. 102 N., R. 50 W.

1.0 - 22.0 GRAVEL, COARSE; LARGE ROCKS LAST 3 FEET

\* \* \* \*

TEST HOLE NUMBER: 502 LOCATION: 102N-50W-19CBB

LEGAL LOCATION: NW NW SW SEC. 19, T. 102 N., R. 50 W.

3.0 - 9.0 SAND, FINE TO MEDIUM, CLAYEY

9.0 - 10.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 503 LOCATION: 102N-50W-19CBBB

LEGAL LOCATION: NW NW NW SW SEC. 19, T. 102 N., R. 50 W.

0 - 20.0 SAND, BROWN, MEDIUM; OXIDIZED

20.0 - 26.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 504 LOCATION: 102N-50W-19DBB

LEGAL LOCATION: NW NW SE SEC. 19, T. 102 N., R. 50 W.

9.0 - 14.0 SAND, MEDIUM

14.0 - 24.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 505 LOCATION: 102N-50W-27CCCC

LEGAL LOCATION: SW SW SW SEC. 27, T. 102 N., R. 50 W.

19.0 - 28.0 SAND AND GRAVEL, MEDIUM SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 506 LOCATION: 102N-51W-03ABB

LEGAL LOCATION: NW NW NE SEC. 03, T. 102 N., R. 51 W.

1.0 - 8.0 SAND AND GRAVEL, COARSE SAND

8.0 - 20.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 507 LOCATION: 102N-51W-03ABBB

LEGAL LOCATION: NW NW NW NE SEC. 03, T. 102 N., R. 51 W.

4.0 - 23.0 SAND, MEDIUM TO COARSE; DRY

\* \* \* \*

TEST HOLE NUMBER: 508 LOCATION: 102N-51W-03ADD

LEGAL LOCATION: SE SE NE SEC. 03, T. 102 N., R. 51 W.

4.0 - 6.0 GRAVEL, COARSE

6.0 - 23.0 SAND, BROWN, SILTY

\* \* \* \*

TEST HOLE NUMBER: 509 LOCATION: 102N-51W-03DAAD

LEGAL LOCATION: SE NE NE SE SEC. 03, T. 102 N., R. 51 W.

2.0 - 5.0 SAND, MEDIUM

5.0 - 10.0 GRAVEL; LOOSE; SAMPLE TAKEN AT 8 FEET

\* \* \* \*

TEST HOLE NUMBER: 510 LOCATION: 102N-51W-10AAA

LEGAL LOCATION: NE NE NE SEC. 10, T. 102 N., R. 51 W.

3.0 -8.0 SAND AND GRAVEL, REDDISH-BROWN, CLAYEY

8.0 -12.0 SAND AND GRAVEL, COARSE SAND, COARSE

GRAVEL, CLAYEY 12.0 - 15.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 511 LOCATION: 102N-51W-12CCCC

LEGAL LOCATION: SW SW SW SEC. 12, T. 102 N., R. 51 W.

0 - 12.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL, SILTY

\* \* \* \*

TEST HOLE NUMBER: 512 LOCATION: 102N-51W-13DBBC

LEGAL LOCATION: SW NW NW SE SEC. 13, T. 102 N., R. 51 W.

SAND, MEDIUM TO COARSE 14.0 - 18.0

18.0 -21.0 SAND AND GRAVEL; WITH ROCKS AND CLAY

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 102N-51W-25BBCB

LEGAL LOCATION: NW SW NW NW SEC. 25, T. 102 N., R. 51 W.

1.0 -7.0 SAND AND GRAVEL, FINE TO MEDIUM SAND, FINE TO COARSE GRAVEL, ROUNDED; DRY TO MOIST, SOME CLAY, OXIDIZED, ABANDONED SITE AFTER · 3 ATTEMPTS TO PENETRATE

BEYOND 7 FEET

\* \* \* \*

TEST HOLE NUMBER: 514 LOCATION: 102N-51W-25DDDD

LEGAL LOCATION: SE SE SE SE SEC. 25, T. 102 N., R. 51 W.

5.0 **-** 15.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL; WITH WHITE ROCKS

\* \* \* \*

TEST HOLE NUMBER: 515 LOCATION: 102N-51W-26CCCD

LEGAL LOCATION: SE SW SW SW SEC. 26, T. 102 N., R. 51 W.

1.0 - 5.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, FINE TO COARSE GRAVEL, CLAYEY; OXIDIZED, DRY

\* \* \* \*

TEST HOLE NUMBER: 516 LOCATION: 102N-51W-36BBBB

LEGAL LOCATION: NW NW NW NW SEC. 36, T. 102 N., R. 51 W.

6.0 - 16.0 SAND, ORANGE-BROWN, FINE TO MEDIUM; SOME FINE TO MEDIUM GRAVEL, SATURATED, OXIDIZED, HIT ROCK ABANDONED HOLE

\* \* \* \*

TEST HOLE NUMBER: 517 LOCATION: 102N-52W-10AAAA

LEGAL LOCATION: NE NE NE NE SEC. 10, T. 102 N., R. 52 W.

15.0 - 22.0 GRAVEL, BROWN, MEDIUM TO COARSE; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 518 LOCATION: 102N-52W-27CDCD

LEGAL LOCATION: SE SW SE SW SEC. 27, T. 102 N., R. 52 W.

7.0 - 9.0 SAND, TAN-BROWN, FINE TO MEDIUM; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 519 LOCATION: 102N-52W-27DCDC

LEGAL LOCATION: SW SE SW SE SEC. 27, T. 102 N., R. 52 W.

24.0 - 30.0 GRAVEL, GRAY; SATURATED, UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 520 LOCATION: 102N-52W-36CCDC

LEGAL LOCATION: SW SE SW SW SEC. 36, T. 102 N., R. 52 W.

6.0 - 9.0 SAND, REDDISH-BROWN, MEDIUM TO COARSE, SLIGHTLY CLAYEY, SLIGHTLY GRAVELLY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 521 LOCATION: 103N-47W-04AAAA

LEGAL LOCATION: NE NE NE NE SEC. 04, T. 103 N., R. 47 W.

0 - 9.0 GRAVEL, BROWN, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 522 LOCATION: 103N-47W-04ADAA

LEGAL LOCATION: NE NE SE NE SEC. 04, T. 103 N., R. 47 W.

6.0 - 24.0 SAND, BROWN, FINE TO COARSE; CLEAN, DRY, OXIDIZED, SATURATED AT 12 FEET

\* \* \* \*

TEST HOLE NUMBER: 523 LOCATION: 103N-47W-05AADD

LEGAL LOCATION: SE SE NE NE SEC. 05, T. 103 N., R. 47 W.

5.0 - 15.0 SAND AND GRAVEL, MEDIUM SAND, MEDIUM GRAVEL; OXIDIZED, SOME CLAY LAYERS THROUGHOUT

\* \* \* \*

TEST HOLE NUMBER: 524 LOCATION: 103N-47W-05DDDA

LEGAL LOCATION: NE SE SE SE SEC. 05, T. 103 N., R. 47 W.

- 16.0 17.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL, CLAYEY; OXIDIZED, MOIST
- 19.0 22.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL, CLAYEY; OXIDIZED, MOIST
- 25.0 26.0 SAND, BROWN, FINE TO MEDIUM, SLIGHTLY CLAYEY; OXIDIZED, MOIST

\* \* \* \*

TEST HOLE NUMBER: 525 LOCATION: 103N-47W-15DCCD

LEGAL LOCATION: SE SW SW SE SEC. 15, T. 103 N., R. 47 W.

10.0 - 30.0 SAND, MEDIUM TO COARSE, SLIGHTLY CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 526 LOCATION: 103N-47W-15DDAC LEGAL LOCATION: SW NE SE SE SEC. 15, T. 103 N., R. 47 W.

14.0 - 29.0 SAND, REDDISH-BROWN, FINE TO MEDIUM, SOME COARSE TO VERY COARSE; VERY SLIGHTLY HARD

\* \* \* \*

TEST HOLE NUMBER: 527 LOCATION: 103N-47W-15DDAD

LEGAL LOCATION: SE NE SE SEC. 15, T. 103 N., R. 47 W.

11.0 - 16.0 SAND, MEDIUM TO COARSE, SLIGHTLY CLAYEY

16.0 - 28.0 SAND, REDDISH-BROWN, MEDIUM TO VERY COARSE, VERY SLIGHTLY CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 528 LOCATION: 103N-47W-15DDBA

LEGAL LOCATION: NE NW SE SE SEC. 15, T. 103 N., R. 47 W.

15.0 - 24.0 SAND, REDDISH-BROWN, FINE TO COARSE, SOME VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 529 LOCATION: 103N-47W-15DDBD

LEGAL LOCATION: SE NW SE SE SEC. 15, T. 103 N., R. 47 W.

22.0 - 34.0 SAND, REDDISH-BROWN, FINE TO MEDIUM, SLIGHTLY CLAYEY; WITH SOME COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 530 LOCATION: 103N-47W-15DDCC

LEGAL LOCATION: SW SW SE SE SEC. 15, T. 103 N., R. 47 W.

11.0 - 18.0 GRAVEL, COARSE TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 531 LOCATION: 103N-47W-15DDDA 1

LEGAL LOCATION: NE SE SE SE SEC. 15, T. 103 N., R. 47 W.

20.0 - 35.0 SAND, BROWN, FINE TO MEDIUM, SLIGHTLY CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 532

LOCATION: 103N-47W-15DDDA 2 LEGAL LOCATION: NE SE SE SEC. 15, T. 103 N., R. 47 W.

11.0 - 16.0 SAND, BROWN, CLAYEY

16.0 - 32.0 SAND, REDDISH-BROWN, MEDIUM TO COARSE SOME VERY COARSE; SLIGHTLY CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 533 LOCATION: 103N-47W-15DDDC 1

LEGAL LOCATION: SW SE SE SE SEC. 15, T. 103 N., R. 47 W.

12.0 - 16.0 SAND, REDDISH-BROWN, MEDIUM TO VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 534 LOCATION: 103N-47W-15DDDC 2

LEGAL LOCATION: SW SE SE SEC. 15, T. 103 N., R. 47 W.

14.0 - 28.0 SAND, REDDISH-BROWN, FINE TO COARSE; VERY SLIGHTLY HARD

\* \* \* \*

TEST HOLE NUMBER: 535 LOCATION: 103N-47W-15DDDD

LEGAL LOCATION: SE SE SE SE SEC. 15, T. 103 N., R. 47 W.

16.0 - 32.0 SAND, BROWN, COARSE TO VERY COARSE; SOME GRAVEL FROM 27 TO 32 FEET

\* \* \* \*

TEST HOLE NUMBER: 536 LOCATION: 103N-47W-19DDDD

LEGAL LOCATION: SE SE SE SE SEC. 19, T. 103 N., R. 47 W.

- 1.0 7.0 SAND, YELLOWISH-BROWN, VERY FINE, CLAYEY; OXIDIZED
- 7.0 13.0 SAND, ORANGISH-BROWN, MEDIUM TO COARSE; OXIDIZED
- 13.0 14.0 SAND, PINK, MEDIUM TO COARSE; MOSTLY OUARTZ

\* \* \* \*

TEST HOLE NUMBER: 537 LOCATION: 103N-47W-22BABA

LEGAL LOCATION: NE NW NE NW SEC. 22, T. 103 N., R. 47 W.

23.0 - 41.0 SAND, GRAYISH-BROWN, FINE TO MEDIUM,

# VERY CLAYEY; DRILLED HARDER THAN INTERVAL FROM 4 TO 23 FEET

\* \* \* \*

TEST HOLE NUMBER: 538 LOCATION: 103N-48W-01BBBB

LEGAL LOCATION: NW NW NW NW SEC. 01, T. 103 N., R. 48 W.

5.0 - 12.0 GRAVEL, BROWN, MEDIUM TO COARSE; OXIDIZED

13.0 - 27.0 SAND, BROWN, VERY COARSE, GRADES TO A FINE TO COARSE GRAVEL WITH DEPTH;

OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 539 LOCATION: 103N-48W-01CDDC

LEGAL LOCATION: SW SE SE SW SEC. 01, T. 103 N., R. 48 W.

23.0 - 24.0 GRAVEL(?); NO RETURN, HIT QUARTZITE AT 24
FEET

\* \* \* \*

TEST HOLE NUMBER: 540 LOCATION: 103N-48W-06BABB

LEGAL LOCATION: NW NW NE NW SEC. 06, T. 103 N., R. 48 W.

1.0 - 6.0 SAND AND GRAVEL, BROWN, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 541 LOCATION: 103N-48W-06BABB 1

LEGAL LOCATION: NW NW NE NW SEC. 06, T. 103 N., R. 48 W.

4.0 - 7.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL, CLAYEY; MOIST

\* \* \* \*

TEST HOLE NUMBER: 542 LOCATION: 103N-48W-11AAAA

LEGAL LOCATION: NE NE NE NE SEC. 11, T. 103 N., R. 48 W.

14.0 - 16.0 GRAVEL(?), COBBLY; HIT QUARTZITE AT 16 FEET

\* \* \* \*

TEST HOLE NUMBER: 543 LOCATION: 103N-48W-18BBAA LEGAL LOCATION: NE NE NW NW SEC. 18, T. 103 N., R. 48 W.

5.0 - 12.0 SAND, BROWN, MEDIUM; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 544 LOCATION: 103N-48W-19CBBB

LEGAL LOCATION: NW NW NW SW SEC. 19, T. 103 N., R. 48 W.

10.0 - 16.0 SAND, BROWN, FINE TO MEDIUM, VERY CLAYEY; FEW PEBBLES, OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 545 LOCATION: 103N-48W-23CCDC

LEGAL LOCATION: SW SE SW SW SEC. 23, T. 103 N., R. 48 W.

19.0 - 31.0 SAND, BROWN, MEDIUM TO COARSE, VERY SLIGHTLY CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 546 LOCATION: 103N-48W-24ABAA

LEGAL LOCATION: NE NE NW NE SEC. 24, T. 103 N., R. 48 W.

2.0 - 10.0 SAND, LIGHT-BROWN, FINE TO COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 547 LOCATION: 103N-48W-24ABBA

LEGAL LOCATION: NE NW NW NE SEC. 24, T. 103 N., R. 48 W.

8.0 - 11.0 GRAVEL, BROWN, MEDIUM TO COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 548 LOCATION: 103N-48W-26ABAA

LEGAL LOCATION: NE NE NW NE SEC. 26, T. 103 N., R. 48 W.

4.0 - 12.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, FINE TO VERY COARSE GRAVEL;
OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 549 LOCATION: 103N-48W-26BBBB

LEGAL LOCATION: NW NW NW NW SEC. 26, T. 103 N., R. 48 W.

## 15.0 - 35.0 SAND, BROWN, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 550 LOCATION: 103N-48W-26CBBB

LEGAL LOCATION: NW NW NW SW SEC. 26, T. 103 N., R. 48 W.

1.0 - 19.0 SAND, BROWN, COARSE TO VERY COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 551 LOCATION: 103N-48W-26CCCD

LEGAL LOCATION: SE SW SW SW SEC. 26, T. 103 N., R. 48 W.

12.0 - 24.0 SAND, GRAYISH-BROWN, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 552 LOCATION: 103N-48W-26CDDD

LEGAL LOCATION: SE SE SE SW SEC. 26, T. 103 N., R. 48 W.

21.0 - 64.0 SANDSTONE, BLACK; 1/4- TO 1/8-INCH CHIPS,
DRILLED HARD, DRIED OUT TO LIGHTGRAYISH-BROWN

\* \* \* \*

TEST HOLE NUMBER: 553 LOCATION: 103N-48W-27DDAA

LEGAL LOCATION: NE NE SE SE SEC. 27, T. 103 N., R. 48 W.

20.0 - 28.0 SAND, ORANGISH-BROWN, MEDIUM TO COARSE; SOME GRAVEL, OCCASIONALLY DRILLED HARD

\* \* \* \*

TEST HOLE NUMBER: 554 LOCATION: 103N-48W-27DDBD

LEGAL LOCATION: SE NW SE SE SEC. 27, T. 103 N., R. 48 W.

12.0 - 20.0 SAND, BROWN, MEDIUM TO COARSE, VERY SLIGHTLY CLAYEY; QUARTZITE BOULDER AT 18 TO 19 FEET

25.0 - 45.0 SAND, ORANGE, FINE TO MEDIUM, WELL SORTED

\* \* \* \*

TEST HOLE NUMBER: 555 LOCATION: 103N-48W-27DDDC LEGAL LOCATION: SW SE SE SEC. 27, T. 103 N., R. 48 W.

9.0 - 11.0 SAND, BROWN, COARSE TO VERY COARSE; SOME PEBBLES

11.0 - 15.0 SAND, ORANGISH-BROWN, FINE TO MEDIUM

15.0 - 32.0 SAND, LIGHT-BROWN, FINE TO MEDIUM; SOME VERY COARSE SAND AND SOME PEBBLES

\* \* \* \*

TEST HOLE NUMBER: 556 LOCATION: 103N-48W-27DDDD

LEGAL LOCATION: SE SE SE SE SEC. 27, T. 103 N., R. 48 W.

14.0 - 18.0 GRAVEL, MEDIUM TO COARSE; WITH ROCKS

18.0 - 24.0 GRAVEL, MEDIUM TO COARSE; WITH MEDIUM TO

COARSE SAND

24.0 - 26.0 GRAVEL, FINE, WELL-SORTED; ABUNDANT QUARTZ PEBBLES

\* \* \* \*

TEST HOLE NUMBER: 557 LOCATION: 103N-48W-29AACA

LEGAL LOCATION: NE SW NE NE SEC. 29, T. 103 N., R. 48 W.

10.0 - 18.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 558 LOCATION: 103N-48W-34AAAD

LEGAL LOCATION: SE NE NE NE SEC. 34, T. 103 N., R. 48 W.

7.0 - 17.0 SAND, REDDISH-BROWN AND GRAY, COARSE SAND
TO FINE GRAVEL; SOME LAYERS OF GREEN
CLAY

\* \* \* \*

TEST HOLE NUMBER: 559 LOCATION: 103N-48W-35BBAB

LEGAL LOCATION: NW NE NW NW SEC. 35, T. 103 N., R. 48 W.

5.0 - 20.0 SAND, BROWNISH-GRAY, MEDIUM TO COARSE, SLIGHTLY CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 560 LOCATION: 103N-48W-35BCCC LEGAL LOCATION: SW SW SW NW SEC. 35, T. 103 N., R. 48 W.

4.0 - 18.0 SAND, BROWN, MEDIUM TO VERY COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 561 LOCATION: 103N-49W-04ABAA

LEGAL LOCATION: NE NE NW NE SEC. 04, T. 103 N., R. 49 W.

6.0 - 16.0 SAND, BROWN, FINE, CLAYEY; OXIDIZED,
SATURATED, CLAY CONTENT INCREASES FROM
12 FEET ON

\* \* \* \*

TEST HOLE NUMBER: 562 LOCATION: 103N-49W-05BB

LEGAL LOCATION: NW NW SEC. 05, T. 103 N., R. 49 W.

10.0 - 20.0 SAND, COARSE; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 563 LOCATION: 103N-49W-05BBAB

LEGAL LOCATION: NW NE NW NW SEC. 05, T. 103 N., R. 49 W.

4.0 - 15.0 SAND, GRAY, FINE

\* \* \* \*

TEST HOLE NUMBER: 564 LOCATION: 103N-49W-05BBCC

LEGAL LOCATION: SW SW NW NW SEC. 05, T. 103 N., R. 49 W.

7.0 - 20.0 SAND, GRAY, FINE 20.0 - 23.0 GRAVEL, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 565 LOCATION: 103N-49W-06AA

LEGAL LOCATION: NE NE SEC. 06, T. 103 N., R. 49 W.

15.0 - 25.0 SAND, COARSE

25.0 - 33.0 GRAVEL; AND SMALL AMOUNT OF SAND

\* \* \* \*

TEST HOLE NUMBER: 566 LOCATION: 103N-49W-06AABA

LEGAL LOCATION: NE NW NE NE SEC. 06, T. 103 N., R. 49 W.

## 15.0 - 26.0 SAND, GRAY, MEDIUM TO FINE

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 103N-49W-06ABAA

LEGAL LOCATION: NE NE NW NE SEC. 06, T. 103 N., R. 49 W.

SAND, GRAY, MEDIUM TO COARSE; SOME 10.0 - 38.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 568 LOCATION: 103N-49W-06ABB

LEGAL LOCATION: NW NW NE SEC. 06, T. 103 N., R. 49 W.

20.0 SAND, COARSE AND FINE 15.0 **-**

20.0 -25.0 SAND AND GRAVEL, COARSE SAND

25.0 - 34.0 GRAVEL, COARSE; AND QUARTZITE BOULDERS

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 103N-49W-06ACAA

LEGAL LOCATION: NE NE SW NE SEC. 06, T. 103 N., R. 49 W.

13.0 - 33.0 SAND, GRAY; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 570 LOCATION: 103N-49W-06ACBA

LEGAL LOCATION: NE NW SW NE SEC. 06, T. 103 N., R. 49 W.

15.0 - 37.0 SAND AND GRAVEL, GRAY; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 571 LOCATION: 103N-49W-06ACDD

LEGAL LOCATION: SE SE SW NE SEC. 06, T. 103 N., R. 49 W.

17.0 - 37.0 SAND, COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 572 LOCATION: 103N-49W-06BA

LEGAL LOCATION: NE NW SEC. 06, T. 103 N., R. 49 W.

20.0 -25.0 GRAVEL, VERY COARSE

25.0 - 30.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 573 LOCATION: 103N-49W-06BBAA

LEGAL LOCATION: NE NE NW NW SEC. 06, T. 103 N., R. 49 W.

8.0 - 15.0 SAND, BROWN; SOME GRAVEL 15.0 - 30.0 SAND, GRAY; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 574 LOCATION: 103N-49W-06BDAA

LEGAL LOCATION: NE NE SE NW SEC. 06, T. 103 N., R. 49 W.

11.0 - 24.0 SAND, GRAY, MEDIUM 24.0 - 27.0 GRAVEL; SOME SAND

\* \* \* \*

TEST HOLE NUMBER: 575 LOCATION: 103N-49W-06DADD

LEGAL LOCATION: SE SE NE SE SEC. 06, T. 103 N., R. 49 W.

11.0 - 20.0 SAND, GRAY; SOME GRAVEL

20.0 - 22.0 GRAVEL, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 576 LOCATION: 103N-49W-06DBCC

LEGAL LOCATION: SW SW NW SE SEC. 06, T. 103 N., R. 49 W.

8.0 - 20.0 SAND, BROWN, FINE 20.0 - 36.0 SAND, GRAY, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 577 LOCATION: 103N-49W-07AA

LEGAL LOCATION: NE NE SEC. 07, T. 103 N., R. 49 W.

14.0 - 19.0 SAND, MEDIUM TO COARSE

19.0 - 34.0 SAND, COARSE; TO FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 578 LOCATION: 103N-49W-07BAAA 1

LEGAL LOCATION: NE NE NE NW SEC. 07, T. 103 N., R. 49 W.

10.0 - 20.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL

20.0 - 44.0 GRAVEL, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 579

LOCATION: 103N-49W-07BAAA 2

LEGAL LOCATION: NE NE NE NW SEC. 07, T. 103 N., R. 49 W.

10.0 - 13.0 SAND, FINE TO MEDIUM, SILTY; SOFT
13.0 - 30.0 SAND AND GRAVEL, FINE SAND TO FINE
GRAVEL, SILTY

\* \* \* \*

TEST HOLE NUMBER: 580 LOCATION: 103N-49W-08AB

LEGAL LOCATION: NW NE SEC. 08, T. 103 N., R. 49 W.

19.0 - 24.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 581 LOCATION: 103N-49W-08ADD

LEGAL LOCATION: SE SE NE SEC. 08, T. 103 N., R. 49 W.

12.0 - 17.0 GRAVEL; DIRTY, POOR SAMPLE

17.0 - 24.0 SAND AND GRAVEL, VERY COARSE SAND TO FINE TO MEDIUM GRAVEL; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 582 LOCATION: 103N-49W-08DCC

LEGAL LOCATION: SW SW SE SEC. 08, T. 103 N., R. 49 W.

9.0 - 14.0 SAND, COARSE

14.0 - 25.0 SAND AND GRAVEL, COARSE 25.0 - 28.0 GRAVEL, COARSE; BOULDERS

\* \* \* \*

TEST HOLE NUMBER: 583 LOCATION: 103N-49W-09BAA

LEGAL LOCATION: NE NE NW SEC. 09, T. 103 N., R. 49 W.

10.0 - 15.0 SAND, FINE, SILTY; SOME CLAY, WATER-LAID

\* \* \* \*

TEST HOLE NUMBER: 584 LOCATION: 103N-49W-16ACCC

LEGAL LOCATION: SW SW SW NE SEC. 16, T. 103 N., R. 49 W.

4.0 - 10.0 SAND, FINE TO COARSE, SILTY

10.0 - 14.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL

## 14.0 - 31.0 GRAVEL, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 585 LOCATION: 103N-49W-16ADDD

LEGAL LOCATION: SE SE SE NE SEC. 16, T. 103 N., R. 49 W.

8.0 - 10.0 GRAVEL, FINE TO COARSE

16.0 - 17.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 586 LOCATION: 103N-49W-16BCCC

LEGAL LOCATION: SW SW SW NW SEC. 16, T. 103 N., R. 49 W.

3.0 - 12.0 SAND, FINE TO MEDIUM

12.0 - 24.0 SAND AND GRAVEL, FINE SAND TO COARSE

GRAVEL

24.0 - 32.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 587 LOCATION: 103N-49W-16DBB

LEGAL LOCATION: NW NW SE SEC. 16, T. 103 N., R. 49 W.

6.0 - 11.0 SAND; WITH MUCH SILT AND CLAY, HIGHLY

OXIDIZED; WATER-LAID, SLIGHTLY

PERMEABLE

11.0 - 21.0 SAND AND GRAVEL; POOR SAMPLE

\* \* \* \*

TEST HOLE NUMBER: 588 LOCATION: 103N-49W-17AAA

LEGAL LOCATION: NE NE NE SEC. 17, T. 103 N., R. 49 W.

10.0 - 12.0 SAND AND SILT, FINE; SOME CLAY, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 589 LOCATION: 103N-49W-17BA

LEGAL LOCATION: NE NW SEC. 17, T. 103 N., R. 49 W.

15.0 - 20.0 SAND AND GRAVEL, COARSE; CLEAN

20.0 - 28.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 590 LOCATION: 103N-49W-17DABD 7.0 - 25.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 591 LOCATION: 103N-49W-17DBAB

LEGAL LOCATION: NW NE NW SE SEC. 17, T. 103 N., R. 49 W.

10.0 - 24.0 SAND, GRAY, FINE TO COARSE; MANY SHELLS

24.0 - 35.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 592 LOCATION: 103N-49W-17DBDC

LEGAL LOCATION: SW SE NW SE SEC. 17, T. 103 N., R. 49 W.

13.0 - 34.0 GRAVEL, FINE; SAMPLE TAKEN

\* \* \* \*

TEST HOLE NUMBER: 593 LOCATION: 103N-49W-18AA

LEGAL LOCATION: NE NE SEC. 18, T. 103 N., R. 49 W.

9.0 - 15.0 SAND AND GRAVEL, COARSE SAND

15.0 - 25.0 SAND, COARSE

25.0 - 35.0 GRAVEL AND SAND

\* \* \* \*

TEST HOLE NUMBER: 594 LOCATION: 103N-49W-18ACBB

LEGAL LOCATION: NW NW SW NE SEC. 18, T. 103 N., R. 49 W.

14.0 - 16.0 SAND AND GRAVEL, FINE SAND TO FINE

GRAVEL, SILTY

24.0 - 43.0 SAND AND GRAVEL, FINE SAND TO COARSE GRAVEL; VERY WELL ROUNDED

diver, vert were noone

\* \* \* \*

TEST HOLE NUMBER: 595 LOCATION: 103N-49W-20DB

LEGAL LOCATION: NW SE SEC. 20, T. 103 N., R. 49 W.

15.0 - 25.0 SAND AND GRAVEL

25.0 - 30.0 SAND, FINE

\* \* \* \*

TEST HOLE NUMBER: 596 LOCATION: 103N-49W-21CA

LEGAL LOCATION: NE SW SEC. 21, T. 103 N., R. 49 W.

15.0 - 20.0 SAND AND GRAVEL, COARSE SAND

20.0 - 30.0 SAND; AND SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 597 LOCATION: 103N-49W-21CB

LEGAL LOCATION: NW SW SEC. 21, T. 103 N., R. 49 W.

0 - 10.0 SAND AND CLAY, FINE SAND

10.0 - 20.0 SAND, COARSE 20.0 - 25.0 GRAVEL, FINE 25.0 - 30.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 598 LOCATION: 103N-49W-28CDD

LEGAL LOCATION: SE SE SW SEC. 28, T. 103 N., R. 49 W.

14.0 - 24.0 SAND, MEDIUM TO COARSE

24.0 - 28.0 SAND, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 599 LOCATION: 103N-49W-28DB

LEGAL LOCATION: NW SE SEC. 28, T. 103 N., R. 49 W.

4.0 - 9.0 SAND, FINE, SILTY

9.0 - 14.0 SAND, FINE, GRADING TO COARSE SAND

14.0 - 40.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 600 LOCATION: 103N-49W-29CDCC

LEGAL LOCATION: SW SW SE SW SEC. 29, T. 103 N., R. 49 W.

24.0 - 25.0 SAND AND GRAVEL, FINE SAND TO COARSE GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 601 LOCATION: 103N-49W-29DCCD

LEGAL LOCATION: SE SW SW SE SEC. 29, T. 103 N., R. 49 W.

## 20.0 - 24.0 SAND AND GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 602 LOCATION: 103N-49W-31DDA

LEGAL LOCATION: NE SE SE SEC. 31, T. 103 N., R. 49 W.

1.0 - 14.0 SAND, BROWN, FINE, SILTY; MOIST

\* \* \* \*

TEST HOLE NUMBER: 603 LOCATION: 103N-49W-32CCC

LEGAL LOCATION: SW SW SEC. 32, T. 103 N., R. 49 W.

10.5 - 30.0 SAND AND GRAVEL, COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 604 LOCATION: 103N-49W-33BBBA

LEGAL LOCATION: NE NW NW NW SEC. 33, T. 103 N., R. 49 W.

13.0 - 20.0 SAND, WHITE, FINE TO COARSE; WITH FINE TO MEDIUM GRAVEL

21.0 - 28.0 SAND AND GRAVEL; SUBROUNDED, INTERBEDDED

\* \* \* \*

TEST HOLE NUMBER: 605 LOCATION: 103N-49W-34BBAA

LEGAL LOCATION: NE NE NW NW SEC. 34, T. 103 N., R. 49 W.

20.0 - 31.0 SAND AND GRAVEL, COARSE SAND TO MEDIUM GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 606 LOCATION: 103N-50W-04BBBB

LEGAL LOCATION: NW NW NW NW SEC. 04, T. 103 N., R. 50 W.

0 - 9.0 SAND, BROWN, SILTY

\* \* \* \*

TEST HOLE NUMBER: 607 LOCATION: 103N-50W-05ABB

LEGAL LOCATION: NW NW NE SEC. 05, T. 103 N., R. 50 W.

10.0 - 12.0 SAND, COARSE

12.0 - 14.0 SAND AND GRAVEL, MEDIUM SAND 14.0 - 24.0 SAND, MEDIUM TO COARSE, SILTY

#### 24.0 - 29.0 SAND, COARSE

\* \* \* \*

TEST HOLE NUMBER: 608 LOCATION: 103N-50W-05BABB

LEGAL LOCATION: NW NW NE NW SEC. 05, T. 103 N., R. 50 W.

- 3.0 7.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL, VERY SILTY
- 7.0 25.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 609 LOCATION: 103N-50W-05BBB

LEGAL LOCATION: NW NW NW SEC. 05, T. 103 N., R. 50 W.

- 4.0 9.0 SAND, SILTY
- 9.0 14.0 SAND, MEDIUM TO COARSE, SILTY
- 14.0 24.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 610 LOCATION: 103N-50W-05CCCC

LEGAL LOCATION: SW SW SW SEC. 05, T. 103 N., R. 50 W.

3.0 - 27.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 611 LOCATION: 103N-50W-06CCD

LEGAL LOCATION: SE SW SW SEC. 06, T. 103 N., R. 50 W.

- 2.0 14.0 SAND, MEDIUM, SILTY
- 14.0 20.0 SAND, MEDIUM TO COARSE
- 20.0 24.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 612 LOCATION: 103N-50W-07AAA

LEGAL LOCATION: NE NE NE SEC. 07, T. 103 N., R. 50 W.

- 3.0 9.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, FINE GRAVEL
- 9.0 19.0 SAND, FINE TO MEDIUM
- 19.0 29.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 613 LOCATION: 103N-50W-07DCD

LEGAL LOCATION: SE SW SE SEC. 07, T. 103 N., R. 50 W.

1.0 - 13.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, FINE GRAVEL

13.0 - 14.0 SAND AND GRAVEL, COARSE GRAVEL

14.0 - 24.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND,

FINE TO MEDIUM GRAVEL

24.0 - 36.0 SAND AND GRAVEL, COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 614 LOCATION: 103N-50W-08BBB

LEGAL LOCATION: NW NW NW SEC. 08, T. 103 N., R. 50 W.

2.0 - 19.0 SAND, MEDIUM, SILTY

19.0 - 24.0 SAND, MEDIUM

24.0 - 39.0 SAND, FINE, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 615 LOCATION: 103N-50W-08CCC

LEGAL LOCATION: SW SW SW SEC. 08, T. 103 N., R. 50 W.

2.0 - 12.0 SAND, BROWN, MEDIUM TO COARSE

12.0 - 51.0 SAND AND GRAVEL, COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 616
LOCATION: 103N-50W-09DDDD

LEGAL LOCATION: SE SE SE SE SEC. 09, T. 103 N., R. 50 W.

7.0 - 24.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 617 LOCATION: 103N-50W-12DDDD

LEGAL LOCATION: SE SE SE SE SEC. 12, T. 103 N., R. 50 W.

0 - 6.0 SAND

k \* \* \*

TEST HOLE NUMBER: 618 LOCATION: 103N-50W-17CCC

LEGAL LOCATION: SW SW SW SEC. 17, T. 103 N., R. 50 W.

4.0 - 9.0 SAND, CLAYEY

9.0 - 14.0 SAND, MEDIUM, SILTY

14.0 -31.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 619 LOCATION: 103N-50W-17CCC 1

LEGAL LOCATION: SW SW SW SEC. 17, T. 103 N., R. 50 W.

SAND, CLAYEY 2.0 -9.0

9.0 - 14.0 SAND, MEDIUM, SILTY 14.0 - 28.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 620 LOCATION: 103N-50W-17CCCC

LEGAL LOCATION: SW SW SW SEC. 17, T. 103 N., R. 50 W.

2.0 - 29.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 621 LOCATION: 103N-50W-18AAAA

LEGAL LOCATION: NE NE NE NE SEC. 18, T. 103 N., R. 50 W.

4.0 - 31.0 GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 622 LOCATION: 103N-50W-18BAB

LEGAL LOCATION: NW NE NW SEC. 18, T. 103 N., R. 50 W.

1.0 -SAND, FINE TO MEDIUM 8.0

8.0 -14.0 SAND AND GRAVEL, FINE TO MEDIUM SAND,

FINE GRAVEL

14.0 - 20.0 GRAVEL AND SAND, FINE TO MEDIUM GRAVEL,

COARSE SAND

20.0 - 26.0 GRAVEL, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 623 LOCATION: 103N-50W-19AAA

LEGAL LOCATION: NE NE NE SEC. 19, T. 103 N., R. 50 W.

3.0 -9.0 SAND, MEDIUM TO COARSE, SILTY

9.0 -14.0 SAND, MEDIUM

14.0 -24.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 624 LOCATION: 103N-50W-19BAAA

LEGAL LOCATION: NE NE NE NW SEC. 19, T. 103 N., R. 50 W.

- 0 2.0 GRAVEL; ROAD FILL
- 9.0 27.0 SAND AND GRAVEL, FINE SAND TO COARSE GRAVEL, WELL ROUNDED

\* \* \* \*

TEST HOLE NUMBER: 625 LOCATION: 103N-50W-19BBA

LEGAL LOCATION: NE NW NW SEC. 19, T. 103 N., R. 50 W.

8.0 - 16.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 626 LOCATION: 103N-50W-19BCCC

LEGAL LOCATION: SW SW SW NW SEC. 19, T. 103 N., R. 50 W.

3.0 - 28.0 GRAVEL, SANDY, SUBROUNDED; LESS THAN 1-INCH IN DIAMETER

\* \* \* \*

TEST HOLE NUMBER: 627 LOCATION: 103N-50W-28AAAA

LEGAL LOCATION: NE NE NE NE SEC. 28, T. 103 N., R. 50 W.

25.0 - 27.0 SAND, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 628 LOCATION: 103N-50W-30CBBB

LEGAL LOCATION: NW NW NW SW SEC. 30, T. 103 N., R. 50 W.

3.0 - 27.0 SAND AND GRAVEL, FINE SAND TO COARSE GRAVEL; WELL ROUNDED

\* \* \* \*

TEST HOLE NUMBER: 629 LOCATION: 103N-50W-31BBBB

LEGAL LOCATION: NW NW NW NW SEC. 31, T. 103 N., R. 50 W.

6.0 - 12.0 SAND AND GRAVEL, FINE SAND TO FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 630

LOCATION: 103N-50W-33AAAA LEGAL LOCATION: NE NE NE SEC. 33, T. 103 N., R. 50 W.

20.0 - 25.0 GRAVEL, COARSE; WITH BROWN, SILTY, SANDY CLAY (TILL)

\* \* \* \*

TEST HOLE NUMBER: 631 LOCATION: 103N-51W-02CBBC

LEGAL LOCATION: SW NW NW SW SEC. 02, T. 103 N., R. 51 W.

13.0 - 25.0 SAND, TAN-BROWN, MEDIUM TO COARSE, VERY CLAYEY; SATURATED, OXIDIZED, GRAVELLY FROM 22 TO 25 FEET

25.0 - 34.0 GRAVEL, TAN-BROWN, FINE TO MEDIUM, SANDY, CLAYEY; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 632 LOCATION: 103N-51W-10CCCC

LEGAL LOCATION: SW SW SW SEC. 10, T. 103 N., R. 51 W.

15.0 - 18.0 SAND, FINE TO COARSE; WITH SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 633 LOCATION: 103N-51W-14BBA

LEGAL LOCATION: NE NW NW SEC. 14, T. 103 N., R. 51 W.

2.0 - 26.0 SAND, BROWN, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 634 LOCATION: 103N-51W-14BBBC

LEGAL LOCATION: SW NW NW NW SEC. 14, T. 103 N., R. 51 W.

18.0 - 29.0 SAND AND GRAVEL, BROWN; SOME COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 635 LOCATION: 103N-51W-14CDDC

LEGAL LOCATION: SW SE SE SW SEC. 14, T. 103 N., R. 51 W.

10.0 - 14.0 SAND, VERY COARSE; VARIOUS ROCK TYPES

\* \* \* \*

TEST HOLE NUMBER: 636

LOCATION: 103N-51W-18BBBB

LEGAL LOCATION: NW NW NW NW SEC. 18, T. 103 N., R. 51 W.

- 6.0 13.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL
- 21.0 25.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 637 LOCATION: 103N-51W-19CCDD

LEGAL LOCATION: SE SE SW SW SEC. 19, T. 103 N., R. 51 W.

- 0 4.0 GRAVEL, REDDISH-BROWN, FINE TO COARSE, SANDY; MOIST, OXIDIZED
- 4.0 9.0 GRAVEL, TAN-BROWN, FINE TO MEDIUM, SANDY, SLIGHTLY CLAYEY; SATURATED, OXIDIZED
- 12.0 30.0 GRAVEL, REDDISH-BROWN, FINE TO COARSE, VERY SILTY, VERY SANDY; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 638 LOCATION: 103N-51W-19DDDD

LEGAL LOCATION: SE SE SE SE SEC. 19, T. 103 N., R. 51 W.

1.0 - 20.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 639 LOCATION: 103N-51W-20CCC

LEGAL LOCATION: SW SW SEC. 20, T. 103 N., R. 51 W.

24.0 - 25.0 GRAVEL, FINE

\* \* \* \*

TEST HOLE NUMBER: 640 LOCATION: 103N-51W-23BABB

LEGAL LOCATION: NW NW NE NW SEC. 23, T. 103 N., R. 51 W.

- 2.0 15.0 SAND, CREAMY-BROWN, MEDIUM TO COARSE, VERY CLAYEY; MOIST TO SATURATED, OXIDIZED
- 15.0 16.0 GRAVEL, BROWN, CLAYEY, SANDY; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 641 LOCATION: 103N-51W-25BDDC LEGAL LOCATION: SW SE SE NW SEC. 25, T. 103 N., R. 51 W.

4.0 - 15.0 SAND, MEDIUM TO COARSE

15.0 - 41.0 SAND AND GRAVEL, GRAY, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 642 LOCATION: 103N-51W-25CBBB 1

LEGAL LOCATION: NW NW NW SW SEC. 25, T. 103 N., R. 51 W.

15.0 - 18.0 SAND, FINE TO MEDIUM, SLIGHTLY GRAVELLY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 643 LOCATION: 103N-51W-25CBBB 2

LEGAL LOCATION: NW NW NW SW SEC. 25, T. 103 N., R. 51 W.

15.0 - 19.0 SAND, BROWN, FINE TO MEDIUM, VERY CLAYEY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 644 LOCATION: 103N-51W-27CDDD

LEGAL LOCATION: SE SE SE SW SEC. 27, T. 103 N., R. 51 W.

6.0 - 10.0 SAND, BROWN, MEDIUM, CLAYEY; OXIDIZED, UNSATURATED

\* \* \* \*

TEST HOLE NUMBER: 645 LOCATION: 103N-51W-28CBB

LEGAL LOCATION: NW NW SW SEC. 28, T. 103 N., R. 51 W.

1.0 - 5.0 SAND AND GRAVEL, FINE TO MEDIUM SAND, COARSE GRAVEL

5.0 - 10.0 SAND AND GRAVEL, COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 646 LOCATION: 103N-51W-28CBBB

LEGAL LOCATION: NW NW NW SW SEC. 28, T. 103 N., R. 51 W.

1.0 - 7.0 SAND AND GRAVEL, FINE SAND TO COARSE GRAVEL, SLIGHTLY SILTY

\* \* \* \*

TEST HOLE NUMBER: 647 LOCATION: 103N-51W-28CCBC

LEGAL LOCATION: SW NW SW SW SEC. 28, T. 103 N., R. 51 W.

5.0 - 10.0 SAND AND GRAVEL; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 648 LOCATION: 103N-51W-28CCC

LEGAL LOCATION: SW SW SW SEC. 28, T. 103 N., R. 51 W.

9.0 - 14.0 SAND, MEDIUM TO COARSE, SILTY

14.0 - 17.0 GRAVEL, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 649 LOCATION: 103N-51W-30ADDA

LEGAL LOCATION: NE SE SE NE SEC. 30, T. 103 N., R. 51 W.

O - 18.0 GRAVEL, BROWNISH-RED, COARSE, SANDY; DRY, OXIDIZED

18.0 - 33.0 GRAVEL, REDDISH-BROWN, FINE TO MEDIUM, SILTY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 650 LOCATION: 103N-51W-32AABB

LEGAL LOCATION: NW NW NE NE SEC. 32, T. 103 N., R. 51 W.

1.0 - 7.0 GRAVEL, REDDISH-BROWN, FINE TO COARSE, SANDY; DRY, OXIDIZED

7.0 - 12.0 SAND, REDDISH-BROWN, FINE TO COARSE, SLIGHTLY CLAYEY, GRAVELLY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 651 LOCATION: 103N-51W-32AAD

LEGAL LOCATION: SE NE NE SEC. 32, T. 103 N., R. 51 W.

3.0 - 6.0 GRAVEL, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 652 LOCATION: 103N-51W-33BCC

LEGAL LOCATION: SW SW NW SEC. 33, T. 103 N., R. 51 W.

1.0 - 3.0 SAND, BROWN, SILTY

3.0 - 8.0 SAND AND GRAVEL, BROWN

18.0 - 24.6 SAND, BROWN, SILTY; MOIST

\* \* \* \*

TEST HOLE NUMBER: 653 LOCATION: 103N-51W-33BDD

LEGAL LOCATION: SE SE NW SEC. 33, T. 103 N., R. 51 W.

3.9 - 12.6 GRAVEL, BROWN, FINE TO COARSE, SANDY

\* \* \* \*

TEST HOLE NUMBER: 654 LOCATION: 103N-51W-33CDDD

LEGAL LOCATION: SE SE SE SW SEC. 33, T. 103 N., R. 51 W.

4.0 - 6.0 SAND AND GRAVEL; HARD ROCK AT 6 FEET, COULD NOT PENETRATE (QUARTZITE?)

\* \* \* \*

TEST HOLE NUMBER: 655 LOCATION: 103N-51W-33DDD

LEGAL LOCATION: SE SE SE SEC. 33, T. 103 N., R. 51 W.

2.0 - 7.0 SAND AND GRAVEL, COARSE

10.0 - 11.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 656 LOCATION: 103N-51W-34ACC

LEGAL LOCATION: SW SW NE SEC. 34, T. 103 N., R. 51 W.

2.0 - 7.0 GRAVEL, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 657 LOCATION: 103N-51W-34ADD

LEGAL LOCATION: SE SE NE SEC. 34, T. 103 N., R. 51 W.

1.0 - 3.0 SAND, FINE TO MEDIUM

3.0 - 5.0 GRAVEL, COARSE

5.0 - 8.0 SAND, MEDIUM TO COARSE

8.0 - 40.0 SAND, VERY FINE, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 658 LOCATION: 103N-51W-34CCCC

LEGAL LOCATION: SW SW SW SEC. 34, T. 103 N., R. 51 W.

1.0 - 5.0 SAND AND GRAVEL, FINE SAND TO FINE

#### GRAVEL, SLIGHTLY SILTY

\* \* \* \*

TEST HOLE NUMBER: 659 LOCATION: 103N-51W-35ADC

LEGAL LOCATION: SW SE NE SEC. 35, T. 103 N., R. 51 W.

4.2 - 13.6 SAND, SILTY

13.6 - 20.5 SAND, GRAY-GREEN, FINE TO COARSE, GRAVELLY

\* \* \* \*

TEST HOLE NUMBER: 660 LOCATION: 103N-51W-35CCC

LEGAL LOCATION: SW SW SEC. 35, T. 103 N., R. 51 W.

2.0 - 7.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

7.0 - 15.0 SAND AND GRAVEL, FINE TO MEDIUM SAND, FINE GRAVEL

15.0 - 26.0 SAND, BROWN, VERY FINE, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 661 LOCATION: 103N-51W-35CCDD

LEGAL LOCATION: SE SE SW SW SEC. 35, T. 103 N., R. 51 W.

8.0 - 9.0 GRAVEL

9.0 - 28.0 SAND, FINE; SAMPLE TAKEN

\* \* \* \*

TEST HOLE NUMBER: 662 LOCATION: 103N-51W-35CDCC 2

LEGAL LOCATION: SW SW SE SW SEC. 35, T. 103 N., R. 51 W.

5.0 - 33.0 SAND, BROWN, FINE TO COARSE; CLAY LAYER FROM 28 TO 29 FEET

\* \* \* \*

TEST HOLE NUMBER: 663 LOCATION: 103N-51W-35DCD

LEGAL LOCATION: SE SW SE SEC. 35, T. 103 N., R. 51 W.

10.0 - 11.0 GRAVEL AND SAND, COARSE SAND

11.0 - 14.0 SAND, COARSE

\* \* \* \*

TEST HOLE NUMBER: 664

LOCATION: 103N-51W-36BCC

LEGAL LOCATION: SW SW NW SEC. 36, T. 103 N., R. 51 W.

0 - 8.0 SAND, BROWN, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 665 LOCATION: 103N-51W-36BCD

LEGAL LOCATION: SE SW NW SEC. 36, T. 103 N., R. 51 W.

0 - 1.0 SAND, BLACK, SILTY

1.0 - 3.0 SAND, BROWN, COARSE

3.0 - 11.5 GRAVEL, SANDY 11.5 - 15.0 SAND, GRAY, COARSE

11.5 - 15.0 SAND, GRAY, CO 15.0 - 21.5 GRAVEL, SANDY

\* \* \* \*

TEST HOLE NUMBER: 666 LOCATION: 103N-52W-03BBBB

LEGAL LOCATION: NW NW NW NW SEC. 03, T. 103 N., R. 52 W.

6.0 - 13.0 SAND, YELLOW, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 667 LOCATION: 103N-52W-03CCB

LEGAL LOCATION: NW SW SW SEC. 03, T. 103 N., R. 52 W.

12.0 - 43.0 SAND AND GRAVEL, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 668 LOCATION: 103N-52W-07CCCC

LEGAL LOCATION: SW SW SW SEC. 07, T. 103 N., R. 52 W.

12.0 - 16.0 SAND, BROWN AND RED, FINE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 669 LOCATION: 103N-52W-10ADDA

LEGAL LOCATION: NE SE SE NE SEC. 10, T. 103 N., R. 52 W.

16.0 - 27.0 SAND AND GRAVEL, GRAY, FINE SAND, MEDIUM GRAVEL, VERY CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 670 LOCATION: 103N-52W-11DDCD LEGAL LOCATION: SE SW SE SE SEC. 11, T. 103 N., R. 52 W.

O - 3.0 SAND AND GRAVEL, REDDISH-BROWN, COARSE SAND, MEDIUM GRAVEL; OXIDIZED

\* \* \* \* .

TEST HOLE NUMBER: 671 LOCATION: 103N-52W-13DDCC

LEGAL LOCATION: SW SW SE SE SEC. 13, T. 103 N., R. 52 W.

1.0 - 11.0 SAND, REDDISH-BROWN, MEDIUM, CLAYEY; OXIDIZED

11.0 - 21.0 SAND AND GRAVEL, REDDISH-BROWN, MEDIUM SAND, COARSE GRAVEL; OXIDIZED

21.0 - 47.0 SAND AND GRAVEL, REDDISH-BROWN, MEDIUM SAND, MEDIUM GRAVEL, CLAYEY; OXIDIZED, HIT ROCK AT 47 FEET, COULD NOT PENETRATE

\* \* \* \*

TEST HOLE NUMBER: 672 LOCATION: 103N-52W-14ABBB

LEGAL LOCATION: NW NW NW NE SEC. 14, T. 103 N., R. 52 W.

9.0 - 13.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 673 LOCATION: 103N-52W-21CBB

LEGAL LOCATION: NW NW SW SEC. 21, T. 103 N., R. 52 W.

1.0 - 7.0 SAND, BROWN, SILTY

\* \* \* \*

TEST HOLE NUMBER: 674 LOCATION: 103N-52W-24AAAA

LEGAL LOCATION: NE NE NE NE SEC. 24, T. 103 N., R. 52 W.

0 - 5.0 SAND AND GRAVEL, FINE SAND TO MEDIUM
GRAVEL

25.0 - 34.0 SAND AND GRAVEL, FINE SAND TO FINE
GRAVEL; POSSIBLY WITH SOME THIN OLIVECOLORED CLAY LAYERS

\* \* \* \*

TEST HOLE NUMBER: 675 LOCATION: 103N-52W-25CCCC

LEGAL LOCATION: SW SW SW SEC. 25, T. 103 N., R. 52 W.

8.0 - 14.0 SAND AND GRAVEL, MEDIUM TO VERY COARSE;
COBBLES, DRY, COULD NOT PENETRATE ROCKS

\* \* \* \*

TEST HOLE NUMBER: 676 LOCATION: 103N-52W-25DDDD

LEGAL LOCATION: SE SE SE SE SEC. 25, T. 103 N., R. 52 W.

0 - 6.0 SAND, COARSE

\* \* \* \*

TEST HOLE NUMBER: 677 LOCATION: 103N-52W-27AAAD

LEGAL LOCATION: SE NE NE NE SEC. 27, T. 103 N., R. 52 W.

1.0 - 3.0 GRAVEL, RED-BROWN, MEDIUM 5.0 - 7.0 GRAVEL, RED-BROWN, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 678 LOCATION: 104N-47W-06DCCC

LEGAL LOCATION: SW SW SW SE SEC. 06, T. 104 N., R. 47 W.

8.0 - 16.0 SAND, BROWN, MEDIUM, SLIGHTLY CLAYEY;
OXIDIZED, SATURATED

16.0 - 22.0 SAND, GRAY, MEDIUM, SLIGHTLY CLAYEY; UNOXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 679 LOCATION: 104N-47W-08DCCC

LEGAL LOCATION: SW SW SW SE SEC. 08, T. 104 N., R. 47 W.

3.0 - 20.0 SAND, LIGHT-BROWN, MEDIUM TO COARSE;
WHITE CLAY LAYER AT 12 FEET, SOME
GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 680 LOCATION: 104N-47W-15CBBC

LEGAL LOCATION: SW NW NW SW SEC. 15, T. 104 N., R. 47 W.

5.0 - 13.0 SAND AND GRAVEL, FINE TO COARSE SAND, MEDIUM TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 681 LOCATION: 104N-47W-15CBCC LEGAL LOCATION: SW SW NW SW SEC. 15, T. 104 N., R. 47 W.

9.0 - 13.0 SAND AND GRAVEL, FINE TO COARSE SAND, MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 682 LOCATION: 104N-47W-15CCBC

LEGAL LOCATION: SW NW SW SEC. 15, T. 104 N., R. 47 W.

5.0 - 13.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, FINE TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 683 LOCATION: 104N-47W-15CCCC

LEGAL LOCATION: SW SW SW SEC. 15, T. 104 N., R. 47 W.

5.0 - 21.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, MEDIUM GRAVEL; OXIDIZED, MOIST TO SATURATED

\* \* \* \*

TEST HOLE NUMBER: 684 LOCATION: 104N-47W-18DCCC

LEGAL LOCATION: SW SW SW SE SEC. 18, T. 104 N., R. 47 W.

4.0 - 16.0 SAND, BROWN, FINE TO MEDIUM, VERY CLAYEY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 685 LOCATION: 104N-47W-19DDDA

LEGAL LOCATION: NE SE SE SEC. 19, T. 104 N., R. 47 W.

- 1.0 5.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, FINE TO COARSE GRAVEL, SLIGHTLY CLAYEY; DRY, OXIDIZED
- 5.0 8.0 GRAVEL, BROWN, MEDIUM TO COARSE, VERY CLAYEY; MOIST, OXIDIZED, SATURATED AT 7 FEET
- 8.0 41.0 SAND, BROWN, FINE TO COARSE, CLAYEY; SOME FINE GRAVEL, SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 686 LOCATION: 104N-47W-20BDDA

LEGAL LOCATION: NE SE SE NW SEC. 20, T. 104 N., R. 47 W.

- 0 8.0 SAND, BROWN, FINE TO COARSE, CLAYEY; SOME FINE TO MEDIUM GRAVEL, MOIST, OXIDIZED
- 8.0 15.0 GRAVEL, FINE TO MEDIUM, CLAYEY TO VERY CLAYEY, SANDY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 687 LOCATION: 104N-47W-29CCCC

LEGAL LOCATION: SW SW SW SEC. 29, T. 104 N., R. 47 W.

7.0 - 8.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 688 LOCATION: 104N-47W-33CCCB

LEGAL LOCATION: NW SW SW SEC. 33, T. 104 N., R. 47 W.

- 1.0 10.0 SAND AND GRAVEL, BROWN, FINE TO MEDIUM SAND, FINE TO COARSE GRAVEL, ROUNDED; LITTLE CLAY, OXIDIZED, DRY
- 10.0 14.0 SAND, BROWN, FINE TO MEDIUM; LITTLE CLAY,
  DRY TO MOIST, OXIDIZED, SOME COARSE
  SAND
- 14.0 16.0 GRAVEL; LOST BIT, UNABLE TO CONTINUE

\* \* \* \*

TEST HOLE NUMBER: 689 LOCATION: 104N-47W-33CCCB 1

LEGAL LOCATION: NW SW SW SEC. 33, T. 104 N., R. 47 W.

- 1.0 19.0 SAND, BROWN, FINE TO MEDIUM, SLIGHTLY CLAYEY; DRY TO MOIST, OXIDIZED, GRAVEL STRINGERS AT 4 TO 5 FEET, 9 TO 10 FEET AND 15 TO 17 FEET
- 19.0 23.0 GRAVEL, FINE TO COARSE; LITTLE RETURN

\* \* \* \*

TEST HOLE NUMBER: 690 LOCATION: 104N-47W-34AABA

LEGAL LOCATION: NE NW NE NE SEC. 34, T. 104 N., R. 47 W.

23.0 - 24.0 SAND, BROWN, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 691 LOCATION: 104N-47W-34DDDD 1

LEGAL LOCATION: SE SE SE SE SEC. 34, T. 104 N., R. 47 W.

### 4.0 - 15.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 692 LOCATION: 104N-47W-34DDDD 2

LEGAL LOCATION: SE SE SE SE SEC. 34, T. 104 N., R. 47 W.

5.0 - 17.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 693 LOCATION: 104N-48W-02DAAD 1

LEGAL LOCATION: SE NE NE SE SEC. 02, T. 104 N., R. 48 W.

2.0 - 8.0 SAND, BROWN, MEDIUM; OXIDIZED

19.0 - 27.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 694 LOCATION: 104N-48W-02DAAD 2

LEGAL LOCATION: SE NE NE SE SEC. 02, T. 104 N., R. 48 W.

O - 8.0 SAND, BROWN, MEDIUM, SILTY, CLAYEY;
OXIDIZED

22.0 - 32.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 695 LOCATION: 104N-48W-02DAAD 3

LEGAL LOCATION: SE NE NE SE SEC. 02, T. 104 N., R. 48 W.

1.0 - 13.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 696 LOCATION: 104N-48W-02DABB

LEGAL LOCATION: NW NW NE SE SEC. 02, T. 104 N., R. 48 W.

O - 2.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, FINE TO COARSE GRAVEL, CLAYEY;
OXIDIZED, DRY

2.0 - 24.0 SAND, BROWN, FINE TO MEDIUM, SLIGHTLY CLAYEY; VERY FEW FINE PEBBLES, DAMP, OXIDIZED, CLAY CONTENT INCREASES WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 697

LOCATION: 104N-48W-02DABD

LEGAL LOCATION: SE NW NE SE SEC. 02, T. 104 N., R. 48 W.

- O 4.0 SAND, BROWN, FINE TO MEDIUM; OXIDIZED,
- 4.0 25.0 SAND, LIGHT-BROWN, FINE TO MEDIUM, WELL-SORTED; VERY CLEAN, DRY, OXIDIZED, CLAY CONTENT EVIDENT AT 20 FEET AND INCREASES WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 698 LOCATION: 104N-48W-02DCBA

LEGAL LOCATION: NE NW SW SE SEC. 02, T. 104 N., R. 48 W.

- 1.0 4.0 GRAVEL, BROWN TO BLACK, MEDIUM TO COARSE; SOME FINE TO COARSE SAND, DRY, OXIDIZED
- 4.0 9.0 SAND AND GRAVEL, TAN TO BROWN, FINE TO COARSE SAND, FINE TO COARSE GRAVEL, POORLY SORTED; DRY, OXIDIZED
- 9.0 58.0 SAND, BROWN, FINE TO MEDIUM, WELL-SORTED;

  VERY CLEAN, DRY, OXIDIZED, SOME SMALL

  CLAY LENSES AND GRAVEL STRINGERS

  PRESENT, SATURATED AT APPROXIMATELY 57

  FEET

\* \* \* \*

TEST HOLE NUMBER: 699 LOCATION: 104N-48W-02DCBD 1

LEGAL LOCATION: SE NW SW SE SEC. 02, T. 104 N., R. 48 W.

- O 15.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, FINE TO MEDIUM GRAVEL, SLIGHTLY CLAYEY; DRY, OXIDIZED
- 15.0 42.0 SAND, YELLOW-BROWN, FINE TO MEDIUM, SLIGHTLY CLAYEY; DRY TO MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 700 LOCATION: 104N-48W-02DCBD 2

LEGAL LOCATION: SE NW SW SE SEC. 02, T. 104 N., R. 48 W.

- O 4.0 SAND AND GRAVEL, RED-BROWN, FINE TO COARSE SAND, FINE GRAVEL, CLAYEY; DRY, OXIDIZED
- 4.0 9.0 SAND, TAN-BROWN, FINE TO MEDIUM, SLIGHTLY CLAYEY; OXIDIZED, MOIST
- 9.0 10.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, FINE GRAVEL, SLIGHTLY CLAYEY; OXIDIZED, MOIST
- 10.0 42.0 SAND, BROWN, MEDIUM, SLIGHTLY CLAYEY,

# WELL-SORTED; OXIDIZED, MOIST, FEW THIN CLAY LENSES

\* \* \* \*

TEST HOLE NUMBER: 701 LOCATION: 104N-48W-02DCCD

LEGAL LOCATION: SE SW SW SE SEC. 02, T. 104 N., R. 48 W.

1.0	-	6.0	SAND, LIGHT-BROWN, FINE, VERY SILTY,
			CLAYEY, WELL-SORTED; DRY, OXIDIZED
6.0	-	10.0	SAND, DARK-BROWN; FINE TO MEDIUM, CLAYEY;
			DRY TO MOIST, OXIDIZED
10.0	_	18.0	SAND, LIGHT-BROWN, FINE, VERY SILTY; SOME
			CLAY, DRY, OXIDIZED
18.0	-	35.0	SAND, DARK-BROWN, MEDIUM TO COARSE,
			SLIGHTLY CLAYEY; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 702 LOCATION: 104N-48W-11BBBB

LEGAL LOCATION: NW NW NW NW SEC. 11, T. 104 N., R. 48 W.

17.0 - 19.0 SAND, YELLOWISH-BROWN, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 703 LOCATION: 104N-48W-11BBBB 1

LEGAL LOCATION: NW NW NW NW SEC. 11, T. 104 N., R. 48 W.

1.0 -	2.0	SAND, BROWN, MEDIUM, CLAYEY; OXIDIZED,
		DRY
7.0 <b>-</b>	19.0	SAND, LIGHT-BROWN, MEDIUM TO COARSE, VERY
		CLAYEY; OXIDIZED, SATURATED, CLAY LENS
		AT 15 TO 16 FEET AND 17 TO 18 FEET
19.0 -	22.0	SAND, GRAY, MEDIUM TO COARSE, VERY
		CLAYEY; UNOXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 704 LOCATION: 104N-48W-11BCCC

LEGAL LOCATION: SW SW SW NW SEC. 11, T. 104 N., R. 48 W.

6.0 - 14.0 SAND, YELLOW-BROWN, FINE TO MEDIUM, CLAYEY; OXIDIZED, SATURATED

14.0 - 22.0 SAND, GRAY-BROWN, MEDIUM TO COARSE; SATURATED, UNOXIDIZED

MICHAILD, CHOKIDIAL

\* \* \* \*

TEST HOLE NUMBER: 705

LOCATION: 104N-48W-11DDAD

LEGAL LOCATION: SE NE SE SE SEC. 11, T. 104 N., R. 48 W.

SAND, TAN-BROWN, FINE TO MEDIUM, SLIGHTLY 6.0 -23.0 CLAYEY; OXIDIZED, SATURATED, SAND IS FINE BEYOND 13 FEET AND CLAY CONTENT INCREASES WITH DEPTH BEYOND 17 FEET

\* \* \* \*

TEST HOLE NUMBER: LOCATION: 104N-48W-12DAAA

LEGAL LOCATION: NE NE NE SE SEC. 12, T. 104 N., R. 48 W.

SAND, BROWN, FINE TO MEDIUM 2.0 -5.0

\* \* \* \*

TEST HOLE NUMBER: 707 LOCATION: 104N-48W-13BCCC

LEGAL LOCATION: SW SW SW NW SEC. 13, T. 104 N., R. 48 W.

SAND, YELLOW-BROWN, FINE, SLIGHTLY 25.0 9.0 -CLAYEY; MOIST TO SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 708 LOCATION: 104N-48W-15AADD

LEGAL LOCATION: SE SE NE NE SEC. 15, T. 104 N., R. 48 W.

SAND, BROWN, MEDIUM TO COARSE; OXIDIZED 8.0 -18.0

22.0 -38.0 SAND AND GRAVEL, BROWN; FINE SAND, FINE TO MEDIUM GRAVEL, SOME COBBLES, OXIDIZED

TEST HOLE NUMBER: 709

LOCATION: 104N-48W-15AADD 2

LEGAL LOCATION: SE SE NE NE SEC. 15, T. 104 N., R. 48 W.

8.0 -28.0 SAND, BROWN, FINE TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 710

LOCATION: 104N-48W-15AADD 3

LEGAL LOCATION: SE SE NE NE SEC. 15, T. 104 N., R. 48 W.

SAND AND GRAVEL, FINE TO COARSE SAND, 9.0 -23.0 MEDIUM GRAVEL, VERY CLAYEY; SOME CLAY LAYERS, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 711 LOCATION: 104N-48W-15CCCC

LEGAL LOCATION: SW SW SW SEC. 15, T. 104 N., R. 48 W.

10.0 - 30.0 SAND, FINE TO MEDIUM, SILTY

\* \* \* \*

TEST HOLE NUMBER: 712 LOCATION: 104N-48W-17DAAA

LEGAL LOCATION: NE NE NE SE SEC. 17, T. 104 N., R. 48 W.

17.0 - 21.0 GRAVEL, BROWN, MEDIUM, SANDY

\* \* \* \*

TEST HOLE NUMBER: 713 LOCATION: 104N-48W-21DDDD

LEGAL LOCATION: SE SE SE SE SEC. 21, T. 104 N., R. 48 W.

16.0 - 24.0 GRAVEL, TAN-BROWN, FINE, VERY CLAYEY, SLIGHTLY SANDY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 714
LOCATION: 104N-48W-22DDDD

LEGAL LOCATION: SE SE SE SE SEC. 22, T. 104 N., R. 48 W.

7.0 - 32.0 SAND, BROWN, FINE TO MEDIUM, CLAYEY TO VERY CLAYEY; OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 715 LOCATION: 104N-48W-26CDCC

LEGAL LOCATION: SW SW SE SW SEC. 26, T. 104 N., R. 48 W.

10.0 - 27.0 SAND, DARK-BROWN, MEDIUM TO COARSE, CLAYEY, GRAVELLY; OXIDIZED, SATURATED AT 10 FEET

\* \* \* \*

TEST HOLE NUMBER: 716 LOCATION: 104N-48W-27DAAA 1

LEGAL LOCATION: NE NE NE SE SEC. 27, T. 104 N., R. 48 W.

7.0 - 12.0 GRAVEL, MEDIUM TO COARSE; WITH LIGHT-GRAY SILT

\* \* \* \*

TEST HOLE NUMBER: 717 LOCATION: 104N-48W-27DAAA 2

LEGAL LOCATION: NE NE NE SE SEC. 27, T. 104 N., R. 48 W.

8.0 - 12.0 SAND, FINE, CLAYEY

12.0 - 18.0 SAND, CLAYEY

\* \* \* \* `

TEST HOLE NUMBER: 718 LOCATION: 104N-48W-27DAAB

LEGAL LOCATION: NW NE NE SE SEC. 27, T. 104 N., R. 48 W.

1.0 - 23.0 SAND, BROWN, FINE TO MEDIUM; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 719 LOCATION: 104N-48W-35DDC

LEGAL LOCATION: SW SE SE SEC. 35, T. 104 N., R. 48 W.

5.0 - 9.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND,

FINE GRAVEL

9.0 - 15.0 SAND, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 720 LOCATION: 104N-49W-01AABA

LEGAL LOCATION: NE NW NE NE SEC. 01, T. 104 N., R. 49 W.

9.0 - 14.0 SAND, MEDIUM TO COARSE

14.0 - 19.0 SAND, COARSE

\* \* \* \*

TEST HOLE NUMBER: 721 LOCATION: 104N-49W-01ABAC

LEGAL LOCATION: SW NE NW NE SEC. 01, T. 104 N., R. 49 W.

10.0 - 20.0 SAND, BROWN

\* \* \* \*

TEST HOLE NUMBER: 722 LOCATION: 104N-49W-01ABAD

LEGAL LOCATION: SE NE NW NE SEC. 01, T. 104 N., R. 49 W.

7.0 - 9.0 SAND, FINE; SOME CLAY STRINGERS

9.0 - 22.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 723

LOCATION: 104N-49W-01ABBC 1

LEGAL LOCATION: SW NW NW NE SEC. 01, T. 104 N., R. 49 W.

5.0 - 22.0 SAND, BROWN

\* \* \* \*

TEST HOLE NUMBER: 724

LOCATION: 104N-49W-01ABBC 2

LEGAL LOCATION: SW NW NW NE SEC. 01, T. 104 N., R. 49 W.

4.0 - 17.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 725

LOCATION: 104N-49W-01ABCA

LEGAL LOCATION: NE SW NW NE SEC. 01, T. 104 N., R. 49 W.

3.0 - 9.0 SAND

9.0 - 22.0 GRAVEL; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 726

LOCATION: 104N-49W-01ABCC

LEGAL LOCATION: SW SW NW NE SEC. 01, T. 104 N., R. 49 W.

11.0 - 30.0 SAND

\* \* \* \*

TEST HOLE NUMBER: 727

LOCATION: 104N-49W-01ABCD

LEGAL LOCATION: SE SW NW NE SEC. 01, T. 104 N., R. 49 W.

11.0 - 31.0 SAND, WELL-SORTED

\* \* \* \*

TEST HOLE NUMBER: 728

LOCATION: 104N-49W-01ABDB

LEGAL LOCATION: NW SE NW NE SEC. 01, T. 104 N., R. 49 W.

7.0 - 9.0 SAND, RED

9.0 - 18.0 SAND, FINE

18.0 - 24.0 SAND; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 729

LOCATION: 104N-49W-01ABDC

LEGAL LOCATION: SW SE NW NE SEC. 01, T. 104 N., R. 49 W.

7.0 - 15.0 SAND AND GRAVEL

15.0 - 22.0 SAND, FINE

\* \* \* \*

TEST HOLE NUMBER: 730 LOCATION: 104N-49W-01ABDD

LEGAL LOCATION: SE SE NW NE SEC. 01, T. 104 N., R. 49 W.

13.0 - 24.0 SAND; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 731 LOCATION: 104N-49W-01ACAB

LEGAL LOCATION: NW NE SW NE SEC. 01, T. 104 N., R. 49 W.

3.0 - 5.0 SAND, BROWN, FINE

7.0 - 15.0 SAND

15.0 - 25.0 SAND; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 732 LOCATION: 104N-49W-01ACBA 1

LEGAL LOCATION: NE NW SW NE SEC. 01, T. 104 N., R. 49 W.

14.0 - 27.0 GRAVEL, WELL-SORTED; CLEAN

\* \* \* \*

TEST HOLE NUMBER: 733

LOCATION: 104N-49W-01ACBA 2

LEGAL LOCATION: NE NW SW NE SEC. 01, T. 104 N., R. 49 W.

12.0 - 28.0 SAND, WELL-SORTED

\* \* \* \*

TEST HOLE NUMBER: 734 LOCATION: 104N-49W-01ACBD

LEGAL LOCATION: SE NW SW NE SEC. 01, T. 104 N., R. 49 W.

4.0 - 7.0 SAND

7.0 - 27.0 SAND, WELL-SORTED

\* \* \* \*

TEST HOLE NUMBER: 735 LOCATION: 104N-49W-01BAAA

LEGAL LOCATION: NE NE NE NW SEC. 01, T. 104 N., R. 49 W.

5.0 - 10.0 SAND, DARK-BROWN, CLAYEY

10.0 - 12.0 GRAVEL

# 12.0 - 20.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 736 LOCATION: 104N-49W-01BBBD

LEGAL LOCATION: SE NW NW NW SEC. 01, T. 104 N., R. 49 W.

2.0 - 9.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 737 LOCATION: 104N-49W-01BBCC

LEGAL LOCATION: SW SW NW NW SEC. 01, T. 104 N., R. 49 W.

2.0 - 17.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 738 LOCATION: 104N-49W-01BCCC

LEGAL LOCATION: SW SW SW NW SEC. 01, T. 104 N., R. 49 W.

2.0 - 13.0 SAND AND GRAVEL, MEDIUM TO COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 739 LOCATION: 104N-49W-02ABAB

LEGAL LOCATION: NW NE NW NE SEC. 02, T. 104 N., R. 49 W.

7.0 - 18.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 740 LOCATION: 104N-49W-02BABB

LEGAL LOCATION: NW NW NE NW SEC. 02, T. 104 N., R. 49 W.

6.0 - 20.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 741 LOCATION: 104N-49W-02BBAA

LEGAL LOCATION: NE NE NW NW SEC. 02, T. 104 N., R. 49 W.

6.0 - 20.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 742

LOCATION: 104N-49W-02BBBB

LEGAL LOCATION: NW NW NW NW SEC. 02, T. 104 N., R. 49 W.

9.0 - 14.0 GRAVEL, MEDIUM TO COARSE; SATURATED

14.0 - 19.0 GRAVEL, COARSE 19.0 - 20.0 SAND, COARSE

\* \* \* \*

TEST HOLE NUMBER: 743 LOCATION: 104N-49W-02BBBB 1

LEGAL LOCATION: NW NW NW NW SEC. 02, T. 104 N., R. 49 W.

3.0 - 5.0 SAND, FINE TO MEDIUM; SOME CLAY

5.0 - 20.0 SAND, COARSE

\* \* \* \*

TEST HOLE NUMBER: 744 LOCATION: 104N-49W-02BDBB

LEGAL LOCATION: NW NW SE NW SEC. 02, T. 104 N., R. 49 W.

4.0 - 8.0 SAND AND GRAVEL, COARSE; UNABLE TO PENETRATE

\* \* \* \*

TEST HOLE NUMBER: 745 LOCATION: 104N-49W-02CBCC

LEGAL LOCATION: SW SW NW SW SEC. 02, T. 104 N., R. 49 W.

1.0 - 8.0 SAND, VERY FINE TO MEDIUM, SILTY

8.0 - 11.0 GRAVEL, FINE TO VERY COARSE, SANDY

11.0 - 13.0 SAND, MEDIUM TO VERY COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 746
LOCATION: 104N-49W-02DABD

LEGAL LOCATION: SE NW NE SE SEC. 02, T. 104 N., R. 49 W.

3.0 - 9.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

10.0 - 11.0 SAND, COARSE(?)

\* \* \* \*

TEST HOLE NUMBER: 747 LOCATION: 104N-49W-02DBAA

LEGAL LOCATION: NE NE NW SE SEC. 02, T. 104 N., R. 49 W.

5.0 - 6.0 SAND, FINE TO MEDIUM

6.0 - 9.0 SAND, COARSE; SOME GRAVEL, UNABLE TO PENETRATE

TEST HOLE NUMBER: 748 LOCATION: 104N-49W-03AAAA

LEGAL LOCATION: NE NE NE NE SEC. 03, T. 104 N., R. 49 W.

4.0 - 20.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 749 LOCATION: 104N-49W-03AAAB

LEGAL LOCATION: NW NE NE NE SEC. 03, T. 104 N., R. 49 W.

4.0 - 10.0 SAND, MEDIUM; SOME CLAY

10.0 - 15.0 SAND, MEDIUM TO COARSE; SOME CLAY

15.0 - 20.0 SAND, COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 750 LOCATION: 104N-49W-03AADD

LEGAL LOCATION: SE SE NE NE SEC. 03, T. 104 N., R. 49 W.

5.0 - 8.0 SAND, BROWN, CLAYEY

8.0 - 20.0 SAND, MEDIUM TO COARSE; SOME CLAY; CLAY CONTENT DECREASING WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 751 LOCATION: 104N-49W-03ABBA

LEGAL LOCATION: NE NW NW NE SEC. 03, T. 104 N., R. 49 W.

6.0 - 19.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 752 LOCATION: 104N-49W-03ABDA

LEGAL LOCATION: NE SE NW NE SEC. 03, T. 104 N., R. 49 W.

5.0 - 10.0 SAND, BROWN, COARSE, CLAYEY

10.0 - 11.0 GRAVEL, FINE

11.0 - 19.0 SAND, COARSE; SOME GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 753 LOCATION: 104N-49W-03BDBA

LEGAL LOCATION: NE NW SE NW SEC. 03, T. 104 N., R. 49 W.

6.0 - 13.0 GRAVEL, COARSE

TEST HOLE NUMBER: 754 LOCATION: 104N-49W-03DAAA

LEGAL LOCATION: NE NE NE SE SEC. 03, T. 104 N., R. 49 W.

2.0 - 5.0 SAND, BROWN, CLAYEY

5.0 - 12.0 SAND, MEDIUM TO COARSE; GRAVEL; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 755 LOCATION: 104N-49W-03DAAA 1

LEGAL LOCATION: NE NE NE SE SEC. 03, T. 104 N., R. 49 W.

4.0 - 9.0 SAND, FINE TO MEDIUM 9.0 - 10.0 GRAVEL, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 756 LOCATION: 104N-49W-03DADC

LEGAL LOCATION: SW SE NE SE SEC. 03, T. 104 N., R. 49 W.

7.0 - 9.0 SAND, MEDIUM TO COARSE; SOME CLAY

9.0 - 11.0 SAND AND GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 757 LOCATION: 104N-49W-03DDCC

LEGAL LOCATION: SW SW SE SE SEC. 03, T. 104 N., R. 49 W.

9.0 - 18.0 SAND, FINE; SAMPLE TAKEN

18.0 - 22.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 758

LOCATION: 104N-49W-03DDCC 1

LEGAL LOCATION: SW SW SE SE SEC. 03, T. 104 N., R. 49 W.

5.0 - 11.0 SAND, MEDIUM .

\* \* \* \*

TEST HOLE NUMBER: 759 LOCATION: 104N-49W-07CCBB

LEGAL LOCATION: NW NW SW SW SEC. 07, T. 104 N., R. 49 W.

2.0 - 6.0 SAND AND GRAVEL, BROWN, MEDIUM SAND, MEDIUM TO COARSE GRAVEL; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 760 LOCATION: 104N-49W-10AAB

LEGAL LOCATION: NW NE NE SEC. 10, T. 104 N., R. 49 W.

5.0 - 15.0 SAND, BROWN, COARSE; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 761 LOCATION: 104N-49W-10AABC

LEGAL LOCATION: SW NW NE NE SEC. 10, T. 104 N., R. 49 W.

2.0 - 10.0 SAND, REDDISH-BROWN, CLAYEY

10.0 - 11.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 762 LOCATION: 104N-49W-10ACCB

LEGAL LOCATION: NW SW SW NE SEC. 10, T. 104 N., R. 49 W.

5.0 - 15.0 SAND, BROWN, CLAYEY

15.0 - 17.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 763 LOCATION: 104N-49W-10ADDC

LEGAL LOCATION: SW SE SE NE SEC. 10, T. 104 N., R. 49 W.

5.0 - 11.0 SAND, MEDIUM TO COARSE; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 764 LOCATION: 104N-49W-10DABB

LEGAL LOCATION: NW NW NE SE SEC. 10, T. 104 N., R. 49 W.

5.0 - 9.0 SAND, BROWN; SOME CLAY

9.0 - 10.0 GRAVEL

10.0 - 16.0 SAND, COARSE; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 765 LOCATION: 104N-49W-11BBCC

LEGAL LOCATION: SW SW NW NW SEC. 11, T. 104 N., R. 49 W.

2.0 - 13.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 766 LOCATION: 104N-49W-11BCCB LEGAL LOCATION: NW SW SW NW SEC. 11, T. 104 N., R. 49 W.

5.0 - 13.0 SAND, BROWN; CHANGING TO GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 767 LOCATION: 104N-49W-11BCCC

LEGAL LOCATION: SW SW SW NW SEC. 11, T. 104 N., R. 49 W.

2.0 - 10.0 SAND, MEDIUM TO COARSE; SOME GRAVEL

10.0 - 13.0 GRAVEL, FINE TO MEDIUM, SANDY

\* \* \* \*

TEST HOLE NUMBER: 768 LOCATION: 104N-49W-11BCDB

LEGAL LOCATION: NW SE SW NW SEC. 11, T. 104 N., R. 49 W.

2.0 - 5.0 SAND, BROWN, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 769 LOCATION: 104N-49W-14CCBB

LEGAL LOCATION: NW NW SW SW SEC. 14, T. 104 N., R. 49 W.

1.0 - 5.0 SAND, GRAY, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 770 LOCATION: 104N-49W-17CACD

LEGAL LOCATION: SE SW NE SW SEC. 17, T. 104 N., R. 49 W.

5.0 - 6.0 GRAVEL

15.0 - 58.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 771 LOCATION: 104N-49W-17CADB

LEGAL LOCATION: NW SE NE SW SEC. 17, T. 104 N., R. 49 W.

5.0 - 6.0 GRAVEL

15.0 - 67.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 772 LOCATION: 104N-49W-17CCAB

LEGAL LOCATION: NW NE SW SW SEC. 17, T. 104 N., R. 49 W.

8.0 - 12.0 SAND, BROWN, SILTY

12.0 - 15.0 SAND AND GRAVEL, MEDIUM SAND TO MEDIUM GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 773 LOCATION: 104N-49W-20ADAC

LEGAL LOCATION: SW NE SE NE SEC. 20, T. 104 N., R. 49 W.

2.0 - 14.0 SAND, BROWN, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 774 LOCATION: 104N-49W-20BBCB

LEGAL LOCATION: NW SW NW NW SEC. 20, T. 104 N., R. 49 W.

24.0 - 30.0 SAND, MEDIUM TO COARSE; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 775
LOCATION: 104N-49W-20CCDD

LEGAL LOCATION: SE SE SW SW SEC. 20, T. 104 N., R. 49 W.

1.0 - 8.0 SAND, FINE TO MEDIUM, SILTY

8.0 - 21.0 SAND, VERY FINE TO COARSE, SILTY; SOME GRAVEL, THIN CLAY BEDS

21.0 - 22.0 GRAVEL, SANDY AND SILTY

22.0 - 26.0 SAND, VERY FINE; SOME GRAVEL, VERY SILTY AND CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 776 LOCATION: 104N-49W-20CDC

LEGAL LOCATION: SW SE SW SEC. 20, T. 104 N., R. 49 W.

0 - 10.0 SAND, FINE TO MEDIUM, SILTY

10.0 - 17.0 SAND, FINE, SILTY AND CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 777
LOCATION: 104N-49W-20CDCC

LEGAL LOCATION: SW SW SE SW SEC. 20, T. 104 N., R. 49 W.

1.0 - 6.0 SAND, VERY FINE TO MEDIUM, SILTY

TEST HOLE NUMBER: 778 LOCATION: 104N-49W-20CDDD

LEGAL LOCATION: SE SE SE SW SEC. 20, T. 104 N., R. 49 W.

2.0 - 15.0 SAND, DARK-BROWN, FINE, CLAYEY

15.0 - 25.0 SAND, GRAY, FINE; GRAVEL, FINE, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 779 LOCATION: 104N-49W-20DAAA

LEGAL LOCATION: NE NE NE SE SEC. 20, T. 104 N., R. 49 W.

2.0 - 16.0 SAND, VERY FINE TO MEDIUM, SILTY, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 780 LOCATION: 104N-49W-20DADA

LEGAL LOCATION: NE SE NE SE SEC. 20, T. 104 N., R. 49 W.

5.0 - 7.0 SAND, MEDIUM TO COARSE

7.0 - 20.0 SAND, COARSE

20.0 - 25.0 SAND, MEDIUM; SOME CLAY

25.0 - 35.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 781 LOCATION: 104N-49W-20DDAD

LEGAL LOCATION: SE NE SE SE SEC. 20, T. 104 N., R. 49 W.

6.0 - 18.0 SAND, MEDIUM TO COARSE

18.0 - 21.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 782 LOCATION: 104N-49W-20DDCC

LEGAL LOCATION: SW SW SE SE SEC. 20, T. 104 N., R. 49 W.

2.0 - 20.0 SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 783 LOCATION: 104N-49W-20DDDA

LEGAL LOCATION: NE SE SE SE SEC. 20, T. 104 N., R. 49 W.

10.0 - 18.0 SAND, BROWN, FINE TO MEDIUM, SILTY

18.0 - 27.0 SAND AND GRAVEL, FINE TO COARSE

TEST HOLE NUMBER: 784 LOCATION: 104N-49W-20DDDB

LEGAL LOCATION: NW SE SE SE SEC. 20, T. 104 N., R. 49 W.

2.0 - 15.0 SAND 15.0 - 25.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 785 LOCATION: 104N-49W-20DDDC

LEGAL LOCATION: SW SE SE SE SEC. 20, T. 104 N., R. 49 W.

7.0 - 25.0 SAND, MEDIUM TO COARSE

25.0 - 29.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 786 LOCATION: 104N-49W-21CBBB

LEGAL LOCATION: NW NW NW SW SEC. 21, T. 104 N., R. 49 W.

0 - 6.0 SAND, BROWN, FINE TO MEDIUM, SILTY; HARD

6.0 - 11.0 SAND, MEDIUM, SLIGHTLY SILTY

\* \* \* \*

TEST HOLE NUMBER: 787 LOCATION: 104N-49W-21CCCD

LEGAL LOCATION: SE SW SW SW SEC. 21, T. 104 N., R. 49 W.

6.0 - 14.0 SAND, MEDIUM TO COARSE

14.0 - 20.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 788 LOCATION: 104N-49W-25BBBB

LEGAL LOCATION: NW NW NW NW SEC. 25, T. 104 N., R. 49 W.

13.0 - 15.0 SAND, BROWN, MEDIUM

20.0 - 24.0 SAND, BROWN, MEDIUM, SILTY; SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 789 LOCATION: 104N-49W-27CCDC

LEGAL LOCATION: SW SE SW SW SEC. 27, T. 104 N., R. 49 W.

1.0 - 4.0 SAND, BROWN, MEDIUM TO COARSE, SLIGHTLY CLAYEY; SATURATED, OXIDIZED

TEST HOLE NUMBER: LOCATION: 104N-49W-29AAAA

LEGAL LOCATION: NE NE NE NE SEC. 29, T. 104 N., R. 49 W.

23.0 SAND, VERY FINE TO MEDIUM, SILTY AND 2.0 -CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 791 LOCATION: 104N-49W-29ADD

LEGAL LOCATION: SE SE NE SEC. 29, T. 104 N., R. 49 W.

SAND, BROWN, CLAYEY; CHANGING TO COARSE 5.0 -30.0 SAND AND CLAY

\* \* \* \*

TEST HOLE NUMBER: 792 LOCATION: 104N-49W-31CCCC

LEGAL LOCATION: SW SW SW SEC. 31, T. 104 N., R. 49 W.

9.0 SAND, FINE 4.0 -

9.0 -14.0 SAND, FINE TO MEDIUM; SATURATED

19.0 -24.0 SAND, FINE, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 793 LOCATION: 104N-49W-31CCCC 1

LEGAL LOCATION: SW SW SW SEC. 31, T. 104 N., R. 49 W.

9.0 - 43.0 SAND, FINE

TEST HOLE NUMBER: 794

LOCATION: 104N-49W-31CCCC 2

LEGAL LOCATION: SW SW SW SEC. 31, T. 104 N., R. 49 W.

8.0 -23.0 SAND AND GRAVEL, FINE SAND TO FINE

GRAVEL, SILTY; WITH CLAY LAYERS

23.0 -24.0 GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 795

LOCATION: 104N-49W-31CCCC 3

LEGAL LOCATION: SW SW SW SEC. 31, T. 104 N., R. 49 W.

4.0 -9.0 SAND, FINE

SAND, FINE TO MEDIUM 9.0 -19.0

# 19.0 - 34.0 SAND, FINE, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 796 LOCATION: 104N-49W-31CDDD

LEGAL LOCATION: SE SE SE SW SEC. 31, T. 104 N., R. 49 W.

5.0 - 35.0 SAND, DARK-BROWN, CLAYEY; CHANGING TO COARSE SAND AND GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 797 LOCATION: 104N-49W-31CDDD 1

LEGAL LOCATION: SE SE SE SW SEC. 31, T. 104 N., R. 49 W.

17.0 - 29.0 SAND, MEDIUM; SATURATED

\* \* \* \*

TEST HOLE NUMBER: 798 LOCATION: 104N-49W-32BACB

LEGAL LOCATION: NW SW NE NW SEC. 32, T. 104 N., R. 49 W.

2.0 - 25.0 SAND, BROWN, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 799 LOCATION: 104N-49W-32CACC

LEGAL LOCATION: SW SW NE SW SEC. 32, T. 104 N., R. 49 W.

12.0 - 41.0 SAND, GRAY

\* \* \* \*

TEST HOLE NUMBER: 800 LOCATION: 104N-49W-32CBBB

LEGAL LOCATION: NW NW NW SW SEC. 32, T. 104 N., R. 49 W.

10.0 - 25.0 SAND, GRAY, CLAYEY; CHANGING TO COARSE SAND, WITH SOME CLAY

\* \* \* \*

TEST HOLE NUMBER: 801 LOCATION: 104N-49W-32CCCC

LEGAL LOCATION: SW SW SW SEC. 32, T. 104 N., R. 49 W.

15.0 - 24.0 SAND, COARSE; GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 802 LOCATION: 104N-49W-32DBBD

LEGAL LOCATION: SE NW NW SE SEC. 32, T. 104 N., R. 49 W.

2.0 - 35.0 SAND, BLACK, FINE TO MEDIUM, CLAYEY;

COARSER SAND AND LESS CLAY AT 15 FEET

\* \* \* \*

TEST HOLE NUMBER: 803 LOCATION: 104N-49W-32DBCD

LEGAL LOCATION: SE SW NW SE SEC. 32, T. 104 N., R. 49 W.

6.0 - 15.0 SAND, GRAY, FINE; SOME CLAY

15.0 - 17.0 GRAVEL, VERY COARSE

\* \* \* \*

TEST HOLE NUMBER: 804 LOCATION: 104N-50W-04AABA

LEGAL LOCATION: NE NW NE NE SEC. 04, T. 104 N., R. 50 W.

7.0 - 14.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 805 LOCATION: 104N-50W-04ABBB

LEGAL LOCATION: NW NW NW NE SEC. 04, T. 104 N., R. 50 W.

4.0 - 57.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 806 LOCATION: 104N-50W-04DCC

LEGAL LOCATION: SW SW SE SEC. 04, T. 104 N., R. 50 W.

2.0 - 20.0 GRAVEL, FINE 20.0 - 30.0 GRAVEL, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 807 LOCATION: 104N-50W-04DCCC 1

LEGAL LOCATION: SW SW SW SE SEC. 04, T. 104 N., R. 50 W.

2.0 - 19.0 GRAVEL, SANDY, SUBANGULAR, LESS THAN 1.5 INCHES IN DIAMETER(?)

20.0 - 47.0 GRAVEL, SANDY, SUBANGULAR, LESS THAN 1.5 INCHES IN DIAMETER

\* \* \* \*

TEST HOLE NUMBER: 808

LOCATION: 104N-50W-04DCCC 2

LEGAL LOCATION: SW SW SW SE SEC. 04, T. 104 N., R. 50 W.

2.0 - 18.0 GRAVEL, FINE 18.0 - 30.0 GRAVEL, MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 809 LOCATION: 104N-50W-07CCDC

LEGAL LOCATION: SW SE SW SW SEC. 07, T. 104 N., R. 50 W.

6.0 - 9.0 GRAVEL, BROWN, MEDIUM; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 810 LOCATION: 104N-50W-08BAAA

LEGAL LOCATION: NE NE NE NW SEC. 08, T. 104 N., R. 50 W.

1.0 - 6.0 GRAVEL, RED-BROWN, MEDIUM TO COARSE; OXIDIZED, UNSATURATED

\* \* \* \*

TEST HOLE NUMBER: 811 LOCATION: 104N-50W-09BBA

LEGAL LOCATION: NE NW NW SEC. 09, T. 104 N., R. 50 W.

2.0 - 10.0 GRAVEL, COARSE

10.0 - 45.0 GRAVEL, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 812 LOCATION: 104N-50W-16AABB

LEGAL LOCATION: NW NW NE NE SEC. 16, T. 104 N., R. 50 W.

4.0 - 9.0 SAND, BLACK, SILTY

9.0 - 32.0 SAND, MEDIUM TO COARSE, SILTY

\* \* \* \*

TEST HOLE NUMBER: 813 LOCATION: 104N-50W-16ABBB

LEGAL LOCATION: NW NW NW NE SEC. 16, T. 104 N., R. 50 W.

4.0 - 18.0 SAND AND GRAVEL, GRAY, MEDIUM TO COARSE;
NOT VERY GOOD

\* \* \* \*

TEST HOLE NUMBER: 814

LOCATION: 104N-50W-16ACAA

LEGAL LOCATION: NE NE SW NE SEC. 16, T. 104 N., R. 50 W.

\*\*\*\*\*\*\*\*\*\*\*

- 4.0 8.0 GRAVEL, COARSE
- 8.0 20.0 SAND, FINE

\* \* \* \*

TEST HOLE NUMBER: 815 LOCATION: 104N-50W-16BBAA

LEGAL LOCATION: NE NE NW NW SEC. 16, T. 104 N., R. 50 W.

- 4.0 9.0 GRAVEL, COARSE
- 9.0 14.0 SAND, MEDIUM TO COARSE
- 14.0 19.0 SAND AND GRAVEL, MEDIUM SAND, FINE GRAVEL
- 19.0 28.0 SAND, COARSE

\* \* \* \*

TEST HOLE NUMBER: 816 LOCATION: 104N-50W-16CAA

LEGAL LOCATION: NE NE SW SEC. 16, T. 104 N., R. 50 W.

- 1.0 17.0 SAND, FINE TO COARSE; AND SOME PEBBLES
- 17.0 25.0 SAND AND GRAVEL, FINE TO COARSE SAND,

FINE GRAVEL

25.0 - 27.0 GRAVEL AND SAND, FINE TO MEDIUM GRAVEL, COARSE SAND

\* \* \* \*

TEST HOLE NUMBER: 817 LOCATION: 104N-50W-16CDA

LEGAL LOCATION: NE SE SW SEC. 16, T. 104 N., R. 50 W.

- 1.0 3.0 GRAVEL, FINE
- 3.0 15.0 SAND, FINE TO MEDIUM, PEBBLY
- 15.0 25.0 SAND AND GRAVEL, FINE TO MEDIUM SAND,

FINE GRAVEL

25.0 - 28.0 GRAVEL, FINE TO MEDIUM

\* \* \* \*

TEST HOLE NUMBER: 818 LOCATION: 104N-50W-20AABA

LEGAL LOCATION: NE NW NE NE SEC. 20, T. 104 N., R. 50 W.

- 8.0 18.0 SAND, COARSE; SAMPLE TAKEN
- 18.0 23.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 819 LOCATION: 104N-50W-20ABAA

LEGAL LOCATION: NE NE NW NE SEC. 20, T. 104 N., R. 50 W.

4.0 - 10.0 SAND, MEDIUM TO COARSE

10.0 - 40.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 820 LOCATION: 104N-50W-20DCC

LEGAL LOCATION: SW SW SE SEC. 20, T. 104 N., R. 50 W.

1.0 - 11.0 SAND; DIRTY 11.0 - 15.0 GRAVEL, FINE 15.0 - 35.0 GRAVEL, COARSE

\* \* \* \*

TEST HOLE NUMBER: 821 LOCATION: 104N-50W-21CCC

LEGAL LOCATION: SW SW SW SEC. 21, T. 104 N., R. 50 W.

1.0 - 15.0 SAND, FINE TO COARSE

15.0 - 25.0 SAND AND GRAVEL, COARSE SAND, FINE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 822 LOCATION: 104N-50W-21CCCC

LEGAL LOCATION: SW SW SW SEC. 21, T. 104 N., R. 50 W.

3.0 - 18.0 GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 823 LOCATION: 104N-50W-22BBBB

LEGAL LOCATION: NW NW NW NW SEC. 22, T. 104 N., R. 50 W.

8.0 - 13.0 SAND AND GRAVEL, COARSE SAND TO COARSE GRAVEL

\* \* \* \*

TEST HOLE NUMBER: 824 LOCATION: 104N-50W-29AAA

LEGAL LOCATION: NE NE NE SEC. 29, T. 104 N., R. 50 W.

2.0 - 4.0 SAND, MEDIUM

4.0 - 14.0 SAND, MEDIUM TO COARSE

14.0 - 19.0 SAND, COARSE

19.0 - 32.0 SAND, MEDIUM TO COARSE

TEST HOLE NUMBER: 825 LOCATION: 104N-50W-29BAB

LEGAL LOCATION: NW NE NW SEC. 29, T. 104 N., R. 50 W.

4.0 - 9.0 SAND, FINE, SILTY

9.0 - 14.0 SAND, FINE TO MEDIUM, SILTY

14.0 - 20.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 826 LOCATION: 104N-50W-31CDD

LEGAL LOCATION: SE SE SW SEC. 31, T. 104 N., R. 50 W.

2.0 - 4.0 SAND AND GRAVEL, MEDIUM SAND, FINE GRAVEL

4.0 - 14.0 SAND, MEDIUM

14.0 - 19.0 SAND, MEDIUM TO COARSE

19.0 - 24.0 SAND, COARSE

24.0 - 43.0 SAND, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 827 LOCATION: 104N-50W-31DDDC

LEGAL LOCATION: SW SE SE SE SEC. 31, T. 104 N., R. 50 W.

2.0 - 18.0 GRAVEL, COARSE, SANDY, SUBROUNDED 20.0 - 32.0 GRAVEL, COARSE, SANDY, SUBROUNDED

\* \* \* \*

TEST HOLE NUMBER: 828 LOCATION: 104N-50W-32BABA

LEGAL LOCATION: NE NW NE NW SEC. 32, T. 104 N., R. 50 W.

2.0 - 22.0 SAND AND GRAVEL, MEDIUM TO COARSE

\* \* \* \*

TEST HOLE NUMBER: 829 LOCATION: 104N-50W-33AAAA

LEGAL LOCATION: NE NE NE NE SEC. 33, T. 104 N., R. 50 W.

0 - 7.0 SAND, RUST-BROWN, COARSE, CLAYEY

\* \* \* \*

TEST HOLE NUMBER: 830 LOCATION: 104N-50W-33ADDA

LEGAL LOCATION: NE SE SE NE SEC. 33, T. 104 N., R. 50 W.

1.0 - 5.0 SAND, REDDISH-BROWN, FINE, CLAYEY; MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 831 LOCATION: 104N-51W-07BBBB

LEGAL LOCATION: NW NW NW NW SEC. 07, T. 104 N., R. 51 W.

0 - 6.0 SAND, BROWN, FINE, CLAYEY; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 832 LOCATION: 104N-51W-09BBBC

LEGAL LOCATION: SW NW NW NW SEC. 09, T. 104 N., R. 51 W.

7.0 - 10.0 SAND, TAN-BROWN, MEDIUM, VERY CLAYEY,
GRAVELLY FROM 8 TO 10 FEET; OXIDIZED,
SATURATED

\* \* \* \*

TEST HOLE NUMBER: 833 LOCATION: 104N-51W-09DDDD

LEGAL LOCATION: SE SE SE SE SEC. 09, T. 104 N., R. 51 W.

9.0 - 18.0 SAND, REDDISH-BROWN, MEDIUM TO COARSE; SOME MEDIUM GRAVEL, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 834 LOCATION: 104N-51W-22BAAA

LEGAL LOCATION: NE NE NE NW SEC. 22, T. 104 N., R. 51 W.

25.0 - 28.0 GRAVEL, BROWN, COARSE; OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 835 LOCATION: 104N-51W-22DCDC

LEGAL LOCATION: SW SE SW SE SEC. 22, T. 104 N., R. 51 W.

- SAND, REDDISH-BROWN, FINE, CLAYEY, SILTY; 3.0 0 -MOIST, OXIDIZED GRAVEL, REDDISH-BROWN, MEDIUM, CLAYEY, 3.0 -10.0 SANDY; OXIDIZED, SATURATED AT 5 FEET SAND, REDDISH-BROWN, FINE TO MEDIUM, 10.0 -19.0 CLAYEY, GRAVELLY; SATURATED, OXIDIZED SAND, REDDISH-BROWN, FINE TO MEDIUM, VERY 19.0 **-**31.0 CLAYEY; SATURATED, OXIDIZED
  - \* \* \* \*

TEST HOLE NUMBER: 836 LOCATION: 104N-51W-27ABBA

LEGAL LOCATION: NE NW NW NE SEC. 27, T. 104 N., R. 51 W.

10.0 - 28.0 SAND AND GRAVEL, BROWN, MEDIUM TO COARSE SAND, FINE TO MEDIUM GRAVEL; 2 FOOT CLAY LAYER AT 15 FEET

\* \* \* \*

TEST HOLE NUMBER: 837 LOCATION: 104N-51W-33DDAA

LEGAL LOCATION: NE NE SE SE SEC. 33, T. 104 N., R. 51 W.

2.0 - 44.0 SAND, LIGHT-BROWN, FINE, SILTY, CLAYEY;
MOIST, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 838 LOCATION: 104N-51W-33DDAA 1

LEGAL LOCATION: NE NE SE SE SEC. 33, T. 104 N., R. 51 W.

5.0 - 22.0 SAND, BROWN, FINE TO COARSE; OXIDIZED 24.0 - 31.0 SAND, GRAY, FINE TO COARSE; UNOXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 839 LOCATION: 104N-51W-33DDAA 2

LEGAL LOCATION: NE NE SE SE SEC. 33, T. 104 N., R. 51 W.

5.0 - 22.0 SAND, BROWN, FINE TO COARSE; OXIDIZED 22.0 - 31.0 SAND, GRAY, FINE TO COARSE; UNOXIDIZED, INTERMITTENT THIN LAYERS OF CLAY

\* \* \* \*

TEST HOLE NUMBER: 840 LOCATION: 104N-51W-35BBCB

LEGAL LOCATION: NW SW NW NW SEC. 35, T. 104 N., R. 51 W.

8.0 - 17.0 SAND, BROWN, FINE TO MEDIUM, SILTY; MOIST TO SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 841 LOCATION: 104N-51W-35DDAA

LEGAL LOCATION: NE NE SE SE SEC. 35, T. 104 N., R. 51 W.

1.0 - 21.0 SAND, BROWN, MEDIUM TO COARSE; OXIDIZED, CLAYEY FROM 1 TO 8 FEET

21.0 - 25.0 SAND, GRAY, COARSE; UNOXIDIZED

TEST HOLE NUMBER: 842

LOCATION: 104N-51W-35DDAA 1

LEGAL LOCATION: NE NE SE SE SEC. 35, T. 104 N., R. 51 W.

17.0 - 21.0 SAND, TAN-BROWN, VERY FINE, VERY CLAYEY; OXIDIZED, SATURATED

· \* \* \* \*

TEST HOLE NUMBER: 843 LOCATION: 104N-52W-02ADDD

LEGAL LOCATION: SE SE SE NE SEC. 02, T. 104 N., R. 52 W.

- 5.0 13.0 SAND AND GRAVEL, BROWN, FINE TO MEDIUM SAND, FINE GRAVEL, CLAYEY; OXIDIZED, SATURATED
- 13.0 15.0 SAND AND GRAVEL, GRAY, FINE TO MEDIUM SAND, FINE TO COARSE GRAVEL, VERY CLAYEY; UNOXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 844 LOCATION: 104N-52W-03DAAA

LEGAL LOCATION: NE NE NE SE SEC. 03, T. 104 N., R. 52 W.

- 1.0 3.0 SAND AND GRAVEL, BROWN TO BLACK, FINE TO COARSE SAND, FINE TO MEDIUM GRAVEL
- 3.0 14.0 SAND, DARK-BROWN, FINE, CLAYEY, SILTY, GRAVELLY; SATURATED AT 5 FEET, GRAVEL CONTENT INCREASES WITH DEPTH

\* \* \* \*

TEST HOLE NUMBER: 845 LOCATION: 104N-52W-10AAAA

LEGAL LOCATION: NE NE NE NE SEC. 10, T. 104 N., R. 52 W.

15.0 - 20.0 GRAVEL, BROWN, MEDIUM TO COARSE, CLAYEY, SUBANGULAR; SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 846 LOCATION: 104N-52W-11BAAA

LEGAL LOCATION: NE NE NE NW SEC. 11, T. 104 N., R. 52 W.

- 3.0 5.0 SAND, BROWN, FINE TO MEDIUM; VERY FEW PEBBLES, OXIDIZED, DRY
- 5.0 7.0 SAND, BROWN, FINE TO MEDIUM, CLAYEY; VERY FEW PEBBLES, OXIDIZED, MOIST
- 7.0 10.0 SAND, BROWN, FINE TO MEDIUM, CLAYEY; VERY

## FEW PEBBLES, OXIDIZED, SATURATED

\* \* \* \*

TEST HOLE NUMBER: 847 LOCATION: 104N-52W-27CCCD

LEGAL LOCATION: SE SW SW SW SEC. 27, T. 104 N., R. 52 W.

20.0 - 27.0 SAND AND GRAVEL, GRAY; COARSE SAND TO MEDIUM TO COARSE GRAVEL, UNOXIDIZED, SOME COBBLES

\* \* \* \*

TEST HOLE NUMBER: 848 LOCATION: 104N-52W-28BCCC

LEGAL LOCATION: SW SW SW NW SEC. 28, T. 104 N., R. 52 W.

1.0 - 9.0 GRAVEL, BROWN, FINE TO COARSE, CLAYEY, ROUNDED; SOME SAND, DRY, OXIDIZED

9.0 - 11.0 SAND, ORANGE-BROWN, FINE TO MEDIUM, VERY CLAYEY, SILTY; MOIST TO SATURATED, OXIDIZED

\* \* \* \*

TEST HOLE NUMBER: 849 LOCATION: 104N-52W-34CDDC

LEGAL LOCATION: SW SE SE SW SEC. 34, T. 104 N., R. 52 W.

7.0 - 10.0 SAND AND GRAVEL, BROWN, FINE TO COARSE SAND, FINE, WITH A LITTLE MEDIUM GRAVEL, VERY SILTY, VERY CLAYEY; OXIDIZED, SATURATED

\* \* \* \*

TABLE 2. List of sand and gravel pits and quartzite quarries in Minnehaha County, on file at the Department of Transportation, Division of Highways, Pierre, South Dakota, and at the Department of Water and Natural Resources, Office of Surface Mining, Pierre, South Dakota.

## **EXPLANATION:**

# Column Description:

- a. Landowner and/or pit operator and address
- b. Location given in half and quarter sections, section number, township, and range
- c. Aggregate type
- d. Average thickness of deposits in feet
- e. Average thickness of overburden in feet

## Pit 1

- a. Landowner: E. Pearson Brandon
- b. Location: NW 1/4 sec. 3, T. 101 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 2

- a. Landowner: E. Pearson Brandon
- b. Location: NE 1/4 NW 1/4 sec. 3, T. 101 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 15
- e. Overburden thickness (ft): 1

## Pit 3

- a. Landowner: Brandon Tea Ready-Mix, Inc. Brandon
- b. Location: NW 1/4 Sec. 3, T. 101 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 4

- a. Landowner: Department of Transportation Pierre
- b. Location: NW 1/4 sec. 10, T. 101 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: Myrl and Roy's Paving, Inc. Sioux Falls
- b. Location: Sec. 20, T. 101 N., R. 48 W.
- c. Aggregate type: Quartzite
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

```
Pit 6
    a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls
    b. Location: NW 1/4 SW 1/4 sec. 27, T. 101 N., R. 48 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 7
    a. Landowner: Perry Estate
    b. Location: NE 1/4 sec. 28, T. 101 N., R. 48 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 8
    a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls
    b. Location: SW 1/4 NE 1/4 sec. 28, T. 101 N., R. 48 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 9
    a. Landowner: Mryl and Roy's Paving, Inc. - Sioux Falls
    b. Location: NE 1/4 Sec. 29, T. 101 N., R. 48 W.
    c. Aggregate type: Quartzite
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 10
    a. Landowner: City of Sioux Falls - Sioux Falls
    b. Location: Sec. 1, T. 101 N., R. 49 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 11
    a. Landowner: ----
    b. Location: NE 1/4 sec. 2, T. 101 N., R. 49 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): 11.5
    e. Overburden thickness (ft): 2.5
Pit 12
    a. Landowner: Concrete Materials - Sioux Falls
    b. Location: S 1/2 sec. 2, T. 101 N., R. 49 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
```

# Pit 13 a. Landowner: Fred Traub - Sioux Falls b. Location: NE 1/4 sec. 3, T. 101 N., R. 49 W. c. Aggregate type: Sand d. Deposit thickness (ft): 6 e. Overburden thickness (ft): 2 Pit 14 a. Landowner: Fred Traub - Sioux Falls b. Location: SE 1/4 sec. 3, T. 101 N., R. 49 W. c. Aggregate type: Sand d. Deposit thickness (ft): 12 - 18 e. Overburden thickness (ft): 2 Pit 15 a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls b. Location: NW 1/4 sec. 11, T. 101 N., R. 49 W. c. Aggregate type: ---d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 16 a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls b. Location: NE 1/4 SW 1/4 sec. 11, T. 101 N., R. 49 W. c. Aggregate type: d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 17 a. Landowner: Concrete Materials - Sioux Falls b. Location: SE 1/4 SW 1/4 sec. 11, T. 101 N., 'R. 49 W. c. Aggregate type: ---d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 18 a. Landowner: Mrs. Frank Lacey - Sioux Falls b. Location: SE 1/4 SW 1/4 sec. 11, T. 101 N., R. 49 W. c. Aggregate type: Sand and gravel d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 19 a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls b. Location: NW 1/4 SE 1/4 sec. 11, T. 101 N., R. 49 W. c. Aggregate type: ---d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----

```
Pit 20
    a. Landowner: Concrete Materials - Sioux Falls
    b. Location: NE 1/4 NW 1/4 sec. 14, T. 101 N., R. 49 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft):
                              ----
    e. Overburden thickness (ft): ----
Pit 21
    a. Landowner: Friessen Construction, Inc.
    b. Location: SE 1/4 NW 1/4 sec. 14, T. 101 N., R. 49 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 22
    a. Landowner: Concrete Materials Company - Sioux Falls
    b. Location: NW 1/4 sec. 18, T. 101 N., R. 49 W.
    c. Aggregate type: Quartzite
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 23
    a. Landowner: Concrete Materials Company - Sioux Falls
    b. Location: NE 1/4 sec. 31, T. 101 N., R. 49 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 24
    a. Landowner: SD Department of Highways - Pierre
    b. Location: S 1/2 NE 1/4 sec. 31, T. 101 N., R. 49 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 25
    a. Landowner: SD Department of Highways - Pierre
    b. Location: N 1/2 sec. 31, T. 101 N., R. 49 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 26
    a. Landowner: Department of Transportation - Pierre
    b. Location: W 1/2 SE 1/4 sec. 31, T. 101 N., R. 49 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
```

```
Pit 27
    a. Landowner: SD Department of Highways - Pierre
    b. Location: SE 1/4 sec. 31, T. 101 N., R. 49 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 28
    a. Landowner: Concrete Materials Company - Sioux Falls
    b. Location: NW 1/4 sec. 32, T. 101 N., R. 49 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 29
    a. Landowner: Friessen Construction, Inc. - Sioux Falls
    b. Location: S 1/2 SW 1/4 SW 1/4 sec. 5, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 30
    a. Landowner: H. Beckman
    b. Location: W 1/2 NE 1/4 sec. 6, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 31
    a. Landowner: Lloyd Meyer - Hartford
    b. Location: NW 1/4 sec. 6, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 32
    a. Landowner: Reynolds Construction Company - Sioux Falls
    b. Location: E 1/2 SW 1/4 sec. 6, T. 101 N., R. 50 W.
    c. Aggregate type:
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 33
```

- a. Landowner: Minnehaha Co. Highway Department Sioux Falls
- b. Location: E 1/2 SE 1/4 sec. 6, T. 101 N., R. 50 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

# Pit 34 a. Landowner: Minnehaha County - Sioux Falls b. Location: NW 1/4 SE 1/4 sec. 6, T. 101 N., R. 50 W. c. Aggregate type: Gravel d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 35 a. Landowner: Reynolds Construction Company - Sioux Falls b. Location: SW 1/4 SE 1/4 sec. 6, T. 101 N., R. 50 W. c. Aggregate type: ---d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 36 a. Landowner: Harold Allen - Sioux Falls b. Location: NE 1/4 sec. 8, T. 101 N., R. 50 W. c. Aggregate type: Gravel d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 37 a. Landowner: City of Sioux Falls - Sioux Falls b. Location: N 1/2 NW 1/4 sec. 8, T. 101 N., R. 50 W. c. Aggregate type: ---d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 38 a. Landowner: Unzelman Schultz - Sioux Falls b. Location: SW 1/4 NW 1/4 sec. 8, T. 101 N., R. 50 W. c. Aggregate type: Gravel d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 39 a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls b. Location: SW 1/4 NW 1/4 sec. 8, T. 101 N., R. 50 W. c. Aggregate type: ---d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 40 a. Landowner: Soukup Construction, Inc. - Sioux Falls b. Location: SE 1/4 NW 1/4 sec. 8, T. 101 N., R. 50 W. c. Aggregate type:

d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----

```
Pit 41
    a. Landowner: Soukup Construction, Inc. - Sioux Falls
   b. Location: E 1/2 SW 1/4 sec. 8, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 42
    a. Landowner: City of Sioux Falls - Sioux Falls
    b. Location: NW 1/4 SW 1/4 sec. 8, T. 101 N., R. 50 W.
    c. Aggregate type:
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 43
    a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls
    b. Location: SW 1/4 SW 1/4 sec. 8, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 44
    a. Landowner: Mrs. Eleanor Battles - Sioux Falls
    b. Location: NW 1/4 SE 1/4 sec. 8, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): 6.3
    e. Overburden thickness (ft): 3.1
Pit 45
    a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls
    b. Location: SE 1/4 SE 1/4 sec. 8, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ---
Pit 46
    a. Landowner: Hagen Grading - Sioux Falls
    b. Location: NW 1/4 sec. 9, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 47
```

- a. Landowner: Soukup Construction Inc. Sioux Falls
- b. Location: NW 1/4 sec. 9, T. 101 N., R. 50 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

```
Pit 48
    a. Landowner: Diadem Corporation - Sioux Falls
    b. Location: SW 1/4 NW 1/4 sec. 9, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 49
    a. Landowner: Concrete Materials - Sioux Falls
    b. Location: SW 1/4 SE 1/4 sec. 12, T. 101 N., R. 50 W.
    c. Aggregate type: Quartzite
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 50
    a. Landowner: Concrete Materials - Sioux Falls
    b. Location: SE 1/4 SE 1/4 sec. 12, T. 101 N., R. 50 W.
    c. Aggregate type: Quartzite
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 51
    a. Landowner: Concrete Materials - Sioux Falls
    b. Location: NW 1/4 NE 1/4 sec. 13, T. 101 N., R. 50 W.
    c. Aggregate type: Quartzite
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 52
    a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls
    b. Location: NE 1/4 sec. 15, T. 101 N., R. 50 W.
    c. Aggregate type:
                        ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 53
    a. Landowner: Frank Lady - Sioux Falls
b. Location: SW 1/4 NE 1/4 sec. 15, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): 8.7
    e. Overburden thickness (ft): 5
Pit 54
    a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls
    b. Location: E 1/2 NW 1/4 sec. 15, T. 101 N., R. 50 W.
    c. Aggregate type:
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
```

- a. Landowner: Beulah Oakes Sioux Falls b. Location: W 1/2 NW 1/4 sec. 15, T. 101 N., R. 50 W. c. Aggregate type: Gravel d. Deposit thickness (ft): 14 e. Overburden thickness (ft): 4 Pit 56 a. Landowner: Eagle Sand and Gravel Company - Sioux Falls b. Location: SW 1/4 sec. 15, T. 101 N., R. 50 W. c. Aggregate type: Gravel d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 57 a. Landowner: Hagen Grading - Sioux Falls b. Location: SW 1/4 sec. 15, T. 101 N., R. 50 W. c. Aggregate type: ---d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 58 a. Landowner: Fodness Gravel - Sioux Falls b. Location: SW 1/4 sec. 15, T. 101 N., R. 50 W. c. Aggregate type: ---d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 59 a. Landowner: Beulah Oakes - Sioux Falls b. Location: E 1/2 NE 1/4 sec. 16, T. 101 N., R. 50 W. c. Aggregate type: Gravel d. Deposit thickness (ft): 13 e. Overburden thickness (ft): 6 Pit 60 a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls b. Location: SE 1/4 NE 1/4 sec. 16, T. 101 N., R. 50 W. c. Aggregate type: ---d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 61 a. Landowner: Christina Weinacht - Sioux Falls b. Location: E 1/2 NW 1/4 sec. 16, T. 101 N., R. 50 W.
  - d. Deposit thickness (ft): 11.6

c. Aggregate type: Gravel

e. Overburden thickness (ft): 4

```
Pit 62
    a. Landowner: Concrete Materials - Sioux Falls
    b. Location: NW 1/4 sec. 16, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 63
    a. Landowner: Hagen Grading - Sioux Falls
    b. Location: NW 1/4 sec. 16, T. 101 N., R. 50 W.
    c. Aggregate type:
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 64
    a. Landowner: Hagen Grading - Sioux Falls
    b. Location: NE 1/4 SE 1/4 sec. 16, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 65
    a. Landowner: Hagen Grading - Sioux Falls
    b. Location: S 1/2 SE 1/4 sec. 16, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 66
    a. Landowner: Eagle Sand and Gravel Company - Sioux Falls
    b. Location: SE 1/4 sec. 16, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 67
    a. Landowner: Asphalt Surfacing Company - Sioux Falls
    b. Location: NE 1/4 NE 1/4 sec. 17, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 68
    a. Landowner: D. Hylland - Sioux Falls
b. Location: NE 1/4 sec. 17, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): 11.8
    e. Overburden thickness (ft): 3.3
```

# Pit 69 a. Landowner: D. Hylland - Sioux Falls b. Location: NE 1/4 sec. 17, T. 101 N., R. 50 W. c. Aggregate type: Gravel d. Deposit thickness (ft): 17 e. Overburden thickness (ft): 2 Pit 70 a. Landowner: Soukup Construction, Inc. - Sioux Falls. b. Location: NE 1/4 NW 1/4 sec. 17, T. 101 N., R. 50 W. c. Aggregate type: d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 71 a. Landowner: Myrl and Roy's Paving, Inc. - Sioux Falls b. Location: NW 1/4 NW 1/4 sec. 17, T. 101 N., R. 50 W. c. Aggregate type: ---d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 72 a. Landowner: Friessen Construction, Inc. - Sioux Falls b. Location: NE 1/4 SE 1/4 sec. 17, T. 101 N., R. 50 W. c. Aggregate type: d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 73 a. Landowner: Don Runge Construction, Inc. - Sioux Falls b. Location: S 1/2 NE 1/4 sec. 23, T. 101 N., R. 50 W. c. Aggregate type: ---d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 74 a. Landowner: Don Runge Construction, Inc. - Sioux Falls b. Location: SE 1/4 NW 1/4 sec. 23, T. 101 N., R. 50 W. c. Aggregate type: ---d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 75

- a. Landowner: Hayward Estates Sioux Falls
- b. Location: N 1/2 N 1/2 sec. 23, T. 101 N., R. 50 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 12-15
- e. Overburden thickness (ft): 2.5-3.0

```
Pit 76
    a. Landowner: Don Runge Construction, Inc. - Sioux Falls
    b. Location: N 1/2 SE 1/4 sec. 23, T. 101 N., R. 50 W.
    c. Aggregate type: ----
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ---
Pit 77
    a. Landowner: Don Runge Construction, Inc. - Sioux Falls
    b. Location: E 1/2 SW 1/4 SW 1/4 SE 1/4 sec. 23, T. 101 N.,
                 R. 50 W.
    c. Aggregate type:
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 78
    a. Landowner: C. Delbridge - Sioux Falls
    b. Location: SW 1/4 NW 1/4 sec. 24, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 79
    a. Landowner: C. Delbridge - Sioux Falls
    b. Location: SW 1/4 SW 1/4 sec. 24, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 80
    a. Landowner: Clarence Sherman - Sioux Falls
    b. Location: Sec. 25, T. 101 N., R. 50 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): 9.5
    e. Overburden thickness (ft): 3.5
Pit 81
    a. Landowner: Friessen Construction, Inc. - Sioux Falls
    b. Location: Sec. 25, T. 101 N., R. 50 W.
    c. Aggregate type:
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
```

- a. Landowner: Harry Hanson Sioux Falls
- b. Location: E 1/2 NE 1/4 sec. 26, T. 101 N., R. 50 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

# Pit 83 a. Landowner: Arthur Ruud - Hartford b. Location: SW 1/4 sec. 25, T. 101 N., R. 51 W. c. Aggregate type: Gravel d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 84 a. Landowner: Arthur Ruud - Hartford b. Location: SE 1/4 sec. 26, T. 101 N., R. 51 W. c. Aggregate type: Gravel d. Deposit thickness (ft): 20 e. Overburden thickness (ft): 2 Pit 85 a. Landowner: Ralph T. Erickson - Humboldt b. Location: NW 1/4 sec. 27, T. 101 N., R. 52 W. c. Aggregate type: ---d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----Pit 86 a. Landowner: Milo Johnson - Valley Springs b. Location: W 1/2 NE 1/4 sec. 8, T. 102 N., R. 47 W. c. Aggregate type: Gravel d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 87 a. Landowner: Mrs. Deschepper - Garretson b. Location: SW 1/4 NE 1/4 sec. 8, T. 102 N., R. 47 W. c. Aggregate type: Gravel d. Deposit thickness (ft): 10 e. Overburden thickness (ft): 2 Pit 88 a. Landowner: Milo Johnson - Valley Springs b. Location: E 1/2 NW 1/4 sec. 8, T. 102 N., R. 47 W. c. Aggregate type: Gravel d. Deposit thickness (ft): e. Overburden thickness (ft): ----Pit 89 a. Landowner: Milo Johnson - Valley Springs b. Location: SW 1/4 sec. 8, T. 102 N., R. 47 W.

d. Deposit thickness (ft): ---e. Overburden thickness (ft): ----

c. Aggregate type: Gravel

```
Pit 90
    a. Landowner: Milo Johnson - Valley Springs
    b. Location: S 1/2 sec. 8, T. 102 N., R. 47 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 91
    a. Landowner: Art Evenson - Valley Springs
    b. Location: E 1/2 SW 1/4 sec. 27, T. 102 N., R. 47 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 92
    a. Landowner: Art Evenson - Valley Springs
    b. Location: W 1/2 SW 1/4 sec. 27, T. 102 N., R. 47 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 93
    a. Landowner: Art Evenson - Valley Springs
    b. Location: E 1/2 SE 1/4 sec. 28, T. 102 N., R. 47 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 94
    a. Landowner: J. Boersma - Valley Springs
    b. Location: W 1/2 SE 1/4 sec. 33, T. 102 N., R. 47 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft): ----
    e. Overburden thickness (ft): ----
Pit 95
    a. Landowner: Myrtle Jones - San Francisco, California
    b. Location: SW 1/4 NW 1/4 sec. 22, T. 102 N., R. 48 W.
    c. Aggregate type: Gravel
    d. Deposit thickness (ft):
    e. Overburden thickness (ft): ----
Pit 96
```

- a. Landowner: Palmar Karli Brandon
- b. Location: NE 1/2 sec. 23, T. 102 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: Elest Swenson Corson
- b. Location: NE 1/4 SE 1/4 sec. 23, T. 102 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 24
- e. Overburden thickness (ft): 4.3

#### Pit 98

- a. Landowner: Henry Thoreson Brandon
- b. Location: N 1/2 NW 1/4 sec. 24, T. 102 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

#### Pit 99

- a. Landowner: Dewey Christopherson Brandon
- b. Location: S 1/2 NW 1/4 sec. 24, T. 102 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 12
- e. Overburden thickness (ft): 5

#### Pit 100

- a. Landowner: Dewey Christopherson Brandon
- b. Location: SE 1/4 SW 1/4 sec. 24, T. 102 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 8
- e. Overburden thickness (ft): 2.5

## Pit 101

- a. Landowner: Fred Rist Sioux Falls
- b. Location: NW 1/4 SW 1/4 sec. 30, T. 102 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 10
- e. Overburden thickness (ft): 2.6

## Pit 102

- a. Landowner: Robert Bruns
- b. Location: NW 1/4 NW 1/4 sec. 31, T. 102 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ---

- a. Landowner: Martin Graff Brandon
- b. Location: SW 1/4 sec. 34, T. 102 N., R. 48 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 7.2
- e. Overburden thickness (ft): 4.2

- a. Landowner: Clara Johnson Sioux Falls
- b. Location: SW 1/4 sec. 24, T. 102 N., R. 49 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 15
- e. Overburden thickness (ft): 2-3

#### Pit 105

- a. Landowner: Harry Eckert Sioux Falls
- b. Location: E 1/2 SE 1/4 sec. 25, T. 102 N., R. 49 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 10
- e. Overburden thickness (ft): 2.3

# Pit 106

- a. Landowner: Krueger Excavating, Inc. Sioux Falls
- b. Location: NW 1/4 NE 1/4 sec. 35, T. 102 N., R. 49 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 107

- a. Landowner: Ray Parkham Sioux Falls
  b. Location: NW 1/4 sec. 36, T. 102 N., R. 49 W.
- c. Aggregate type: Sand
- d. Deposit thickness (ft):
- e. Overburden thickness (ft): ----

## Pit 108

- a. Landowner: G. Norton Sioux Falls
- b. Location: SW 1/4 sec. 36, T. 102 N., R. 49 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 9.8
- e. Overburden thickness (ft): 3.6

## Pit 109

- a. Landowner: G. Norton Sioux Falls
- b. Location: SW 1/4 sec. 36, T. 102 N., R. 49 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 11.3
- e. Overburden thickness (ft): 3.6

- a. Landowner: Diamond D. Construction Hartford
- b. Location: NW 1/4 sec. 2, T. 102 N., R. 51 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: Douglas Doggett Hartford
- b. Location: NW 1/4 sec. 2, T. 102 N., R. 51 W.
- c. Aggregate type: Sand
- d. Deposit thickness (ft): 6.5
- e. Overburden thickness (ft): 2

#### Pit 112

- a. Landowner: Charles Main Hartford
- b. Location: SE 1/4 sec. 11, T. 102 N., R. 51 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 5
- e. Overburden thickness (ft): 3.1

#### Pit 113

- a. Landowner: Fred Ruback Hartford
- b. Location: NW 1/4 sec. 13, T. 102 N., R. 51 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 15
- e. Overburden thickness (ft): 3.5

## Pit 114

- a. Landowner: Chris Sorenson Hartford
- b. Location: SE 1/4 sec. 13, T. 102 N., R. 51 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 18
- e. Overburden thickness (ft): 3.5

#### Pit 115

- a. Landowner: Zacharias Construction Hartford
- b. Location: SE 1/4 sec. 13, T. 102 N., R. 51 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ---
- e. Overburden thickness (ft): ---

#### Pit 116

- a. Landowner: Elsie Johnson Sioux Falls
- b. Location: SE 1/4 sec. 24, T. 102 N., R. 51 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: Herman Kriens Watertown
- b. Location: NE 1/4 sec. 25, T. 102 N., R. 51 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 11
- e. Overburden thickness (ft): 1

- a. Landowner: Ralph Tyler Hartford
- b. Location: W 1/2 SW 1/4 sec. 25, T. 102 N., R. 51 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 6
- e. Overburden thickness (ft): 3

## Pit 119

- a. Landowner: ----
- b. Location: SW 1/4 sec. 27, T. 102 N., R. 52 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 120

- a. Landowner: Donald Smith Valley Springs
- b. Location: NE 1/4 sec. 3, T. 103 N., R. 47 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 10
- e. Overburden thickness (ft): 6

## Pit 121

- a. Landowner: Anderson
- b. Location: NE 1/4 sec. 4, T. 103 N., R. 47 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 122

- a. Landowner: Walter Flanagan Garretson
- b. Location: NW 1/4 sec. 20, T. 103 N., R. 47 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 123

- a. Landowner: Walter Flanagan Garretson
- b. Location: SW 1/4 sec. 20, T. 103 N., R. 47 W.
- c. Aggregate type: Sand and Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: C. Woolridge Garretson
- b. Location: NE 1/4 sec. 29, T. 103 N., R. 47 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 12
- e. Overburden thickness (ft): 2

- a. Landowner: E. Coyle Hartford
- b. Location: SW 1/4 sec. 19, T. 103 N., R. 51 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

#### Pit 126

- a. Landowner: D. Johnson Brookings
- b. Location: SE 1/4 sec. 19, T. 103 N., R. 51 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 15
- e. Overburden thickness (ft): 2

# Pit 127

- a. Landowner: A & J Salvage Colton
  b. Location: SE 1/4 sec. 20, T. 103 N., R. 51 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

# Pit 128

- a. Landowner: Colton Redi-Mix Colton
- b. Location: SE 1/4 sec. 20, T. 103 N., R. 51 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

# Pit 129

- a. Landowner: A & J Salvage Colton
- b. Location: NE 1/4 sec. 30, T. 103 N., R. 51 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 130

- a. Landowner: Herman Hotchkiss Humboldt
- b. Location: NE 1/4 sec. 10, T. 103 N., R. 52 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 7.3
- e. Overburden thickness (ft): 2.8

- a. Landowner: Walter Ginsbach Hartford
- b. Location: NE 1/4 sec. 24, T. 103 N., R. 52 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 15
- e. Overburden thickness (ft): 4.5

- a. Landowner: Colton Redi-Mix Colton
- b. Location: NE 1/4 sec. 24, T. 103 N., R. 52 W.
- c. Aggregate type: ----
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 133

- a. Landowner: W. Sieverding Hartford
- b. Location: SW 1/4 sec. 25, T. 103 N., R. 52 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 9
- e. Overburden thickness (ft): 3

#### Pit 134

- a. Landowner: Rekstad
- b. Location: SW 1/4 sec. 19, T. 104 N., R. 47 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): 18
- e. Overburden thickness (ft): 4

## Pit 135

- a. Landowner: Laura Wicks Dell Rapids
- b. Location: W 1/2 NW 1/4 sec. 1, T. 104 N., R. 49 W.
- c. Aggregate type: Gravel
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

## Pit 136

- a. Landowner: L. G. Everist Dell Rapids
- b. Location: SE 1/4 sec. 10, T. 104 N., R. 49 W.
- c. Aggregate type: Crushed stone quartzite
- d. Deposit thickness (ft): ----
- e. Overburden thickness (ft): ----

- a. Landowner: M. Eulberg Dell Rapids
- b. Location: NE 1/4 sec. 4, T. 104 N., R. 50 W.
- c. Aggregate type: Sand and Gravel
- d. Deposit thickness (ft): 8-10
- e. Overburden thickness (ft): 2